

# Southern Cross Gold Drills 3.4 M @ 466 g/t Gold at Sunday Creek

28.05.2025 | [Newsfile](#)

Vancouver, May 28, 2025 - [Southern Cross Gold Consolidated Ltd.](#) (TSXV: SXGC) (ASX: SX2) (OTC Pink: MWSNF) (FSE: MV3) ("SXGC", "SX2" or the "Company") announces results from eight diamond drill holes from the Rising Sun and Golden Dyke and Christina prospects, at the 100%-owned Sunday Creek gold-antimony project in Victoria (Figure 7).

## Five Key Points

1. SDDSC161, drilled to infill mineralization with a 27 m up-dip extension at Rising Sun, hosts the second-best interval on the project and two of the ten best intervals drilled:
  - Second best interval: 3.4 m @ 466.4 g/t Au (1,585.8 AuEq g/t x m) including 2.4 m @ 670.4 g/t Au.
  - Third highest individual assay: 4,700 g/t Au over 0.2 m from 511.3 m.
  - Ninth highest individual assay: 1,510 g/t Au over 0.3 m from 510.4 m.
2. Six new vein sets discovered between Christina and Golden Dyke in SDDSC156, highlighting repeatability of mineralized structures.
3. Depth Extensions: Two of the reported holes (SDDSC155A and SDDSC157) intercepted high-grade mineralization 40 m to 120 m below previously announced mineralization.
4. Sunday Creek's High-Grade Profile Expands: One additional +100 gram-metre AuEq intercept and two additional 50 to 100 gram-metre AuEq intercepts bringing the project's total to 64 and 72, respectively, further demonstrating robust grade distribution at depth.
5. Continued Exploration: Twenty-four additional holes are currently being processed and analyzed, with eight more actively being drilled, continuing the systematic expansion of the project's mineralized footprint.

Michael Hudson, President & CEO, states: "These latest drill results continue to demonstrate the exceptional potential of our Sunday Creek discovery. SDDSC161 has delivered our second highest interval ever drilled, with 3.4 m @ 466.4 g/t AuEq including an ultra-high-grade core of 2.4 m @ 670.4 g/t AuEq. The presence of 4,700 g/t Au over 0.2 m - our third highest individual assay - shows the remarkable grade potential within our Golden Ladder system.

Our drilling program is strategically designed to both expand the project volume and de-risk known high-grade zones through continuity confirmation. SDDSC156 dramatically increases the project's mineralized volume by discovering six entirely new vein sets, while results like SDDSC161, SDDSC155A's 40 m to 50 m down dip extensions and SDDSC157's 120 m down dip extension demonstrate remarkable continuity of our high-grade mineralization. These results consistently confirm that our very high grades maintain their character both along strike and down dip, significantly reducing geological risk while expanding the scale of this impressive system."

Figure 1: SDDSC161 intercept: 0.2 m @ 4,700 g/t Au and 0.26% Sb from 511.3 m showing abundant visible gold in a quartz-carbonate-stibnite vein. Part of a wider zone grading 3.4 m @ 466.4 g/t AuEq (466.0 g/t Au, 0.2% Sb) from 508.4 m. Core diameter is 63.5 mm.

To view an enhanced version of this graphic, please visit:

[https://images.newsfilecorp.com/files/11541/253615\\_a98ac25694a5398b\\_001full.jpg](https://images.newsfilecorp.com/files/11541/253615_a98ac25694a5398b_001full.jpg)

## FOR THOSE WHO LIKE THE DETAILS

### Key Take Aways

- SDDSC161 (Rising Sun) was drilled east-to-west targeting the highly prospective RS01 vein set with a 27 m up-dip extension and delivered the second highest composite interval in Sunday Creek's history:
  - 3.4 m @ 466.4 g/t AuEq (466.0 g/t Au, 0.2% Sb) from 508.4 m, including:
    - 2.4 m @ 671.0 g/t AuEq (670.4 g/t Au, 0.2% Sb) from 509.5 m

Featured two exceptional +1,000 g/t gold assays in a single interval:

- 4,700 g/t Au over 0.2 m (3rd highest assay on the project)
- 1,510 g/t Au over 0.3 m (9th highest assay on the project)

Continued over page&hellip;

### Key Take Aways continued&hellip;.

- SDDSC156 (Christina-Golden Dyke) was drilled from Christina toward Golden Dyke and intersected a 125 m mineralized zone containing seven vein sets. Six represent entirely new discoveries, with the standout intercept:
  - 3.0 m @ 13.7 g/t AuEq (7.3 g/t Au, 2.7% Sb) from 267.8 m, including:
    - 1.6 m @ 24.0 g/t AuEq (13.0 g/t Au, 4.6% Sb) from 267.8 m
- SDDSC155A (Rising Sun) provided critical depth extensions, delivering 40 m to 50 m down dip continuity on two vein domains (RS05, RS15) while providing high-grade infill on a third (RS06), highlighted by:
  - 0.1 m @ 370.7 g/t AuEq (370.0 g/t Au, 0.3% Sb) from 682.5 m
- SDDSC157 (Golden Dyke) successfully extended three vein domains (GD80, GD90, GD100) by 40 m to 120 m down dip, with the standout intercept:
  - 0.4 m @ 162.6 g/t AuEq (161.9 g/t Au, 0.3% Sb) from 647.0 m
- SDDSC152 (Rising Sun Control) was designed as a structural control hole drilled at high angles to test dyke location. It successfully intersected 25 m of dyke and altered sediment at 940 m vertical depth, representing a 130-170 m step-out below existing mineralization.
- Growing Project Scale: With 173 drill holes totalling 82,619 m completed since late 2020, Sunday Creek now contains 64 intersections >100 g/t AuEq x m and 72 intersections between 50-100 g/t AuEq x m, establishing it as one of the world's premier gold-antimony discoveries.

### Drill hole Discussion

Results from eight diamond drill holes SDDSC152, SDDSC154, SDDSC155, SDDSC155A, SDDSC156, SDDSC157, SDDSC157A and SDDSC161 from the Rising Sun and Golden Dyke and Christina prospects,

are presented below.

### Rising Sun Area

SDDSC161 delivered exceptional results with the second highest interval ever drilled at Sunday Creek, intercepting 3.4 m @ 466.4 g/t AuEq from 508.4 m, including a higher-grade core of 2.4 m @ 671.0 g/t AuEq from 509.5 m, plus the third highest individual assay of 4,700 g/t Au over 0.2 m (Figures 2, 3, 4 and 7). SDDSC161 was drilled 27 m up dip from SDDSC082 (October 23, 2023 - 1.7 m @ 254.2 g/t AuEq and 1.6 m @ 500.3 g/t AuEq) and 11 m along strike from SDDSC110 (15 April, 2024 - 0.7 m @ 11.7 g/t AuEq).

Extended highlights include:

- 0.4 m @ 15.3 g/t AuEq (11.9 g/t Au, 1.4% Sb) from 473.7 m
- 7.8 m @ 7.0 g/t AuEq (2.2 g/t Au, 2.0% Sb) from 478.6 m, including:
  - 2.3 m @ 13.0 g/t AuEq (4.7 g/t Au, 3.5% Sb) from 479.7 m
  - 0.6 m @ 18.6 g/t AuEq (1.2 g/t Au, 7.3% Sb) from 483.7 m
  - 0.4 m @ 18.3 g/t AuEq (6.1 g/t Au, 5.1% Sb) from 486.0 m
- 3.4 m @ 466.4 g/t AuEq (466.0 g/t Au, 0.2% Sb) from 508.4 m, including:
  - 2.4 m @ 671.0 g/t AuEq (670.4 g/t Au, 0.2% Sb) from 509.5 m

This lower interval also included two of the top ten individual assays ever intercepted at Sunday Creek:

- 4,700 g/t Au over 0.2 m from 511.3 m (3<sup>rd</sup> highest on the project)
- 1,510 g/t Au over 0.3 m from 510.4 m (9<sup>th</sup> highest on the project)

SDDSC155A provided significant value by extending two mineralized vein sets 40 m to 50 m down dip and delivering high-grade infill on a third vein set that showed impressive thickening up to 7 m true width, highlighted by a high-grade intercept of 0.1 m @ 370.7 g/t AuEq from 682.5 m. Highlights include:

- 0.3 m @ 56.1 g/t AuEq (40.3 g/t Au, 6.6% Sb) from 602.3 m, including:
  - 0.2 m @ 92.3 g/t AuEq (66.0 g/t Au, 11.0% Sb) from 602.3 m
- 1.5 m @ 3.2 g/t AuEq (2.6 g/t Au, 0.3% Sb) from 620.3 m
- 2.0 m @ 3.2 g/t AuEq (3.0 g/t Au, 0.1% Sb) from 651.6 m, including:
  - 0.6 m @ 8.5 g/t AuEq (8.0 g/t Au, 0.3% Sb) from 653.0 m
- 1.7 m @ 1.5 g/t AuEq (1.4 g/t Au, 0.0% Sb) from 666.0 m
- 2.0 m @ 1.7 g/t AuEq (1.6 g/t Au, 0.0% Sb) from 670.6 m
- 4.5 m @ 6.6 g/t AuEq (5.7 g/t Au, 0.4% Sb) from 674.9 m, including:
  - 2.1 m @ 11.0 g/t AuEq (9.4 g/t Au, 0.7% Sb) from 674.9 m
  - 0.6 m @ 9.1 g/t AuEq (8.2 g/t Au, 0.4% Sb) from 678.7 m

- 0.1 m @ 370.7 g/t AuEq (370.0 g/t Au, 0.3% Sb) from 682.5 m
- 4.0 m @ 1.0 g/t AuEq (0.8 g/t Au, 0.1% Sb) from 695.8 m
- 5.1 m @ 1.6 g/t AuEq (1.3 g/t Au, 0.1% Sb) from 752.8 m

SDDSC155 was abandoned at 29.3 m depth after re-entering previously drilled hole SDDSC122 and becoming unrecoverable.

SDDSC152 served as an important south-north control hole that successfully intersected the dyke breccia altered host 130 m to 170 m below existing drilling and intercepted mineralization on both the hanging wall and footwall of the dyke, with intervals of 0.5 m @ 1.11 g/t Au from 1047.2 metres and 0.2 m @ 4.76 g/t Au from 986.7 m indicating the mineralized system continues to at least 0.97 km depth on the western margins of Rising Sun as already drill tested on the eastern side of Rising Sun.

#### Golden Dyke - Christina Area

SDDSC156 achieved outstanding results by intersecting a 125 m wide mineralized zone and discovering seven vein sets, six of which were entirely new discoveries. This drill hole demonstrates the consistent repeatability of mineralized vein sets and highlights how east-west oriented drill holes can successfully identify new structures when following up on earlier north-south control holes.

Extended highlights include:

- 0.1 m @ 21.2 g/t AuEq (1.2 g/t Au, 8.4% Sb) from 239.2 m
- 0.9 m @ 2.6 g/t AuEq (1.9 g/t Au, 0.3% Sb) from 244.0 m
- 0.9 m @ 5.6 g/t AuEq (2.6 g/t Au, 1.3% Sb) from 248.0 m
- 0.2 m @ 41.4 g/t AuEq (30.9 g/t Au, 4.4% Sb) from 253.1 m
- 4.6 m @ 1.5 g/t AuEq (1.0 g/t Au, 0.2% Sb) from 260.8 m
- 3.0 m @ 13.7 g/t AuEq (7.3 g/t Au, 2.7% Sb) from 267.8 m, including:
  - 1.6 m @ 24.0 g/t AuEq (13.0 g/t Au, 4.6% Sb) from 267.8 m
- 0.2 m @ 17.2 g/t AuEq (1.8 g/t Au, 6.5% Sb) from 286.9 m
- 3.4 m @ 4.9 g/t AuEq (4.1 g/t Au, 0.3% Sb) from 289.7 m, including:
  - 0.6 m @ 12.8 g/t AuEq (12.6 g/t Au, 0.1% Sb) from 292.5 m
- 0.7 m @ 3.2 g/t AuEq (0.9 g/t Au, 1.0% Sb) from 297.4 m
- 3.8 m @ 2.0 g/t AuEq (0.7 g/t Au, 0.5% Sb) from 309.8 m, including:
  - 0.8 m @ 7.2 g/t AuEq (2.0 g/t Au, 2.2% Sb) from 309.8 m
- 5.1 m @ 0.9 g/t AuEq (0.5 g/t Au, 0.2% Sb) from 316.5 m
- 3.3 m @ 1.4 g/t AuEq (0.7 g/t Au, 0.3% Sb) from 330.5 m
- 0.7 m @ 9.9 g/t AuEq (9.1 g/t Au, 0.4% Sb) from 356.0 m
- 2.0 m @ 3.7 g/t AuEq (2.5 g/t Au, 0.5% Sb) from 359.1 m
- 2.7 m @ 2.6 g/t AuEq (0.6 g/t Au, 0.8% Sb) from 371.8 m



SDDSC154, drilled from the same collar location as SDDSC156, had limited success as it exited the mineralized system earlier than anticipated (drilled outside the "rails of the ladder"), intercepting only minor mineralization of 0.9 m @ 2.7 g/t AuEq from 287.2 m in a parallel dyke structure within the hanging wall, though it provided valuable structural information for future. Highlights include:

- 0.9 m @ 2.7 g/t AuEq (2.7 g/t Au, 0.0% Sb) from 287.2 m

#### Golden Dyke Area

SDDSC157 delivered a strong result, successfully extending known mineralization with 40 m to 45 m down dip extensions on the GD90 and GD100 vein sets and importantly achieving a 120 m down dip extension on the GD80 vein set. Extended highlights include:

- 1.4 m @ 4.9 g/t AuEq (4.6 g/t Au, 0.1% Sb) from 19.0 m
- 2.3 m @ 2.1 g/t AuEq (2.1 g/t Au, 0.0% Sb) from 24.2 m
- 2.9 m @ 1.3 g/t AuEq (1.2 g/t Au, 0.0% Sb) from 621.4 m
- 0.4 m @ 162.6 g/t AuEq (161.9 g/t Au, 0.3% Sb) from 647.0 m, including:
  - 0.2 m @ 262.7 g/t AuEq (262.0 g/t Au, 0.3% Sb) from 647.0 m
- 0.4 m @ 5.3 g/t AuEq (5.3 g/t Au, 0.0% Sb) from 666.2 m
- 0.3 m @ 53.8 g/t AuEq (39.9 g/t Au, 5.8% Sb) from 693.2 m, including:
  - 0.2 m @ 75.4 g/t AuEq (56.2 g/t Au, 8.0% Sb) from 693.2 m
- 0.3 m @ 41.8 g/t AuEq (41.8 g/t Au, 0.0% Sb) from 703.8 m
- 2.8 m @ 1.4 g/t AuEq (1.4 g/t Au, 0.0% Sb) from 908.1 m

#### Pending Results and Update

The drilling program continues to advance with twenty-four holes (SDDSC159, 160, 160W1, 160W2, 162-172, 163A, 168W1, 169A, 169AW1, SDDGT001-005) currently being processed and analysed. Eight additional holes (SDDSC170A, 173-179) are actively being drilled.

The drilling strategy employs a systematic approach to intersect both the dyke host structure ("ladder rails") and associated mineralized vein sets ("ladder rungs") at optimal angles, continuing to expand the project's mineralized footprint while improving geological understanding of the system.

#### About Sunday Creek

The Sunday Creek epizonal-style gold project is located 60 km north of Melbourne within 16,900 hectares ("Ha") of granted exploration tenements. SXGC is also the freehold landholder of 1,054.51 Ha that forms the key portion in and around the main drilled area at the Sunday Creek Project.

Cumulatively, 173 drill holes for 82,619.0 m have been reported from Sunday Creek since late 2020. 5 holes for 929 m have been drilled for geotechnical purposes. An additional 14 holes for 832.0 m from Sunday Creek were abandoned due to deviation or hole conditions. 14 drillholes for 2,383 m have been reported regionally outside of the main Sunday Creek drill area. A total of 64 historic drill holes for 5,599 m were completed from the late 1960s to 2008. The project now contains a total of sixty-four (64) >100 g/t AuEq x m and seventy-two (72) >50 to 100 g/t AuEq x m drill holes by applying a 2 m @ 1 g/t AuEq lower cut.

Our systematic drill program is strategically targeting these significant vein formations. Initially these have been defined over 1,500 m strike of the host from Christina to Apollo prospects, of which approximately 620 m have been more intensively drill tested (Rising Sun to Apollo). At least 74 'rungs' have been defined to date, defined by high-grade intercepts (20 g/t to >7,330 g/t Au) along with lower grade edges. Ongoing step-out drilling is aiming to uncover the potential extent of this mineralized system (Figure 5).

Geologically, the project is located within the Melbourne Structural Zone in the Lachlan Fold Belt. The regional host to the Sunday Creek mineralization is an interbedded turbidite sequence of siltstones and minor sandstones metamorphosed to sub-greenschist facies and folded into a set of open north-west trending folds.

#### Further Information

Further discussion and analysis of the Sunday Creek project is available through the interactive Vrifly 3D animations, presentations and videos all available on the SXGC website. These data, along with an interview on these results with Michael Hudson, President & CEO, can be viewed at [www.southerncrossgold.com](http://www.southerncrossgold.com).

No upper gold grade cut is applied in the averaging and intervals are reported as drill thickness. However, during future Mineral Resource studies, the requirement for assay top cutting will be assessed. The Company notes that due to rounding of assay results to one significant figure, minor variations in calculated composite grades may occur.

Figures 1 to 7 show project location, plan, longitudinal views and analysis of drill results reported here and Tables 1 to 3 provide collar and assay data. The true thickness of the mineralized intervals reported is approximately 50-60% of the sampled thickness for other reported holes. Lower grades were cut at 1.0 g/t AuEq lower cutoff over a maximum width of 2 m with higher grades cut at 5.0 g/t AuEq lower cutoff over a maximum of 1 m width.

#### Critical Metal Epizonal Gold-Antimony Deposits

Sunday Creek (Figure 2) is an epizonal gold-antimony deposit formed in the late Devonian (like Fosterfield, Costerfield and Redcastle), 60 million years later than mesozonal gold systems formed in Victoria (for example Ballarat and Bendigo). Epizonal deposits are a form of orogenic gold deposit classified according to their depth of formation: epizonal (<6 km), mesozonal (6-12 km) and hypozonal (>12 km).

Epizonal deposits in Victoria often have associated high levels of the critical metal, antimony, and Sunday Creek is no exception. China claims a 56 per cent share of global mined supplies of antimony, according to a 2023 European Union study. Antimony features highly on the critical minerals lists of many countries including Australia, the United States of America, Canada, Japan and the European Union. Australia ranks seventh for antimony production despite all production coming from a single mine at Costerfield in Victoria, located nearby to all SXG projects. Antimony alloys with lead and tin which results in improved properties for solders, munitions, bearings and batteries. Antimony is a prominent additive for halogen-containing flame retardants. Adequate supplies of antimony are critical to the world's energy transition, and to the high-tech industry, especially the semi-conductor and defence sectors where it is a critical additive to primers in munitions.

Antimony represents approximately 21% to 24% in situ recoverable value of Sunday Creek at an AuEq of 2.39 ratio.

In August 2024, the Chinese government announced it would place export limits from September 15, 2024 on antimony and antimony products. This puts pressure on Western defence supply chains and negatively affects the supply of the metal and pushes up pricing given China's dominance of the supply of the metal in the global markets. This is positive for SXGC as we are likely to have one of the very few large and high-quality projects of antimony in the western world that can feed western demand into the future.

#### Antimony Exempt from Executive Order on Reciprocal Tariffs

Southern Cross Gold Consolidated notes that antimony ores and concentrates (HTSUS code 26171000) are exempt from the April 2, 2025 US Executive Order on Reciprocal Tariffs. The exemption covers antimony ores and concentrates as well as unwrought antimony, antimony powders, antimony waste and scrap, and articles of antimony (HTSUS codes 81101000, 81102000, and 81109000).

About Southern Cross Gold Consolidated Ltd. (TSXV: SXGC) (ASX: SX2)

Southern Cross Gold Consolidated Ltd. (TSXV: SXGC) (ASX: SX2) controls the Sunday Creek Gold-Antimony Project located 60 km north of Melbourne, Australia. Sunday Creek has emerged as one of the Western world's most significant gold and antimony discoveries, with exceptional drilling results including 64 intersections exceeding 100 g/t AuEq x m from just 82 km of drilling. The mineralization follows a "Golden Ladder" structure over 12 km of strike length, with confirmed continuity from surface to 1,100 m depth.

Sunday Creek's strategic value is enhanced by its dual-metal profile, with antimony contributing 20% of the in-situ value alongside gold. This has gained increased significance following China's export restrictions on antimony, a critical metal for defense and semiconductor applications. Southern Cross' inclusion in the US Defense Industrial Base Consortium (DIBC) and Australia's AUKUS-related legislative changes position it as a potential key Western antimony supplier. Importantly, Sunday Creek can be developed primarily based on gold economics, which reduces antimony-related risks while maintaining strategic supply potential.

Technical fundamentals further strengthen the investment case, with preliminary metallurgical work showing non-refractory mineralization suitable for conventional processing and gold recoveries of 93-98% through gravity and flotation.

With a strong cash position, over 1,000 Ha of strategic freehold land ownership, and a large 60 km drill program planned through Q3 2025, SXGC is well-positioned to advance this globally significant gold-antimony discovery in a tier-one jurisdiction.

#### NI 43-101 Technical Background and Qualified Person

Michael Hudson, President and CEO and Managing Director of SXGC, and a Fellow of the Australasian Institute of Mining and Metallurgy, and Mr Kenneth Bush, Exploration Manager of SXGC and a RPGeo (10315) of the Australian Institute of Geoscientists, are the Qualified Persons as defined by the NI 43-101. They have prepared, reviewed, verified and approved the technical contents of this release.

Analytical samples are transported to the Bendigo facility of On Site Laboratory Services ("On Site") which operates under both an ISO 9001 and NATA quality systems. Samples were prepared and analyzed for gold using the fire assay technique (PE01S method; 25 g charge), followed by measuring the gold in solution with flame AAS equipment. Samples for multi-element analysis (BM011 and over-range methods as required) use aqua regia digestion and ICP-MS analysis. The QA/QC program of Southern Cross Gold consists of the systematic insertion of certified standards of known gold and antimony content, blanks within interpreted mineralized rock and quarter core duplicates. In addition, On Site inserts blanks and standards into the analytical process.

SXGC considers that both gold and antimony that are included in the gold equivalent calculation ("AuEq") have reasonable potential to be recovered at Sunday Creek, given current geochemical understanding, historic production statistics and geologically analogous mining operations. Historically, ore from Sunday Creek was treated onsite or shipped to the Costerfield mine, located 54 km to the northwest of the project, for processing during WW1. The Costerfield mine corridor, now owned by Mandalay Resources Ltd contains two million ounces of equivalent gold (Mandalay Q3 2021 Results), and in 2020 was the sixth highest-grade global underground mine and a top 5 global producer of antimony.

SXGC considers that it is appropriate to adopt the same gold equivalent variables as Mandalay Resources Ltd in its 2024 End of Year Mineral Reserves and Resources Press Release, dated February 20, 2025. The gold equivalence formula used by Mandalay Resources was calculated using Costerfield's 2024 production costs, using a gold price of US\$2,500 per ounce, an antimony price of US\$19,000 per tonne and 2024 total year metal recoveries of 91% for gold and 92% for antimony, and is as follows:



$$\text{AuEq} = \text{Au (g/t)} + 2.39 \times \text{Sb (\%)}$$

Based on the latest Costerfield calculation and given the similar geological styles and historic toll treatment of Sunday Creek mineralization at Costerfield, SXGC considers that a  $\text{AuEq} = \text{Au (g/t)} + 2.39 \times \text{Sb (\%)}$  is appropriate to use for the initial exploration targeting of gold-antimony mineralization at Sunday Creek.

#### JORC Competent Person Statement

Information in this announcement that relates to new exploration results contained in this report is based on information compiled by Mr Kenneth Bush and Mr Michael Hudson. Mr Bush is a Member of Australian Institute of Geoscientists and a Registered Professional Geologist and Member of the Australasian Institute of Mining and Metallurgy and Mr Hudson is a Fellow of The Australasian Institute of Mining and Metallurgy. Mr Bush and Mr Hudson each have sufficient experience relevant to the style of mineralization and type of deposit under consideration, and to the activities undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the Joint Ore Reserves Committee (JORC) Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr Bush is Exploration Manager and Mr Hudson is President, CEO and Managing Director of Southern Cross Gold Consolidated Ltd. and both consent to the inclusion in the report of the matters based on their information in the form and context in which it appears.

Certain information in this announcement that relates to prior exploration results is extracted from the Independent Geologist's Report dated 11 December 2024 which was issued with the consent of the Competent Person, Mr Steven Tambanis. The report is included in the Company's prospectus dated 11 December 2024 and is available at [www.asx.com.au](http://www.asx.com.au) under code "SX2". The Company confirms that it is not aware of any new information or data that materially affects the information related to exploration results included in the original market announcement. The Company confirms that the form and context of the Competent Persons' findings in relation to the report have not been materially modified from the original market announcement.

The Company confirms that it is not aware of any new information or data that materially affects the information included in the original document/announcement and the Company confirms that the form and context in which the Competent Person's findings are presented have not materially modified from the original market announcement.

- Ends -

This announcement has been approved for release by the Board of Southern Cross Gold Consolidated Ltd.

For further information, please contact:

Mariana Bermudez - Corporate Secretary - Canada

[mbermudez@chasemgt.com](mailto:mbermudez@chasemgt.com) or +1 604 685 9316

Executive Office: 1305 - 1090 West Georgia Street Vancouver, BC, V6E 3V7, Canada

Nicholas Mead - Corporate Development

[info@southerncrossgold.com](mailto:info@southerncrossgold.com) or +61 415 153 122

Justin Mouchacca, Company Secretary - Australia

[jm@southerncrossgold.com.au](mailto:jm@southerncrossgold.com.au) or +61 3 8630 3321

Subsidiary Office: Level 21, 459 Collins Street, Melbourne, VIC, 3000, Australia

#### Forward-Looking Statement

This news release contains forward-looking statements. Forward-looking statements involve known and unknown risks, uncertainties and assumptions and accordingly, actual results and future events could differ materially from those expressed or implied in such statements. You are hence cautioned not to place undue reliance on forward-looking statements. All statements other than statements of present or historical fact are forward-looking statements including without limitation applicable court, regulatory authorities and applicable stock exchanges. Forward-looking statements include words or expressions such as "proposed", "will",

"subject to", "near future", "in the event", "would", "expect", "prepared to" and other similar words or expressions. Factors that could cause future results or events to differ materially from current expectations expressed or implied by the forward-looking statements include general business, economic, competitive, political, social uncertainties; the state of capital markets, unforeseen events, developments, or factors causing any of the expectations, assumptions, and other factors ultimately being inaccurate or irrelevant; and other risks described in Southern Cross Gold's documents filed with Canadian or Australian securities regulatory authorities (under code SX2). You can find further information with respect to these and other risks in filings made by Southern Cross Gold with the securities regulatory authorities in Canada or Australia (under code SX2), as applicable, and available for Southern Cross Gold in Canada at [www.sedarplus.ca](http://www.sedarplus.ca) or in Australia at [www.asx.com.au](http://www.asx.com.au) (under code SX2). Documents are also available at [www.southerncrossgold.com](http://www.southerncrossgold.com). We disclaim any obligation to update or revise these forward-looking statements, except as required by applicable law.

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) or the Australian Securities Exchange accepts responsibility for the adequacy or accuracy of this release.

Figure 2: Sunday Creek plan view showing selected results from holes SDDSC152, SDDSC154, SDDSC155A, SDDSC156, SDDSC157 and SDDSC161 reported here (dark blue highlighted box, black trace), with selected prior reported drill holes and pending holes.

To view an enhanced version of this graphic, please visit:

[https://images.newsfilecorp.com/files/11541/253615\\_a98ac25694a5398b\\_002full.jpg](https://images.newsfilecorp.com/files/11541/253615_a98ac25694a5398b_002full.jpg)

Figure 3: Sunday Creek longitudinal section across A-B in the plane of the dyke breccia/altered sediment host looking towards the north (striking 236 degrees) showing mineralized veins sets. Showing holes SDDSC152, SDDSC154, SDDSC155A, SDDSC156, SDDSC157 and SDDSC161 reported here (dark blue highlighted box, black trace), with selected intersections and prior reported drill holes. The vertical extents of the vein sets are limited by proximity to drill hole pierce points.

To view an enhanced version of this graphic, please visit:

[https://images.newsfilecorp.com/files/11541/253615\\_a98ac25694a5398b\\_003full.jpg](https://images.newsfilecorp.com/files/11541/253615_a98ac25694a5398b_003full.jpg)

Figure 4: Inclined long section (20 metres influence) across C-D in the plane of vein set RS01. Section strike 150 degrees.

To view an enhanced version of this graphic, please visit:

[https://images.newsfilecorp.com/files/11541/253615\\_a98ac25694a5398b\\_004full.jpg](https://images.newsfilecorp.com/files/11541/253615_a98ac25694a5398b_004full.jpg)

Figure 5: Sunday Creek regional plan view showing soil sampling, structural framework, regional historic epizonal gold mining areas and broad regional areas tested by 12 holes for 2,383 m drill program. The regional drill areas are at Tonstal, Consols and Leviathan located 4,000-7,500 m along strike from the main drill area at Golden Dyke- Apollo.

To view an enhanced version of this graphic, please visit:

[https://images.newsfilecorp.com/files/11541/253615\\_a98ac25694a5398b\\_005full.jpg](https://images.newsfilecorp.com/files/11541/253615_a98ac25694a5398b_005full.jpg)

Figure 6: Location of the Sunday Creek project, along with the 100% owned Redcastle Gold-Antimony Project

To view an enhanced version of this graphic, please visit:

[https://images.newsfilecorp.com/files/11541/253615\\_a98ac25694a5398b\\_006full.jpg](https://images.newsfilecorp.com/files/11541/253615_a98ac25694a5398b_006full.jpg)

Figure 7: Sunday Creek Database Analysis: 64 Intersections Exceeding 100 g/t AuEq x m and 72 Intersections Between 50-100 g/t AuEq x m from 173 Drill Holes totalling 82,619 Metres. The grade-width distribution chart shows Sunday Creek's exceptional performance with SDDSC161's 3.4 m @ 466.4 g/t AuEq

ranking as the second highest intersection in project history, while SDDSC107 remains the top intersection at 2.7 m @ 891.2 g/t AuEq. The photograph shows SDDSC161's spectacular 0.2 m @ 4,700 g/t Au interval featuring abundant visible gold in quartz-carbonate-stibnite veining, representing the third highest individual assay on the project and demonstrating the projects' remarkable grade potential.

To view an enhanced version of this graphic, please visit:

[https://images.newsfilecorp.com/files/11541/253615\\_a98ac25694a5398b\\_007full.jpg](https://images.newsfilecorp.com/files/11541/253615_a98ac25694a5398b_007full.jpg)

Table 1: Drill collar summary table for recent drill holes in progress.

Hole-ID	Depth (m)	Prospect	East GDA94_Z55	North GDA94_Z55	Elevation	Azimuth	Plunge
SDDSC152	1102.7	Rising Sun	330816	5867599	296	328	-65
SDDSC154	392.9	Christina	330075	5867612	274	60	-26.5
SDDSC155	31	Rising Sun	330339	5867860	277	72.7	-63.5
SDDSC155A	896.4	Rising Sun	330339	5867860	277	72.7	-63.5
SDDSC156	755.6	Christina	330075	5867612	274	59.5	-45.3
SDDSC157	1115.7	Golden Dyke	330318	5867847	301	276.6	-58.4
SDDSC157A	219.9	Golden Dyke	330318	5867847	301	276.2	-60
SDDSC159	145.2	Gladys	330871	5867758	308	60.5	-28.9
SDDSC160	725.1	Christina	330753	5867733	307	272.5	-37.8
SDDSC161	926	Golden Dyke	330951	5868007	314	257	-49.4
SDDSC162	1049.5	Rising Sun	330339	5867864	277	75.4	-59.6
SDDSC163	200.4	Apollo	331616	5867952	347	267.2	-48.5
SDDSC163A	1058.1	Apollo	331616	5867952	347	269	-47.5
SDDSC164	336.7	Gladys	330871	5867758	308	78.2	-40
SDDSC160W1	784.2	Christina	330753	5867731	307	272.5	-37.8
SDDSC160W2	1081.2	Christina	330753	5867731	307	272.5	-37.8
SDDSC165	101.4	Christina	330217	5867666	269	350	-40
SDDSC166	619.9	Christina	330218	5867666	269	263.1	-31.5
SDDSC167	404.8	Christina	331833	5868090	348	218.2	-37.2
SDDSC168	712.2	Golden Dyke	330946	5868008	314	255.3	-46.5
SDDSC168W1	892.5	Golden Dyke	330946	5868008	314	255.3	-46.5
SDDSC169	68.6	Rising Sun	330339	5867860	276	77.4	-54.5
SDDSC169A	355.3	Rising Sun	330339	5867860	276	77.4	-54
SDDSC169AW1	731.4	Rising Sun	330339	5867860	276	77.4	-54
SDDSC170	305.2	Apollo	331616	5867952	347	268.3	-49.8
SDDSC170A	In progress plan 1080 m	Apollo	331616	5867952	347	267	-52.5
SDDSC171	632.2	Golden Dyke	330773	5867894	295	258.1	-46.3
SDDSC172	698.6	Christina	330218	5867666	269	266.4	-44.3
SDDSC173	In progress plan 1100 m	Golden Dyke	330753	5867733	307	271.3	-34.6
SDDSC174	In progress plan 945 m	Apollo	331603	5867941	346	266	-42
SDDSC175	In progress plan 430 m	Christina	330218	5867666	269	68.8	-30
SDDGT001	149.4	Geotech	331011	5867564	300	81	-25
SDDGT002	221.7	Geotech	330608	5867837	308	180	-90
SDDGT003	59.2	Geotech	331109	5867564	300	340	-25
SDDGT004	165.1	Geotech	330757	5867731	307	130	-35
SDDGT005	333.8	Geotech	331052	5867638	312	270	-60
SDDSC176	In progress plan 880 m	Golden Dyke	330951	5868007	313.7	258.4	-53.2
SDDSC177	In progress plan 655 m	Golden Dyke	330774.6	5867891	292.5	259.2	-52.2
SDDSC178	In progress plan 720 m	Rising Sun	330338.7	5867860	276.8	79	-42.5
SDDSC179	In progress plan 400 m	Apollo	331464.7	5867865	333	265	-39

Table 2: Table of mineralized drill hole intersections reported from SDDSC152, SDDSC154, SDDSC155A, SDDSC156, SDDSC157 and SDDSC161 with two cutoff criteria. Lower grades cut at 1.0 g/t AuEq lower cutoff over a maximum of 2 m with higher grades cut at 5.0 g/t AuEq cutoff over a maximum of 1 m.

Hole-ID	From (m)	To (m)	Length (m)	Au (g/t)	Sb (%)	AuEq (g/t)
SDDSC154	287.2	288.1	0.9	2.7	0.0	2.7

Hole-ID	From (m)	To (m)	Length (m)	Au (g/t)	Sb (%)	AuEq (g/t)
SDDSC155A602.3	602.3	602.6	0.3	40.3	6.6	56.1
Including	602.3	602.5	0.2	66.0	11.0	92.3
SDDSC155A620.3	621.8	621.8	1.5	2.6	0.3	3.2
SDDSC155A651.6	653.6	653.6	2.0	3.0	0.1	3.2
Including	653.0	653.6	0.6	8.0	0.3	8.5
SDDSC155A666.0	667.7	667.7	1.7	1.4	0.0	1.5
SDDSC155A670.6	672.6	672.6	2.0	1.6	0.0	1.7
SDDSC155A674.9	679.4	679.4	4.5	5.7	0.4	6.6
Including	674.9	677.0	2.1	9.4	0.7	11.0
Including	678.7	679.3	0.6	8.2	0.4	9.1
SDDSC155A682.5	682.6	682.6	0.1	370.0	0.3	370.7
SDDSC155A695.8	699.8	699.8	4.0	0.8	0.1	1.0
SDDSC155A752.8	757.9	757.9	5.1	1.3	0.1	1.6
SDDSC156239.2	239.2	239.3	0.1	1.2	8.4	21.2
SDDSC156244.0	244.0	244.9	0.9	1.9	0.3	2.6
SDDSC156248.0	248.0	248.9	0.9	2.6	1.3	5.6
SDDSC156253.1	253.1	253.3	0.2	30.9	4.4	41.4
SDDSC156260.8	260.8	265.4	4.6	1.0	0.2	1.5
SDDSC156267.8	267.8	270.8	3.0	7.3	2.7	13.7
Including	267.8	269.4	1.6	13.0	4.6	24.0
SDDSC156286.9	286.9	287.1	0.2	1.8	6.5	17.2
SDDSC156289.7	293.1	293.1	3.4	4.1	0.3	4.9
Including	292.5	293.1	0.6	12.6	0.1	12.8
SDDSC156297.4	298.1	298.1	0.7	0.9	1.0	3.2
SDDSC156309.8	313.6	313.6	3.8	0.7	0.5	2.0
Including	309.8	310.6	0.8	2.0	2.2	7.2
SDDSC156316.5	321.6	321.6	5.1	0.5	0.2	0.9
SDDSC156330.5	333.8	333.8	3.3	0.7	0.3	1.4
SDDSC156356.0	356.7	356.7	0.7	9.1	0.4	9.9
SDDSC156359.1	361.1	361.1	2.0	2.5	0.5	3.7
SDDSC156371.8	374.5	374.5	2.7	0.6	0.8	2.6
SDDSC15719.0	20.4	20.4	1.4	4.6	0.1	4.9
SDDSC15724.2	26.5	26.5	2.3	2.1	0.0	2.1
SDDSC157621.4	624.3	624.3	2.9	1.2	0.0	1.3
SDDSC157647.0	647.4	647.4	0.4	161.9	0.3	162.6
Including	647.0	647.2	0.2	262.0	0.3	262.7
SDDSC157666.2	666.6	666.6	0.4	5.3	0.0	5.3
SDDSC157693.2	693.5	693.5	0.3	39.9	5.8	53.8
Including	693.2	693.4	0.2	56.2	8.0	75.4
SDDSC157703.8	704.1	704.1	0.3	41.8	0.0	41.8
SDDSC157908.1	910.9	910.9	2.8	1.4	0.0	1.4
SDDSC161473.7	474.1	474.1	0.4	11.9	1.4	15.3
SDDSC161478.6	486.4	486.4	7.8	2.2	2.0	7.0
Including	479.7	482.0	2.3	4.7	3.5	13.0
Including	483.7	484.3	0.6	1.2	7.3	18.6
Including	486.0	486.4	0.4	6.1	5.1	18.3
SDDSC161508.4	511.8	511.8	3.4	466.0	0.2	466.4
Including	509.5	511.9	2.4	670.4	0.2	671.0

Table 3: All individual assays reported from SDDSC152, SDDSC154, SDDSC155A, SDDSC156, SDDSC157 and SDDSC161 reported here >0.1g/t AuEq.

Hole number	From (m)	To (m)	Length (m)	Au g/t	Sb%	AuEq (g/t)
SDDSC152	442.2	442.6	0.4	0.1	0.0	0.1
SDDSC152	975.9	976.0	0.1	0.2	0.0	0.3
SDDSC152	982.8	983.1	0.3	0.3	0.0	0.3
SDDSC152	986.7	986.9	0.2	4.8	0.0	4.8
SDDSC152	986.9	987.6	0.6	0.1	0.0	0.2

Hole number	From (m)	To (m)	Length (m)	Au g/t	Sb%	AuEq (g/t)
SDDSC152	987.6	988.2	0.6	0.3	0.0	0.3
SDDSC152	988.2	989.0	0.9	0.3	0.0	0.3
SDDSC152	989.0	989.2	0.2	0.1	0.0	0.1
SDDSC152	989.2	989.4	0.2	0.7	0.0	0.7
SDDSC152	989.4	989.6	0.3	0.4	0.0	0.5
SDDSC152	989.6	989.8	0.2	0.4	0.0	0.4
SDDSC152	989.8	990.1	0.3	0.2	0.0	0.3
SDDSC152	991.7	992.2	0.5	0.4	0.0	0.4
SDDSC152	992.5	992.9	0.4	0.4	0.0	0.4
SDDSC152	997.0	998.3	1.2	0.4	0.0	0.4
SDDSC152	998.3	998.7	0.4	0.8	0.0	0.8
SDDSC152	998.7	999.4	0.7	1.0	0.0	1.0
SDDSC152	1002.1	1003.4	1.3	0.1	0.0	0.1
SDDSC152	1014.6	1015.3	0.7	0.1	0.0	0.1
SDDSC152	1016.8	1017.4	0.6	0.1	0.0	0.1
SDDSC152	1017.4	1018.4	1.1	0.9	0.0	0.9
SDDSC152	1018.9	1019.7	0.8	0.1	0.0	0.1
SDDSC152	1019.7	1020.0	0.4	0.4	0.0	0.4
SDDSC152	1020.0	1020.8	0.8	0.7	0.0	0.7
SDDSC152	1020.8	1021.8	0.9	0.1	0.0	0.1
SDDSC152	1021.8	1022.3	0.6	0.1	0.0	0.1
SDDSC152	1032.6	1033.9	1.3	0.2	0.0	0.2
SDDSC152	1033.9	1035.2	1.3	0.2	0.0	0.2
SDDSC152	1041.7	1042.9	1.2	0.4	0.0	0.4
SDDSC152	1045.6	1046.9	1.3	0.1	0.0	0.1
SDDSC152	1046.9	1047.2	0.3	0.3	0.0	0.3
SDDSC152	1047.2	1047.7	0.5	1.1	0.0	1.1
SDDSC152	1047.7	1048.1	0.4	0.1	0.0	0.1
SDDSC152	1048.1	1049.1	1.0	0.2	0.0	0.2
SDDSC152	1049.1	1050.4	1.3	0.4	0.0	0.4
SDDSC152	1056.7	1057.2	0.5	0.2	0.0	0.2
SDDSC154	121.3	122.5	1.2	0.3	0.0	0.3
SDDSC154	278.2	278.9	0.7	0.2	0.0	0.2
SDDSC154	279.3	279.7	0.3	0.3	0.0	0.3
SDDSC154	279.7	280.2	0.6	0.7	0.0	0.7
SDDSC154	280.2	281.2	1.0	0.7	0.0	0.7
SDDSC154	281.2	282.2	1.0	0.3	0.0	0.3
SDDSC154	285.1	285.7	0.6	0.1	0.0	0.1
SDDSC154	287.2	288.1	0.9	2.7	0.0	2.8
SDDSC154	288.1	288.5	0.4	0.2	0.0	0.2
SDDSC154	298.3	299.6	1.3	0.9	0.0	0.9
SDDSC155A	490.8	491.1	0.3	0.3	0.0	0.3
SDDSC155A	517.6	517.8	0.3	0.2	0.0	0.3
SDDSC155A	528.5	529.0	0.5	0.2	0.0	0.2
SDDSC155A	567.1	567.6	0.4	0.3	0.0	0.4
SDDSC155A	575.8	576.2	0.4	0.2	0.0	0.3
SDDSC155A	576.2	576.4	0.3	0.8	0.0	0.8
SDDSC155A	576.4	577.0	0.6	0.1	0.0	0.2
SDDSC155A	577.0	577.4	0.4	0.1	0.0	0.1
SDDSC155A	584.5	584.8	0.4	0.3	0.0	0.3
SDDSC155A	588.4	588.8	0.4	0.2	0.0	0.2
SDDSC155A	589.6	590.5	0.9	0.2	0.0	0.2
SDDSC155A	591.4	592.5	1.2	0.3	0.0	0.3
SDDSC155A	592.5	593.5	1.0	0.2	0.0	0.2
SDDSC155A	594.1	594.5	0.4	1.2	0.0	1.3
SDDSC155A	595.8	596.7	0.9	0.2	0.0	0.2
SDDSC155A	596.7	597.4	0.7	0.1	0.0	0.1

Hole number	From (m)	To (m)	Length (m)	Au g/t	Sb%	AuEq (g/t)
SDDSC155A597.4	597.4	598.1	0.7	0.2	0.0	0.2
SDDSC155A600.0	600.0	600.7	0.7	0.2	0.0	0.2
SDDSC155A602.0	602.0	602.3	0.3	0.0	0.0	0.1
SDDSC155A602.3	602.3	602.4	0.2	66.0	10.8	91.8
SDDSC155A602.4	602.4	602.5	0.1	1.7	0.1	1.8
SDDSC155A602.5	602.5	603.0	0.5	0.1	0.0	0.1
SDDSC155A606.8	606.8	607.3	0.5	0.1	0.0	0.2
SDDSC155A610.7	610.7	611.1	0.4	0.1	0.0	0.1
SDDSC155A614.0	614.0	614.5	0.4	0.1	0.0	0.1
SDDSC155A617.8	617.8	618.5	0.7	0.0	0.1	0.3
SDDSC155A618.5	618.5	618.7	0.2	0.1	0.0	0.2
SDDSC155A620.3	620.3	620.7	0.4	0.5	0.5	1.8
SDDSC155A620.7	620.7	621.3	0.6	2.3	0.2	2.9
SDDSC155A621.3	621.3	621.8	0.5	4.6	0.1	4.8
SDDSC155A621.8	621.8	622.2	0.4	0.7	0.0	0.8
SDDSC155A622.2	622.2	622.5	0.3	0.4	0.1	0.6
SDDSC155A627.0	627.0	627.2	0.2	0.6	0.0	0.6
SDDSC155A627.2	627.2	627.3	0.2	0.2	0.0	0.3
SDDSC155A639.6	639.6	639.8	0.3	0.1	0.0	0.1
SDDSC155A639.8	639.8	640.1	0.3	0.2	0.0	0.2
SDDSC155A651.2	651.2	651.6	0.4	0.2	0.0	0.2
SDDSC155A651.6	651.6	652.1	0.5	1.9	0.0	1.9
SDDSC155A652.1	652.1	653.0	0.9	0.2	0.0	0.3
SDDSC155A653.0	653.0	653.6	0.6	8.0	0.3	8.6
SDDSC155A653.6	653.6	653.7	0.1	0.1	0.0	0.2
SDDSC155A653.7	653.7	654.2	0.5	0.1	0.0	0.1
SDDSC155A655.8	655.8	655.9	0.1	7.2	0.0	7.2
SDDSC155A655.9	655.9	656.6	0.7	0.2	0.0	0.3
SDDSC155A660.9	660.9	661.2	0.3	1.2	0.0	1.2
SDDSC155A666.0	666.0	666.1	0.1	11.6	0.0	11.6
SDDSC155A666.1	666.1	667.2	1.1	0.1	0.0	0.2
SDDSC155A667.2	667.2	667.7	0.5	1.8	0.1	2.0
SDDSC155A667.7	667.7	668.8	1.1	0.2	0.0	0.2
SDDSC155A669.4	669.4	669.7	0.3	0.1	0.0	0.2
SDDSC155A669.7	669.7	670.0	0.3	0.2	0.0	0.2
SDDSC155A670.0	670.0	670.2	0.2	0.1	0.0	0.1
SDDSC155A670.2	670.2	670.6	0.5	0.2	0.1	0.3
SDDSC155A670.6	670.6	671.7	1.1	1.2	0.0	1.3
SDDSC155A671.7	671.7	672.0	0.3	1.3	0.0	1.3
SDDSC155A672.0	672.0	672.5	0.5	1.0	0.1	1.2
SDDSC155A672.5	672.5	672.7	0.1	7.1	0.2	7.7
SDDSC155A672.7	672.7	673.9	1.2	0.5	0.0	0.5
SDDSC155A674.9	674.9	675.0	0.2	7.3	0.0	7.4
SDDSC155A675.0	675.0	675.5	0.5	1.1	0.1	1.3
SDDSC155A675.5	675.5	675.9	0.4	1.0	0.7	2.5
SDDSC155A675.9	675.9	676.0	0.2	38.4	3.3	46.2
SDDSC155A676.0	676.0	676.3	0.3	5.9	0.9	8.1
SDDSC155A676.3	676.3	676.5	0.2	1.9	0.4	2.8
SDDSC155A676.5	676.5	677.0	0.5	20.7	0.6	22.1
SDDSC155A677.0	677.0	677.7	0.7	0.4	0.0	0.4
SDDSC155A677.7	677.7	678.3	0.6	0.1	0.0	0.2
SDDSC155A678.3	678.3	678.7	0.4	0.1	0.0	0.2
SDDSC155A678.7	678.7	679.0	0.3	15.0	0.6	16.4
SDDSC155A679.0	679.0	679.2	0.3	0.9	0.3	1.5
SDDSC155A679.2	679.2	679.3	0.1	9.9	0.3	10.5
SDDSC155A679.3	679.3	679.6	0.2	0.5	0.0	0.6
SDDSC155A682.5	682.5	682.6	0.1	370.0	0.3	370.7

Hole number	From (m)	To (m)	Length (m)	Au g/t	Sb%	AuEq (g/t)
SDDSC155A682.6	682.6	683.0	0.4	0.2	0.0	0.2
SDDSC155A683.0	683.0	683.4	0.5	0.8	0.0	0.8
SDDSC155A683.4	683.4	684.3	0.9	0.1	0.0	0.1
SDDSC155A684.3	684.3	685.0	0.7	0.1	0.0	0.2
SDDSC155A691.4	691.4	691.5	0.1	0.8	0.3	1.6
SDDSC155A691.5	691.5	691.9	0.4	0.1	0.1	0.3
SDDSC155A691.9	691.9	692.2	0.3	0.0	0.0	0.1
SDDSC155A692.2	692.2	692.4	0.3	0.2	0.0	0.2
SDDSC155A692.4	692.4	692.6	0.1	0.2	0.0	0.3
SDDSC155A693.9	693.9	694.3	0.4	0.2	0.1	0.4
SDDSC155A694.6	694.6	694.9	0.3	0.1	0.0	0.2
SDDSC155A694.9	694.9	695.3	0.4	0.2	0.2	0.6
SDDSC155A695.3	695.3	695.8	0.5	0.2	0.1	0.3
SDDSC155A695.8	695.8	696.2	0.4	0.9	0.1	1.0
SDDSC155A696.2	696.2	696.9	0.6	0.1	0.0	0.1
SDDSC155A696.9	696.9	697.2	0.3	0.1	0.0	0.1
SDDSC155A697.2	697.2	697.4	0.3	1.5	0.1	1.7
SDDSC155A697.4	697.4	697.7	0.3	1.0	0.3	1.7
SDDSC155A697.7	697.7	698.2	0.5	0.6	0.3	1.3
SDDSC155A698.2	698.2	698.6	0.4	0.8	0.0	0.9
SDDSC155A698.6	698.6	698.9	0.4	0.9	0.0	1.0
SDDSC155A698.9	698.9	699.2	0.3	1.4	0.0	1.4
SDDSC155A699.2	699.2	699.8	0.5	1.1	0.0	1.2
SDDSC155A699.8	699.8	700.2	0.5	0.5	0.0	0.5
SDDSC155A714.5	714.5	715.8	1.3	0.1	0.0	0.2
SDDSC155A720.5	720.5	721.8	1.3	0.1	0.5	1.2
SDDSC155A724.4	724.4	725.7	1.3	0.1	0.0	0.2
SDDSC155A729.6	729.6	730.6	1.0	0.2	0.0	0.2
SDDSC155A730.6	730.6	730.9	0.4	1.9	0.0	1.9
SDDSC155A730.9	730.9	731.8	0.9	0.1	0.0	0.1
SDDSC155A732.4	732.4	732.6	0.2	0.2	0.0	0.2
SDDSC155A733.3	733.3	733.4	0.1	0.5	0.4	1.3
SDDSC155A735.1	735.1	735.2	0.1	0.5	0.0	0.5
SDDSC155A735.2	735.2	735.5	0.3	0.2	0.0	0.2
SDDSC155A735.5	735.5	736.2	0.7	0.3	0.0	0.5
SDDSC155A737.9	737.9	738.1	0.2	0.8	0.0	0.8
SDDSC155A738.1	738.1	738.2	0.1	0.3	0.0	0.3
SDDSC155A739.1	739.1	740.4	1.3	0.1	0.0	0.2
SDDSC155A740.4	740.4	740.6	0.2	0.4	0.0	0.4
SDDSC155A740.6	740.6	741.7	1.1	0.2	0.0	0.2
SDDSC155A741.7	741.7	741.9	0.2	0.2	0.0	0.2
SDDSC155A741.9	741.9	743.0	1.1	0.6	0.0	0.6
SDDSC155A743.0	743.0	744.2	1.2	0.1	0.0	0.2
SDDSC155A745.1	745.1	746.2	1.1	0.2	0.0	0.2
SDDSC155A752.0	752.0	752.8	0.8	0.6	0.0	0.6
SDDSC155A752.8	752.8	753.7	0.9	1.3	0.1	1.6
SDDSC155A753.7	753.7	754.5	0.8	1.0	0.3	1.7
SDDSC155A754.5	754.5	755.0	0.5	4.2	0.4	5.1
SDDSC155A755.0	755.0	755.6	0.6	0.9	0.0	1.0
SDDSC155A755.6	755.6	756.5	1.0	0.3	0.0	0.4
SDDSC155A756.5	756.5	756.7	0.2	0.7	0.0	0.7
SDDSC155A756.7	756.7	757.7	1.0	1.3	0.0	1.3
SDDSC155A757.7	757.7	757.9	0.2	1.9	0.0	2.0
SDDSC155A757.9	757.9	758.5	0.7	0.7	0.0	0.7
SDDSC155A759.3	759.3	759.4	0.1	0.4	0.0	0.4
SDDSC155A760.3	760.3	761.0	0.7	0.2	0.0	0.2
SDDSC155A761.0	761.0	762.3	1.3	0.2	0.0	0.2

Hole number	From (m)	To (m)	Length (m)	Au g/t	Sb%	AuEq (g/t)
SDDSC155A	762.3	763.6	1.3	0.4	0.0	0.4
SDDSC155A	778.8	780.1	1.3	0.6	0.0	0.6
SDDSC155A	795.3	795.8	0.5	0.1	0.0	0.1
SDDSC155A	795.8	796.0	0.2	0.5	0.3	1.1
SDDSC156	225.4	226.0	0.7	0.1	0.0	0.1
SDDSC156	226.0	226.4	0.4	0.5	0.0	0.5
SDDSC156	226.4	227.2	0.8	0.6	0.0	0.6
SDDSC156	227.2	227.6	0.4	0.3	0.0	0.3
SDDSC156	228.3	229.5	1.1	0.2	0.0	0.2
SDDSC156	229.5	229.9	0.5	0.1	0.0	0.1
SDDSC156	229.9	230.8	0.8	0.1	0.0	0.1
SDDSC156	230.8	230.9	0.1	0.1	0.3	0.8
SDDSC156	230.9	231.8	0.9	0.2	0.0	0.2
SDDSC156	234.0	234.9	0.9	0.2	0.0	0.3
SDDSC156	234.9	235.2	0.3	2.7	0.5	3.9
SDDSC156	235.2	236.2	1.1	0.2	0.0	0.2
SDDSC156	236.2	236.4	0.1	0.2	0.6	1.8
SDDSC156	236.4	237.0	0.6	0.3	0.3	0.9
SDDSC156	237.0	237.7	0.7	0.4	0.0	0.4
SDDSC156	237.7	238.0	0.3	0.5	0.0	0.6
SDDSC156	239.2	239.3	0.1	1.2	8.4	21.2
SDDSC156	239.3	239.8	0.5	0.1	0.1	0.2
SDDSC156	242.7	243.3	0.6	0.1	0.0	0.2
SDDSC156	243.3	244.0	0.8	0.1	0.0	0.2
SDDSC156	244.0	244.3	0.3	4.9	0.5	6.0
SDDSC156	244.3	244.9	0.5	0.1	0.0	0.2
SDDSC156	244.9	245.0	0.1	2.1	1.1	4.8
SDDSC156	245.0	245.3	0.3	0.1	0.0	0.2
SDDSC156	246.5	247.2	0.7	0.1	0.0	0.1
SDDSC156	247.2	248.0	0.8	0.2	0.0	0.3
SDDSC156	248.0	248.2	0.2	0.8	0.5	2.0
SDDSC156	248.2	248.3	0.2	4.7	0.9	6.8
SDDSC156	248.3	248.7	0.3	1.8	1.1	4.4
SDDSC156	248.7	248.8	0.2	4.2	3.0	11.4
SDDSC156	248.8	249.7	0.9	0.2	0.0	0.2
SDDSC156	249.7	250.6	0.9	0.3	0.0	0.4
SDDSC156	250.6	250.8	0.3	0.2	0.0	0.3
SDDSC156	251.7	252.6	1.0	0.2	0.0	0.3
SDDSC156	252.6	253.1	0.5	0.2	0.0	0.3
SDDSC156	253.1	253.3	0.2	30.9	4.4	41.4
SDDSC156	253.3	253.8	0.5	0.4	0.3	1.0
SDDSC156	253.8	254.5	0.8	0.3	0.1	0.4
SDDSC156	257.0	258.0	1.0	0.3	0.1	0.6
SDDSC156	258.0	259.0	1.0	0.1	0.0	0.1
SDDSC156	259.0	259.3	0.3	0.6	0.0	0.6
SDDSC156	260.4	260.8	0.4	0.3	0.0	0.4
SDDSC156	260.8	261.1	0.3	0.9	0.0	1.0
SDDSC156	262.3	262.4	0.1	2.6	6.7	18.7
SDDSC156	263.8	264.0	0.2	0.9	0.5	2.1
SDDSC156	264.0	264.1	0.1	0.2	0.8	2.1
SDDSC156	264.8	265.4	0.5	7.0	0.0	7.1
SDDSC156	266.1	266.5	0.4	0.4	0.0	0.4
SDDSC156	267.1	267.8	0.7	0.1	0.0	0.2
SDDSC156	267.8	268.0	0.2	2.1	2.9	9.0
SDDSC156	268.0	268.3	0.2	31.9	25.6	93.1
SDDSC156	268.3	268.4	0.1	2.7	4.0	12.4
SDDSC156	268.4	268.7	0.3	0.1	0.0	0.2



Hole number	From (m)	To (m)	Length (m)	Au g/t	Sb%	AuEq (g/t)
SDDSC156	268.7	269.3	0.7	18.0	0.1	18.1
SDDSC156	270.0	270.6	0.6	0.0	0.3	0.7
SDDSC156	270.6	270.8	0.2	8.7	3.2	16.4
SDDSC156	270.8	271.0	0.2	0.0	0.0	0.2
SDDSC156	272.7	273.6	1.0	0.4	0.0	0.5
SDDSC156	273.6	274.6	1.0	0.1	0.0	0.1
SDDSC156	277.4	277.5	0.1	0.0	4.3	10.4
SDDSC156	277.5	278.2	0.7	0.0	0.1	0.1
SDDSC156	278.2	278.5	0.4	0.0	0.1	0.1
SDDSC156	284.0	284.3	0.3	0.7	0.1	0.8
SDDSC156	286.7	286.9	0.2	0.4	0.0	0.5
SDDSC156	286.9	287.1	0.2	1.8	6.5	17.2
SDDSC156	287.1	287.5	0.4	0.2	0.2	0.5
SDDSC156	288.5	288.9	0.4	0.1	0.0	0.1
SDDSC156	288.9	289.2	0.3	0.7	0.0	0.8
SDDSC156	289.2	289.7	0.5	0.1	0.0	0.1
SDDSC156	289.7	290.5	0.8	1.4	0.5	2.5
SDDSC156	290.5	290.7	0.2	16.8	1.4	20.1
SDDSC156	290.7	291.1	0.4	1.0	0.4	1.9
SDDSC156	291.1	291.6	0.5	0.1	0.1	0.2
SDDSC156	291.6	292.1	0.5	1.6	0.3	2.3
SDDSC156	292.1	292.5	0.4	0.2	0.1	0.4
SDDSC156	292.5	293.1	0.6	12.6	0.1	12.8
SDDSC156	293.1	293.4	0.3	0.3	0.0	0.3
SDDSC156	293.4	294.5	1.2	0.6	0.1	0.8
SDDSC156	294.5	295.2	0.7	0.5	0.0	0.5
SDDSC156	295.2	295.6	0.5	0.4	0.1	0.5
SDDSC156	295.6	296.5	0.9	0.1	0.0	0.1
SDDSC156	297.4	298.1	0.7	0.9	1.0	3.2
SDDSC156	309.3	309.8	0.5	0.2	0.0	0.3
SDDSC156	309.8	310.5	0.6	1.1	2.1	6.2
SDDSC156	310.5	310.7	0.2	4.8	2.4	10.5
SDDSC156	310.7	311.2	0.6	0.4	0.3	1.2
SDDSC156	311.2	311.4	0.2	1.1	0.1	1.5
SDDSC156	313.3	313.6	0.3	2.2	0.1	2.5
SDDSC156	313.6	314.0	0.4	0.1	0.0	0.2
SDDSC156	314.0	314.9	0.9	0.2	0.0	0.2
SDDSC156	315.6	316.2	0.6	0.1	0.1	0.3
SDDSC156	316.2	316.5	0.3	0.1	0.2	0.5
SDDSC156	316.5	316.9	0.4	0.5	1.0	2.8
SDDSC156	316.9	317.5	0.6	0.1	0.0	0.1
SDDSC156	317.5	317.6	0.1	0.1	0.0	0.1
SDDSC156	317.6	318.2	0.6	0.4	0.3	1.1
SDDSC156	319.2	319.6	0.4	0.8	0.0	0.8
SDDSC156	319.6	319.8	0.3	1.0	0.0	1.1
SDDSC156	319.8	320.1	0.3	3.0	0.2	3.4
SDDSC156	320.1	320.6	0.5	0.5	0.1	0.8
SDDSC156	320.6	320.9	0.3	0.7	0.3	1.4
SDDSC156	320.9	321.3	0.4	0.1	0.0	0.2
SDDSC156	321.3	321.6	0.3	1.3	0.2	1.7
SDDSC156	323.6	324.3	0.7	0.2	0.0	0.2
SDDSC156	324.3	325.4	1.1	0.1	0.0	0.1
SDDSC156	325.4	325.8	0.5	0.4	0.1	0.6
SDDSC156	325.8	326.3	0.5	0.4	0.1	0.6
SDDSC156	327.2	328.5	1.2	0.6	0.2	1.0
SDDSC156	329.2	330.5	1.3	0.4	0.2	0.7
SDDSC156	330.5	331.5	1.0	0.7	0.5	1.9

Hole number	From (m)	To (m)	Length (m)	Au g/t	Sb%	AuEq (g/t)
SDDSC156	331.5	332.3	0.7	0.7	0.1	0.9
SDDSC156	332.9	333.2	0.3	1.6	0.5	2.8
SDDSC156	333.2	333.8	0.6	0.7	0.4	1.5
SDDSC156	333.8	334.2	0.5	0.3	0.2	0.9
SDDSC156	334.2	334.6	0.3	0.4	0.1	0.5
SDDSC156	355.8	356.0	0.2	0.3	0.1	0.5
SDDSC156	356.0	356.2	0.2	22.9	0.1	23.1
SDDSC156	356.2	356.7	0.5	3.0	0.5	4.2
SDDSC156	356.7	357.4	0.7	0.2	0.0	0.2
SDDSC156	358.4	359.1	0.7	0.2	0.0	0.3
SDDSC156	359.1	359.8	0.7	0.8	0.2	1.3
SDDSC156	359.8	360.0	0.2	2.9	0.4	3.9
SDDSC156	360.0	360.7	0.7	3.6	0.8	5.5
SDDSC156	360.7	361.1	0.4	3.3	0.5	4.4
SDDSC156	361.1	361.8	0.7	0.1	0.1	0.3
SDDSC156	364.4	364.7	0.4	0.3	0.0	0.4
SDDSC156	364.7	365.6	0.9	0.1	0.0	0.1
SDDSC156	365.6	366.5	0.9	0.1	0.0	0.1
SDDSC156	366.5	367.0	0.5	0.3	0.0	0.3
SDDSC156	367.3	367.7	0.3	0.1	0.0	0.2
SDDSC156	371.0	371.8	0.8	0.1	0.0	0.1
SDDSC156	371.8	372.0	0.1	1.2	0.9	3.4
SDDSC156	372.0	372.5	0.5	0.3	0.0	0.3
SDDSC156	372.5	372.7	0.2	2.6	1.3	5.8
SDDSC156	372.7	373.3	0.6	0.6	0.7	2.2
SDDSC156	373.3	373.8	0.5	0.2	0.8	2.2
SDDSC156	373.8	374.4	0.6	0.2	0.0	0.2
SDDSC156	374.4	374.5	0.1	0.6	10.3	25.3
SDDSC156	374.5	374.9	0.4	0.2	0.3	0.8
SDDSC156	376.0	376.3	0.3	0.1	0.0	0.1
SDDSC156	402.7	403.2	0.5	0.1	0.0	0.1
SDDSC156	451.3	451.7	0.4	0.2	0.0	0.2
SDDSC156	503.5	503.9	0.4	0.0	0.2	0.6
SDDSC156	595.2	596.1	0.9	0.1	0.0	0.2
SDDSC156	606.3	606.6	0.3	0.0	0.2	0.4
SDDSC156	652.9	653.2	0.3	0.4	0.0	0.4
SDDSC156	653.5	653.7	0.2	0.9	0.0	1.0
SDDSC156	653.7	654.1	0.4	0.2	0.0	0.2
SDDSC156	685.6	685.9	0.3	0.4	0.0	0.5
SDDSC156	703.5	703.6	0.1	0.2	0.0	0.3
SDDSC157	19.0	20.4	1.4	4.6	0.1	4.9
SDDSC157	20.4	21.1	0.8	0.4	0.1	0.5
SDDSC157	21.1	22.0	0.9	0.1	0.0	0.1
SDDSC157	22.0	22.8	0.8	0.3	0.0	0.4
SDDSC157	22.8	23.6	0.8	0.1	0.0	0.1
SDDSC157	23.6	24.2	0.6	0.1	0.0	0.1
SDDSC157	24.2	25.5	1.3	1.6	0.0	1.6
SDDSC157	25.5	26.5	1.0	2.6	0.0	2.7
SDDSC157	73.4	73.9	0.5	0.6	0.0	0.7
SDDSC157	89.4	89.9	0.5	0.3	0.0	0.3
SDDSC157	577.9	578.4	0.5	0.1	0.0	0.1
SDDSC157	578.4	578.8	0.4	0.8	0.0	0.8
SDDSC157	592.3	592.6	0.3	0.4	0.1	0.6
SDDSC157	609.7	609.8	0.1	0.5	0.0	0.5
SDDSC157	609.8	610.0	0.2	0.5	0.0	0.5
SDDSC157	610.0	610.7	0.6	0.6	0.0	0.6
SDDSC157	610.7	611.4	0.7	0.6	0.0	0.6

Hole number	From (m)	To (m)	Length (m)	Au g/t	Sb%	AuEq (g/t)
SDDSC157	612.6	613.5	0.9	0.2	0.0	0.2
SDDSC157	613.5	613.9	0.4	0.2	0.0	0.2
SDDSC157	613.9	614.5	0.6	0.6	0.0	0.6
SDDSC157	614.5	614.7	0.2	0.2	0.0	0.2
SDDSC157	614.7	615.4	0.7	0.9	0.0	0.9
SDDSC157	615.4	616.1	0.7	0.3	0.0	0.3
SDDSC157	616.1	616.4	0.3	0.7	0.0	0.7
SDDSC157	616.4	616.7	0.3	1.2	0.1	1.3
SDDSC157	616.7	616.9	0.2	0.5	0.0	0.5
SDDSC157	616.9	617.3	0.4	1.0	0.0	1.0
SDDSC157	617.3	617.8	0.6	1.1	0.0	1.2
SDDSC157	617.8	618.0	0.2	1.5	0.0	1.6
SDDSC157	618.0	618.4	0.3	0.4	0.0	0.4
SDDSC157	619.4	620.6	1.2	0.4	0.0	0.4
SDDSC157	620.6	621.4	0.8	0.6	0.0	0.6
SDDSC157	621.4	621.8	0.4	2.2	0.0	2.2
SDDSC157	621.8	622.2	0.4	1.9	0.0	1.9
SDDSC157	622.2	622.4	0.1	1.0	0.0	1.1
SDDSC157	622.4	622.7	0.4	0.6	0.0	0.7
SDDSC157	622.7	623.5	0.7	0.8	0.0	0.9
SDDSC157	623.5	624.3	0.9	0.9	0.1	1.0
SDDSC157	626.0	626.4	0.4	0.0	0.0	0.1
SDDSC157	646.9	647.0	0.2	0.1	0.0	0.2
SDDSC157	647.0	647.3	0.2	262.0	0.3	262.7
SDDSC157	647.3	647.4	0.2	1.7	0.3	2.3
SDDSC157	666.2	666.6	0.4	5.3	0.0	5.3
SDDSC157	666.6	666.9	0.2	0.4	0.0	0.5
SDDSC157	686.2	686.4	0.2	0.6	0.5	1.8
SDDSC157	686.4	686.6	0.2	2.5	0.2	2.9
SDDSC157	686.6	686.8	0.2	0.1	0.0	0.1
SDDSC157	692.9	693.2	0.3	0.1	0.0	0.1
SDDSC157	693.2	693.4	0.2	56.2	8.0	75.4
SDDSC157	693.4	693.5	0.1	0.8	0.5	2.0
SDDSC157	693.5	693.8	0.2	0.2	0.0	0.3
SDDSC157	694.3	694.7	0.4	0.5	0.0	0.5
SDDSC157	694.7	695.9	1.2	0.3	0.0	0.3
SDDSC157	699.7	700.1	0.4	0.3	0.0	0.3
SDDSC157	700.5	700.7	0.2	0.1	0.0	0.2
SDDSC157	703.2	703.8	0.6	0.1	0.0	0.1
SDDSC157	703.8	704.1	0.3	41.8	0.0	41.8
SDDSC157	704.1	704.3	0.3	0.2	0.0	0.2
SDDSC157	704.3	704.8	0.4	0.1	0.0	0.2
SDDSC157	704.8	705.1	0.3	0.6	0.0	0.7
SDDSC157	705.1	705.6	0.5	0.1	0.0	0.1
SDDSC157	705.6	706.9	1.3	0.1	0.0	0.1
SDDSC157	713.0	713.4	0.5	0.2	0.0	0.2
SDDSC157	719.7	720.5	0.8	0.1	0.0	0.1
SDDSC157	720.5	721.1	0.6	0.1	0.0	0.1
SDDSC157	721.6	722.3	0.7	0.2	0.0	0.2
SDDSC157	722.3	722.8	0.5	0.2	0.0	0.2
SDDSC157	722.8	723.6	0.8	0.4	0.0	0.4
SDDSC157	723.6	723.8	0.2	0.4	0.0	0.4
SDDSC157	723.8	724.2	0.4	0.8	0.0	0.8
SDDSC157	724.2	724.4	0.2	0.1	0.0	0.1
SDDSC157	724.4	724.9	0.5	0.5	0.0	0.5
SDDSC157	724.9	725.3	0.4	0.5	0.0	0.5
SDDSC157	725.3	725.7	0.4	0.3	0.0	0.3

Hole number	From (m)	To (m)	Length (m)	Au g/t	Sb% AuEq (g/t)
SDDSC157	725.7	726.0	0.2	0.1	0.0 0.1
SDDSC157	727.4	728.6	1.2	0.2	0.0 0.2
SDDSC157	728.6	729.2	0.6	0.6	0.0 0.6
SDDSC157	729.2	729.8	0.6	0.7	0.0 0.7
SDDSC157	729.8	730.6	0.9	0.6	0.0 0.6
SDDSC157	730.6	731.9	1.3	0.2	0.0 0.2
SDDSC157	733.2	734.4	1.2	0.2	0.0 0.2
SDDSC157	734.4	735.3	0.9	0.1	0.0 0.1
SDDSC157	737.1	737.8	0.7	0.6	0.0 0.6
SDDSC157	737.8	738.2	0.4	0.3	0.0 0.3
SDDSC157	738.2	739.1	0.9	0.6	0.0 0.6
SDDSC157	739.1	739.9	0.8	0.5	0.0 0.5
SDDSC157	739.9	740.7	0.7	0.4	0.0 0.4
SDDSC157	740.7	741.8	1.1	0.2	0.0 0.2
SDDSC157	749.2	749.9	0.7	0.2	0.0 0.2
SDDSC157	752.0	753.1	1.1	0.2	0.0 0.2
SDDSC157	753.1	753.4	0.3	0.7	0.0 0.7
SDDSC157	753.4	754.6	1.1	0.7	0.0 0.8
SDDSC157	754.6	754.8	0.2	1.0	0.0 1.1
SDDSC157	754.8	755.5	0.7	0.7	0.0 0.7
SDDSC157	755.5	756.4	0.9	0.2	0.0 0.2
SDDSC157	757.4	758.4	1.0	0.1	0.1 0.2
SDDSC157	759.4	759.9	0.5	0.5	0.0 0.5
SDDSC157	764.4	764.6	0.3	0.3	0.0 0.3
SDDSC157	765.7	766.3	0.6	0.3	0.0 0.4
SDDSC157	766.3	766.9	0.7	0.2	0.0 0.3
SDDSC157	766.9	767.3	0.4	0.4	0.0 0.4
SDDSC157	767.3	767.8	0.5	0.2	0.0 0.2
SDDSC157	768.7	769.6	0.9	0.1	0.0 0.2
SDDSC157	769.6	769.9	0.4	1.4	0.0 1.4
SDDSC157	769.9	770.3	0.4	0.3	0.1 0.6
SDDSC157	770.3	770.6	0.3	0.6	0.0 0.7
SDDSC157	770.6	771.7	1.1	0.3	0.0 0.3
SDDSC157	771.7	772.6	0.9	0.6	0.0 0.6
SDDSC157	772.6	773.8	1.2	1.1	0.0 1.1
SDDSC157	773.8	774.8	1.0	0.2	0.0 0.3
SDDSC157	774.8	775.0	0.2	0.2	0.0 0.2
SDDSC157	775.0	775.3	0.3	0.3	0.0 0.3
SDDSC157	775.3	775.8	0.5	0.4	0.0 0.5
SDDSC157	775.8	776.3	0.5	0.5	0.0 0.5
SDDSC157	776.3	776.8	0.5	0.6	0.0 0.6
SDDSC157	776.8	777.1	0.3	0.7	0.0 0.7
SDDSC157	777.1	777.2	0.2	0.7	0.0 0.8
SDDSC157	777.2	778.5	1.2	0.1	0.0 0.1
SDDSC157	779.7	780.9	1.2	0.2	0.0 0.2
SDDSC157	780.9	782.1	1.2	0.3	0.0 0.3
SDDSC157	782.1	783.3	1.2	0.1	0.0 0.1
SDDSC157	783.3	783.9	0.7	1.5	0.0 1.5
SDDSC157	787.1	788.1	1.0	0.2	0.0 0.2
SDDSC157	788.1	788.5	0.4	0.4	0.0 0.4
SDDSC157	788.5	789.1	0.6	0.6	0.0 0.7
SDDSC157	789.1	789.5	0.4	0.4	0.0 0.4
SDDSC157	789.5	790.3	0.9	1.0	0.0 1.0
SDDSC157	790.3	790.8	0.5	0.4	0.0 0.4
SDDSC157	790.8	791.0	0.2	0.3	0.0 0.3
SDDSC157	791.0	791.3	0.3	0.3	0.0 0.3
SDDSC157	791.3	792.0	0.8	0.2	0.0 0.2

Hole number	From (m)	To (m)	Length (m)	Au g/t	Sb%	AuEq (g/t)
SDDSC157	794.4	795.2	0.9	0.3	0.0	0.3
SDDSC157	818.3	818.7	0.4	0.1	0.0	0.1
SDDSC157	818.7	819.8	1.1	0.1	0.0	0.1
SDDSC157	821.9	822.8	0.8	0.2	0.0	0.2
SDDSC157	822.8	823.8	1.0	0.2	0.0	0.2
SDDSC157	824.3	824.8	0.5	0.2	0.0	0.2
SDDSC157	824.8	825.0	0.2	0.3	0.0	0.3
SDDSC157	825.0	826.0	1.0	0.1	0.0	0.2
SDDSC157	826.0	826.8	0.8	0.3	0.0	0.3
SDDSC157	826.8	827.5	0.7	0.3	0.0	0.3
SDDSC157	829.5	830.6	1.2	0.2	0.0	0.2
SDDSC157	830.6	831.4	0.8	0.2	0.0	0.2
SDDSC157	831.4	832.1	0.7	0.3	0.0	0.3
SDDSC157	832.1	832.8	0.7	0.3	0.0	0.3
SDDSC157	832.8	833.3	0.6	0.1	0.0	0.1
SDDSC157	834.0	835.0	1.0	0.2	0.0	0.2
SDDSC157	835.0	835.4	0.4	0.4	0.0	0.4
SDDSC157	835.4	836.3	0.9	0.9	0.0	0.9
SDDSC157	836.3	836.6	0.2	0.2	0.0	0.2
SDDSC157	837.5	837.8	0.4	0.2	0.0	0.3
SDDSC157	837.8	838.6	0.8	0.3	0.0	0.3
SDDSC157	838.6	839.0	0.4	0.4	0.0	0.4
SDDSC157	839.0	839.8	0.8	0.9	0.0	0.9
SDDSC157	839.8	840.2	0.4	0.8	0.0	0.8
SDDSC157	840.2	840.8	0.6	0.4	0.0	0.5
SDDSC157	840.8	841.6	0.9	0.1	0.0	0.1
SDDSC157	842.0	843.2	1.2	0.1	0.0	0.1
SDDSC157	862.5	862.8	0.3	0.3	0.0	0.3
SDDSC157	864.3	864.4	0.2	0.2	0.4	1.2
SDDSC157	864.4	864.9	0.5	0.1	0.0	0.1
SDDSC157	864.9	865.4	0.5	0.9	0.0	1.0
SDDSC157	865.4	866.0	0.6	0.3	0.0	0.3
SDDSC157	866.0	866.6	0.6	0.1	0.0	0.1
SDDSC157	866.6	866.9	0.3	0.2	0.0	0.2
SDDSC157	878.0	878.3	0.3	0.4	0.0	0.4
SDDSC157	881.8	881.9	0.2	0.1	0.0	0.2
SDDSC157	888.5	888.8	0.3	0.1	0.0	0.1
SDDSC157	892.3	892.6	0.2	0.1	0.0	0.1
SDDSC157	898.4	898.7	0.3	0.1	0.0	0.1
SDDSC157	902.6	903.2	0.7	0.2	0.0	0.2
SDDSC157	905.2	905.9	0.7	0.1	0.0	0.1
SDDSC157	905.9	906.4	0.4	0.4	0.0	0.4
SDDSC157	908.1	908.7	0.6	5.9	0.0	5.9
SDDSC157	910.1	910.7	0.6	0.3	0.0	0.3
SDDSC157	910.7	910.9	0.2	1.7	0.0	1.7
SDDSC157	910.9	911.7	0.8	0.7	0.0	0.8
SDDSC157	913.4	914.0	0.6	0.3	0.0	0.4
SDDSC157	914.0	914.3	0.3	0.3	0.0	0.3
SDDSC157	921.4	921.9	0.5	0.1	0.0	0.1
SDDSC157	922.3	923.5	1.1	0.2	0.0	0.2
SDDSC157	923.9	924.5	0.6	0.0	0.0	0.1
SDDSC157	924.5	925.2	0.7	0.1	0.0	0.2
SDDSC157	925.2	925.6	0.3	0.4	0.0	0.5
SDDSC157	928.1	929.2	1.1	0.1	0.0	0.1
SDDSC157	929.8	930.0	0.2	0.2	0.0	0.2
SDDSC157	932.1	933.2	1.1	0.1	0.0	0.1
SDDSC157	934.9	935.7	0.8	0.3	0.0	0.3

Hole number	From (m)	To (m)	Length (m)	Au g/t	Sb%	AuEq (g/t)
SDDSC157	935.7	936.2	0.5	0.4	0.0	0.4
SDDSC157	936.2	936.8	0.6	0.1	0.0	0.1
SDDSC157	936.8	937.2	0.4	0.1	0.0	0.2
SDDSC157	937.2	937.4	0.3	0.2	0.0	0.2
SDDSC157	952.4	953.0	0.6	0.1	0.0	0.1
SDDSC157	956.1	956.6	0.5	0.1	0.0	0.1
SDDSC157	956.6	956.7	0.1	0.3	0.0	0.3
SDDSC157	956.7	957.2	0.5	0.5	0.0	0.5
SDDSC157	965.4	965.8	0.4	0.2	0.0	0.3
SDDSC157	968.2	968.4	0.2	0.3	0.0	0.3
SDDSC157	970.5	971.1	0.7	0.1	0.0	0.1
SDDSC157	972.4	973.3	0.9	0.6	0.0	0.6
SDDSC157	974.4	974.5	0.1	0.9	0.0	0.9
SDDSC157	999.3	999.7	0.4	0.1	0.0	0.1
SDDSC157	1002.9	1003.0	0.2	0.2	0.0	0.2
SDDSC157	1005.0	1005.6	0.6	0.2	0.0	0.2
SDDSC157	1005.6	1006.1	0.5	0.5	0.0	0.5
SDDSC157	1014.6	1014.8	0.1	0.0	0.1	0.3
SDDSC157	1023.2	1023.5	0.3	0.1	0.0	0.1
SDDSC157A	148.1	148.2	0.1	0.1	0.0	0.1
SDDSC157A	148.2	148.5	0.3	0.5	0.0	0.5
SDDSC157A	148.5	148.9	0.5	0.5	0.0	0.5
SDDSC157A	148.9	149.6	0.6	0.4	0.0	0.4
SDDSC161	124.0	125.0	1.0	0.0	0.0	0.2
SDDSC161	125.0	125.4	0.4	0.3	0.0	0.3
SDDSC161	125.4	125.6	0.2	0.2	0.0	0.2
SDDSC161	461.1	461.4	0.3	0.2	0.2	0.7
SDDSC161	464.0	465.0	1.0	0.9	0.0	0.9
SDDSC161	465.0	466.0	1.0	0.2	0.0	0.2
SDDSC161	467.4	468.2	0.8	0.1	0.0	0.1
SDDSC161	468.2	469.1	0.9	0.5	0.0	0.5
SDDSC161	469.1	470.0	0.9	0.3	0.0	0.3
SDDSC161	472.1	472.3	0.2	0.4	0.0	0.4
SDDSC161	473.5	473.7	0.2	0.1	0.1	0.2
SDDSC161	473.7	474.0	0.4	11.9	1.4	15.3
SDDSC161	474.0	474.2	0.2	0.1	0.0	0.2
SDDSC161	476.2	476.5	0.4	0.3	0.0	0.4
SDDSC161	477.2	478.2	1.0	0.2	0.0	0.3
SDDSC161	478.2	478.6	0.4	0.1	0.0	0.2
SDDSC161	478.6	479.2	0.6	1.3	0.3	2.1
SDDSC161	479.2	479.7	0.6	0.9	0.4	1.9
SDDSC161	479.7	479.9	0.1	6.0	7.2	23.1
SDDSC161	480.2	480.4	0.2	0.4	1.2	3.3
SDDSC161	480.4	480.5	0.1	0.5	0.1	0.8
SDDSC161	480.5	480.8	0.3	11.7	17.6	53.8
SDDSC161	480.8	481.1	0.4	0.6	0.2	1.1
SDDSC161	481.1	481.3	0.2	12.2	6.0	26.5
SDDSC161	481.3	481.8	0.5	3.4	0.4	4.4
SDDSC161	481.8	482.0	0.3	10.1	1.2	13.0
SDDSC161	482.0	482.8	0.7	0.1	0.0	0.2
SDDSC161	482.8	482.9	0.2	0.3	0.4	1.3
SDDSC161	482.9	483.5	0.6	0.1	0.0	0.2
SDDSC161	483.5	483.7	0.1	0.3	0.1	0.6
SDDSC161	483.7	484.2	0.6	1.2	7.3	18.6
SDDSC161	484.2	484.6	0.4	2.1	0.4	3.1
SDDSC161	484.6	484.8	0.2	0.4	0.0	0.4
SDDSC161	484.8	485.5	0.7	0.6	0.9	2.7

Hole number	From (m)	To (m)	Length (m)	Au g/t	Sb% AuEq (g/t)
SDDSC161	485.5	486.0	0.5	0.3	0.1 0.5
SDDSC161	486.0	486.4	0.4	6.1	5.1 18.4
SDDSC161	486.4	486.6	0.3	0.4	0.2 0.8
SDDSC161	486.6	487.7	1.1	0.2	0.1 0.4
SDDSC161	487.7	488.2	0.5	0.1	0.0 0.1
SDDSC161	488.2	488.7	0.4	0.1	0.0 0.2
SDDSC161	489.7	489.8	0.1	0.7	6.6 16.4
SDDSC161	489.8	490.0	0.2	0.3	0.0 0.3
SDDSC161	490.0	490.1	0.2	0.5	0.0 0.5
SDDSC161	492.9	493.9	1.0	0.2	0.0 0.2
SDDSC161	493.9	494.0	0.1	0.8	0.1 0.9
SDDSC161	494.0	494.5	0.5	0.2	0.0 0.2
SDDSC161	500.1	500.8	0.6	0.2	0.0 0.2
SDDSC161	501.5	502.5	1.1	0.1	0.0 0.1
SDDSC161	507.2	508.4	1.2	0.1	0.0 0.1
SDDSC161	508.4	509.1	0.7	0.8	0.1 1.1
SDDSC161	509.1	509.5	0.4	0.2	0.1 0.5
SDDSC161	509.5	509.8	0.4	5.4	0.4 6.2
SDDSC161	509.8	510.4	0.6	5.7	0.4 6.6
SDDSC161	510.4	510.8	0.3	1510.0	0.1 1510.2
SDDSC161	510.8	511.0	0.3	583.0	0.0 583.1
SDDSC161	511.0	511.3	0.3	43.0	0.2 43.5
SDDSC161	511.3	511.5	0.2	4700.0	0.3 4700.6
SDDSC161	511.5	511.7	0.2	1.0	0.0 1.0
SDDSC161	511.7	511.8	0.2	56.5	0.0 56.6
SDDSC161	511.8	512.6	0.7	0.3	0.1 0.5
SDDSC161	512.6	513.8	1.2	0.2	0.0 0.2
SDDSC161	513.8	514.8	1.1	0.1	0.0 0.1
SDDSC161	514.8	515.8	1.0	0.2	0.1 0.3
SDDSC161	515.8	516.8	1.0	0.9	0.0 0.9
SDDSC161	528.9	529.7	0.8	0.1	0.0 0.1
SDDSC161	703.2	703.6	0.4	0.2	0.0 0.2
SDDSC161	703.6	703.8	0.2	0.7	0.0 0.7
SDDSC161	703.8	703.9	0.1	0.5	0.0 0.5
SDDSC161	703.9	704.2	0.3	0.2	0.0 0.2
SDDSC161	735.5	735.9	0.5	0.4	0.0 0.4
SDDSC161	754.7	755.3	0.6	0.1	0.0 0.1
SDDSC161	764.8	765.3	0.5	0.3	0.0 0.4
SDDSC161	765.3	765.5	0.1	1.5	0.0 1.5

JORC Table 1

## Section 1 Sampling Techniques and Data

Criteria

JORC Code explanation

Sampling techniques

- Nature and quality of sampling (e.g. cut channels, random ch standard measurement tools appropriate to the minerals und sondes, or handheld XRF instruments, etc.). These examples meaning of sampling.
- Include reference to measures taken to ensure sample repre any measurement tools or systems used.
- Aspects of the determination of mineralization that are Mater
- In cases where 'industry standard' work has been done this v circulation drilling was used to obtain 1 m samples from which charge for fire assay'). In other cases more explanation may gold that has inherent sampling problems. Unusual commodi nodules) may warrant disclosure of detailed information.

Drilling techniques

- Drill type (e.g. core, reverse circulation, open-hole hammer, r and details (e.g. core diameter, triple or standard tube, depth type, whether core is oriented and if so, by what method, etc

Drill sample recovery

- Method of recording and assessing core and chip sample rec
- Measures taken to maximise sample recovery and ensure re
- Whether a relationship exists between sample recovery and occurred due to preferential loss/gain of fine/coarse material.

Logging

- Whether core and chip samples have been geologically and support appropriate Mineral Resource estimation, mining stu
- Whether logging is qualitative or quantitative in nature. Core
- The total length and percentage of the relevant intersections



Criteria

JORC Code explanation

Sub-sampling techniques and sample preparation

- If core, whether cut or sawn and whether quarter, half or all core
- If non-core, whether riffled, tube sampled, rotary split, etc. and
- For all sample types, the nature, quality and appropriateness of
- Quality control procedures adopted for all sub-sampling stages
- Measures taken to ensure that the sampling is representative of the material for instance results for field duplicate/second-half sampling.
- Whether sample sizes are appropriate to the grain size of the material

Quality of assay data and laboratory tests

- The nature, quality and appropriateness of the assaying and the technique is considered partial or total.
- For geophysical tools, spectrometers, handheld XRF instruments determining the analysis including instrument make and model, applied and their derivation, etc.
- Nature of quality control procedures adopted (e.g. standards, checks) and whether acceptable levels of accuracy (i.e. lack of bias) established.

Criteria

JORC Code explanation

Verification of sampling and assaying	<ul style="list-style-type: none"> <li>● The verification of significant intersections by either independent or qualified persons.</li> <li>● The use of twinned holes.</li> <li>● Documentation of primary data, data entry procedures, data verification (including but not limited to electronic) protocols.</li> <li>● Discuss any adjustment to assay data.</li> </ul>
Location of data points	<ul style="list-style-type: none"> <li>● Accuracy and quality of surveys used to locate drill holes (collar/spool location, orientation and other locations used in Mineral Resource estimation).</li> <li>● Specification of the grid system used.</li> <li>● Quality and adequacy of topographic control.</li> </ul>
Data spacing and distribution	<ul style="list-style-type: none"> <li>● Data spacing for reporting of Exploration Results.</li> <li>● Whether the data spacing and distribution is sufficient to establish the degree of geological continuity appropriate for the Mineral Resource and Ore Resource classification applied.</li> <li>● Whether sample compositing has been applied.</li> </ul>
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> <li>● Whether the orientation of sampling achieves unbiased sampling results where this is known, considering the deposit type.</li> <li>● If the relationship between the drilling orientation and the orientation of the mineralisation has been considered to have introduced a sampling bias, this should be discussed.</li> </ul>
Sample security	<ul style="list-style-type: none"> <li>● The measures taken to ensure sample security.</li> </ul>
Audits or reviews	<ul style="list-style-type: none"> <li>● The results of any audits or reviews of sampling techniques and processes.</li> </ul>
Section 2 Reporting of Exploration Results	

Criteria	JORC Code explanation
Mineral tenement and land tenure status	<ul style="list-style-type: none"> <li>● Type, reference name/number, location and ownership including agreements with parties such as joint ventures, partnerships, overriding royalties, native title interests, wilderness or national park and environmental settings.</li> <li>● The security of the tenure held at the time of reporting along with any known interests, licences to operate in the area.</li> </ul>
Exploration done by other parties	<ul style="list-style-type: none"> <li>● Acknowledgment and appraisal of exploration by other parties.</li> </ul>
Geology	<ul style="list-style-type: none"> <li>● Deposit type, geological setting and style of mineralization.</li> </ul>
Drill hole Information	<ul style="list-style-type: none"> <li>● A summary of all information material to the understanding of the exploration results of the following</li> <li>● information for all Material drill holes: <ul style="list-style-type: none"> <li>● easting and northing of the drill hole collar</li> <li>● elevation or RL (Reduced Level - elevation above sea level in metres) of collar</li> <li>● dip and azimuth of the hole</li> <li>● down hole length and interception depth</li> <li>● hole length.</li> </ul> </li> <li>● If the exclusion of this information is justified on the basis that the information is immaterial to the understanding of the report, the Competent Person must explain why this is the case.</li> </ul>

Criteria	JORC Code explanation
Data aggregation methods	<ul style="list-style-type: none"> <li>● In reporting Exploration Results, weighting averaging techniques, maximum and minimum values, truncations (e.g. cutting of high-grades) and cut-off grades are usually Materialized.</li> <li>● Where aggregate intercepts incorporate short lengths of high-grade results and long lengths of low-grade results, the procedure used for such aggregation should be stated and the effect of such aggregations should be shown in detail.</li> <li>● The assumptions used for any reporting of metal equivalent values should be stated.</li> </ul>
Relationship between mineralization widths and intercept lengths	<ul style="list-style-type: none"> <li>● These relationships are particularly important in the reporting of Exploration Results.</li> <li>● If the geometry of the mineralization with respect to the drill hole angle is known, this should be reported.</li> <li>● If it is not known and only the down hole lengths are reported, there should be no indication of the effect (e.g. 'down hole effect').</li> <li>● length, true width not known').</li> </ul>
Diagrams	<ul style="list-style-type: none"> <li>● Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to, plan views, collar locations and appropriate sectional views.</li> </ul>
Balanced reporting	<ul style="list-style-type: none"> <li>● Where comprehensive reporting of all Exploration Results is not practicable, reporting should include both low and high-grades and/or widths should be practiced to avoid misleading impression of the Exploration Results.</li> </ul>

Criteria

JORC Code explanation

Other substantive exploration data

- Other exploration data, if meaningful and material, should be reported including geological observations; geophysical survey results; geochemical survey results; method of treatment; metallurgical test results; bulk density, groundwater, geochemical characteristics; potential deleterious or contaminating substances.

Further work

- The nature and scale of planned further work (e.g. tests for lateral extensions or large-scale step-out drilling).
- Diagrams clearly highlighting the areas of possible extensions, including the mineral interpretations and future drilling areas, provided this information is not commercially sensitive.

To view the source version of this press release, please visit <https://www.newsfilecorp.com/release/253615>

---

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/693494--Southern-Cross-Gold-Drills-3.4-M--466-g-t-Gold-at-Sunday-Creek.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).