

# Cardinal Resources Ltd. 190m Wide Gold Zone with Infill Drilling at Namdini

17.06.2016 | [ABN Newswire](#)

Perth, Australia - [Cardinal Resources Ltd.](#) (ASX:CDV) ("Cardinal" or "the Company") is pleased to report the results of a further two diamond drill holes, NMDD393-725 and NMDD391-745, recently completed on the Namdini Project ("Namdini"), Ghana.

## HIGHLIGHTS

- Wide gold mineralised zone of 190m with infill diamond drilling
- Significant gold mineralised intersections within this section include:
  - o 98m @ 1.31 g/t gold - from surface
  - o 49m @ 1.39 g/t gold
  - o 31m @ 1.57 g/t gold
  - o 9m @ 4.62 g/t gold
- On track for delivery of an initial Exploration Target to be provided in Q3 2016

The potential of the Namdini Project to host a world-class gold project continues to be confirmed by the intersection of long mineralised zones, including 98m @ 1.31 g/t Au and 49m @ 1.39 g/t Au, as well as a high grade gold zone of 9m @ 4.44 g/t Au within diamond drill hole NMDD391-745.

Infill diamond drill holes NMDD393-725 and NMDD391-745 have enabled Section F to be compiled, with a 190m wide gold mineralised zone (Figure 2 in link below). This mineralised section confirms the continuation of wide gold mineralisation both at depth and along strike within the Namdini Project.

The volcanoclastics intersected in both diamond drill holes are mineralised throughout which confirm that gold mineralisation is consistently being intersected along strike and at depth.

Infill diamond drilling is being completed on 50m spacings, between previous 100m spaced diamond drill sections, to confirm and enhance the gold mineralisation previously intersected within the volcanoclastics, granitoids and diorites (Figure 1).

Currently hole NMDD512-766 is being drilled. Assay results are pending from a further 17 diamond drill holes, which should provide a constant flow of results in the weeks ahead. The Company has divided up its core submissions between SGS Laboratories in Burkina Faso and Ghana to assist in accelerating receipt of assay results (Figure 1 in link below).

NMDD393-725 intersected 209m of gold mineralisation within hydrothermally altered volcanoclastics from 40m to 249m vertical depths with multiple zones of mineralisation down the drill hole, including 31m @ 1.57 g/t, 49m @ 1.39 g/t and 15m @ 1.27 g/t, confirming continuity of mineralisation with depth (Figures 2 and 3 in link below).

NMDD391-745 intersected 144m of mineralisation within hydrothermally altered volcanoclastics from surface to 144m vertical depths, including 98m @ 1.31 g/t and 9m @ 4.62 g/t confirming continuity of mineralisation with depth (Figures 2 and 4 in link below).

Drill holes NMDD393-725 and NMDD391-745 were cored from surface. The soft near surface materials were drilled with a Triple Tube core barrel to reduce core losses. Once harder rock was encountered, then HW steel casing was inserted for stability of each hole and HQ size core was drilled to their final depths of 373.14m and 276.9m respectively.

The drill rigs were aligned for both drill holes at -65deg dip drilling east which allows for the shallowing of the drill holes with depth. The azimuth was set at 095deg instead of 100deg (normal to the strike of the formations) as the borehole traces usually deflects to the right with depth due to the clockwise rotation of the drill rods.

The drill holes were surveyed near the top of each drill hole, then every 30m down the hole to determine the

dip and azimuth of the drill holes with depth.

The core was orientated at each drill run using a digital instrument. The core was marked showing the base of the drill hole, then the core from each drill run was laid in a length of angle iron to fit the core together so that the orientation line could be drawn along the length of the core at the drill site. Geotechnical parameters were measured using this orientation line as the datum line.

The core was photographed then cut in half and then cut in half again. One quarter of the core was consistently sampled, with the remaining three quarters stored in metal core trays and placed on metal racks under cover in the core shed at Bolgatanga. The quarter core samples were sent to the SGS Laboratory in Burkina Faso for sample preparation and fire assay.

### **Infill Diamond Drilling Program**

The final diamond drill hole for the infill drilling programme is in progress which will complete the 50m spaced infill diamond drilling programme designed to evaluate the NNE trending gold mineralised corridor (Figure 1).

All of the completed infill diamond drill holes were orientated to drill across this mineralised corridor to confirm the continuation of gold mineralisation along strike and at depth.

### **Namdini Geology**

The Namdini Project is located within a Paleo-Proterozoic Greenstone Belt comprising Birimian metavolcanics, volcanoclastics and metasediments located in close proximity to a major 30 km ~N-S regional shear zone with splays. These rock units are intruded by felsic monzonite granitoids and quartz diorites.

The gold mineralisation is developed within foliated, sheared and highly altered volcanoclastic rocks containing sulphides (pyrite and arsenopyrite). The host rocks dip approximately 60deg W and strike 010deg. Hydrothermal alteration of the volcanoclastics is comprised of silica, iron carbonate (ankerite), sericite, epidote and chlorite.

The highly altered rocks contain disseminated gold-bearing sulphides and are distinguished from the grey, unaltered, unmineralised host rocks by characteristic pale to medium green colours.

The monzonite granitoids are medium to coarse grained with quartz vein stockworks and are usually altered to pale green epidote with patches of pink to reddish albite (alkali feldspar). Sulphides of pyrite and arsenopyrite are contained within these granitoids.

The monzonite granitoid intrusive is considered to have been the "heat engine" which remobilised gold bearing sulphide rich fluids which altered the host rocks and precipitated the gold mineralisation within them.

The NNE-SSW trending corridor containing the gold mineralisation is bounded on both east and west sides by foliated metasediments of varying compositions, also dipping 60deg W and striking 010deg.

The quartz diorites contain primary pyrite sulphides which are weakly mineralised when unaltered. However, the diorites become partly mineralised when they are hydrothermally altered or sheared with quartz veining, or when some mineralised zones of altered volcanoclastics or granitoids occur within them.

### **Monitoring Of Drilling Programs**

Cardinal's technical and management team evaluates all of the available data on a daily basis with the main focus being the expansion of the gold potential.

Cardinal, together with the contract drill rigs, are providing the samples for express assaying services from SGS Laboratories in Ghana and Burkina Faso. This enables the Company to continuously improve its drill plan strategy as new information becomes available.

To view tables and figures, please visit:  
<http://abnnewswire.net/Ink/AKY8XZ0X>

### **About Cardinal Resources Ltd:**

[Cardinal Resources Ltd.](#) (ASX:CDV) is a focused gold exploration and development company with its key

assets located in the mineral-rich country of Ghana, West Africa. Cardinal owns and operates 2 drill rigs and has in country infrastructure which allows it to be a low cost exploration and development company.

**Contact:**

Archie Koimtsidis Managing Director

[Cardinal Resources Ltd.](#)

P: +233-26-190-5220

Skype: cardinal.archie

---

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/234268--Cardinal-Resources-Ltd.-190m-Wide-Gold-Zone-with-Infill-Drilling-at-Namdini.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer](#)!

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).