

Cartier Cuts 4.7 g/t Au over 5.1 m Including 17.7 g/t Au over 0.5 m at Chimo Mine

14.02.2018 | [Marketwired](#)

VAL-D'OR, QUEBEC--(Marketwired - Feb 14, 2018) - [Cartier Resources Inc.](#) (TSX VENTURE:ECR) ("Cartier") is pleased to announce new results from its ongoing 30,000-m drill program on the Chimo Mine property, situated 45 km east of Val-d'Or. These new results were intersected at a depth of 650 m along the extensions of Zones 5N and 5M.

Intersections grading 4.7 g/t Au over 5.1 m including 17.7 g/t Au over 0.5 m and 9.6 g/t Au over 1.1 m were intersected 40 m below stopes of Zone 5N (FIGURE). Also, intersections grading 1.9 g/t Au over 13.0 m including 3.8 g/t Au over 3.0 m were intersected 20 m below stopes of Zone 5M. The drill holes were designed to cut several gold-bearing structures and they were lengthened to explore the potential depth extensions of the gold Zones below past-producing stopes. The new gold-bearing intersections as well as additional gold-bearing intervals of interest are presented in the table below.

Drill Hole	From (m)	To (m)	Length (m)	Au (g/t)	Gold Zone	Gold Structure
CH17-27	685.7	690.8	5.1	4.7	5N	5N
<i>Including</i>	685.7	686.2	0.5	17.7		
<i>Including</i>	689.7	690.8	1.1	9.6		
CH17-28	748.5	757.0	8.5	1.0		
<i>Including</i>	748.5	749.0	0.5	4.4		
CH17-29	834.0	847.0	13.0	1.9	5M	5M
<i>Including</i>	840.0	843.0	3.0	3.8		
CH17-28	626.0	630.0	4.0	2.1	3	3
<i>Including</i>	628.0	629.0	1.0	4.6		

Lengths are expressed along drill core axis. The true thickness was not determined.

« The results demonstrate that, below the stopes of Zones 5N and 5M, gold mineralisation continues with characteristics showing the potential to delineate additional gold resources » commented Philippe Cloutier, President and CEO of Cartier.

The gold-bearing intersections are characterized with biotite-chlorite alteration and mineralization consisting of visible gold grains, arsenopyrite and/or pyrrhotite mineralization, smoky and/or white quartz veining. All other assay results from the four drills active on the property are still pending.

A 3D VIDEO, also available on Cartier's website, helps visualize the different gold-bearing structures on the Chimo Mine property as well as key components that are the mine infrastructures, the gold-bearing zones, the gold intersection areas left unmined as well as the 281 targets of the ongoing drill program. The 5N and 5M Structures are presented in the video.

Quality Assurance / Quality Control

All lengths, mentioned in this press release, were measured along the drill core. The NQ core samples are crushed up to 80% passing 8 mesh sieves and then pulverized up to 90% passing a 200-mesh sieve. Cartier inserts 5% of the number of samples in the form of certified standards and another 5% in the form of sterile samples to ensure quality control. The samples are analyzed at the Techni-Lab laboratory (Actlabs), located in Ste-Germaine-Boulé, Quebec. The 50 g pulps are analyzed by fire assay and atomic absorption. For samples containing visible gold, 1000 g of rock are directly analyzed by the "Metallic Sieve" method.

The scientific and/or technical information presented in this press release has been reviewed and approved by Mr. Gaëtan Lavallière, P. Geo., Ph. D. and Vice President for Cartier Resources. Mr. Lavallière is a qualified person as defined by National Instrument 43-101.

Neither the TSX Venture Exchange nor its regulatory services provider accepts responsibility for the adequacy or accuracy of this press release.

To view the Figure associated with this press release, please visit the following link:

<https://secure.arkys.com/administration/Customizations/RessourcesCartier/Media.ashx?MediaId=3940025d-fe5c-4a30>

Contact

Philippe Cloutier, P.Geo.
President and CEO
819 856-0512
philippe.cloutier@ressourcescartier.com
www.ressourcescartier.com
Investor Relations:
Relations Publiques Paradox
514 341-0408

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/290695--Cartier-Cuts-4.7-g-t-Au-over-5.1-m-Including-17.7-g-t-Au-over-0.5-m-at-Chimo-Mine.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).