

Adventus and Salazar Announce Drilling Results at the El Domo Deposit Highlighted by 26.8% Copper Equivalent Over 9.1 Metres

15.06.2021 | [CNW](#)

TORONTO, June 15, 2021 - [Adventus Mining Corp.](#) ("Adventus") (TSXV: ADZN) (OTCQX: ADVZF) and [Salazar Resources Ltd.](#) ("Salazar") (TSXV: SRL) (OTCQB: SRLZF) (collectively the "Partners") are pleased to announce its final infill drilling results from the El Domo volcanogenic massive sulphide deposit ("El Domo") located within the 21,537-hectare Curipamba project in central Ecuador. All results from the completed infill definition drilling program are being used to update the Mineral Resource estimate for El Domo, which will serve as the basis of the ongoing El Domo feasibility study with completion expected in the fourth quarter of 2021.

Highlights - Drill Results from the El Domo Deposit at Curipamba:

- CURI-385 intersected 9.06 metres of 3.25% copper, 19.08 g/t gold, 30.56% zinc, 242.5 g/t silver, and 3.19% lead for 26.78% CuEq - including 3.48 metres of 2.37% copper, 35.13 g/t gold, 39.51% zinc, 470.7 g/t silver, and 7.50% lead for 41.22% CuEq
- CURI-382 intersected 30.86 metres of 2.05% copper, 0.92 g/t gold, 0.16% zinc, 9.2 g/t silver, and 0.02% lead for 2.74% copper equivalent ("CuEq") - including 3.81 metres of 6.56% copper, 1.48 g/t gold, 0.07% zinc, 13.4 g/t silver, and 0.02% lead for 7.60% CuEq

Drill hole CURI-382 intersected a thick section of massive sulphide from 92.95 to 123.81 metres, grading 2.05% copper, 0.92 g/t gold, 0.16% zinc, 9.2 g/t silver, and 0.02% lead (2.74% CuEq). Two higher-grade subsets were intersected from 92.95 to 96.69 and 120.00 to 123.81 metres, respectively. The first interval graded 3.77% copper, 1.60 g/t gold, 0.47% zinc, 21.7 g/t silver, and 0.08% lead (5.08% CuEq) and the second interval graded 6.56% copper, 1.48 g/t gold, 0.07% zinc, 13.4 g/t silver, and 0.02% lead (7.60% CuEq).

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-382	92.95	123.81	30.86	2.05	0.92	0.16	9.2	0.02	2.74	27.77
including	92.95	96.69	3.74	3.77	1.60	0.47	21.7	0.08	5.08	3.37
including	92.95	93.90	0.95	9.13	3.67	1.36	66.8	0.29	12.40	0.86
including	120.00	123.81	3.81	6.56	1.48	0.07	13.4	0.02	7.60	3.43
including	122.00	122.96	0.96	10.79	1.01	0.05	14.1	0.02	11.55	0.86

⁽¹⁾ Metal equivalency based on US\$4.56/lb Cu, US\$1,879.20/oz Au, US\$1.37/lb Zn, US\$28.02 /oz Ag and US\$1.00/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery. Prices taken from 6-month contracts for precious metals and 3-month contracts for base metals from the London Metal Exchange, dated June 11, 2021.

CURI-384 intersected mineralized grainstone with massive sulphide clasts in the immediate hanging wall of the massive sulphide mineralization, grading 0.06% copper, 0.62 g/t gold, 0.56% zinc, 50.3 g/t silver and 0.24% lead (1.10% CuEq). A thin interval of massive sulphide mineralization was intersected from 86.93 to 87.54 metres, grading 1.46% copper, 25.90 g/t gold, 21.76% zinc, 686.0 g/t silver and 9.32% lead (31.76% CuEq). A section of mineralized footwall felsic autoclasts and volcanic rocks was intersected from 87.54 to 95.60 metres, grading 0.13% copper, 0.28 g/t gold, 1.29% zinc, and 12.1 g/t silver and 0.12% lead (0.82% CuEq).

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-384	86.00	86.93	0.93	0.06	0.62	0.56	50.3	0.24	1.10	0.74
	86.93	87.54	0.61	1.46	25.90	21.76	686.0	9.32	31.76	0.49
	87.54	95.60	8.06	0.13	0.28	1.29	12.1	0.12	0.82	6.49

(1) Metal equivalency based on US\$4.56/lb Cu, US\$1,879.20/oz Au, US\$1.37/lb Zn, US\$28.02 /oz Ag and US\$1.00/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery. Prices taken from 6-month contracts for precious metals and 3-month contracts for base metals from the London Metal Exchange, dated June 11, 2021.

Drill hole CURI-385 intersected mineralized fine-grained sediments in the immediate hanging wall of the massive sulphide mineralization from 85.85 to 90.48 metres, grading 0.07% copper, 1.40 g/t gold, 0.75% zinc, 27.3 g/t silver, and 0.10% lead (1.41% CuEq). Massive sulphide mineralization was intersected from 90.48 to 99.54 metres, grading 3.25% copper, 19.08 g/t gold, 30.56% zinc, 242.5 g/t silver, and 3.19% lead (26.78% CuEq). A higher-grade subsection occurs from 90.48 to 93.96 metres, grading 2.37% copper, 35.13 g/t gold, 39.51% zinc, 470.7 g/t silver and 7.50% lead (41.22% CuEq). A section of mineralized footwall felsic autoclastic volcanic rocks was intersected from 99.54 to 106.47 metres, grading 0.13% copper, 0.40 g/t gold, 1.25% zinc, and 4.8 g/t silver and 0.02% lead (0.79% CuEq).

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-385	85.85	90.48	4.63	0.07	1.40	0.78	27.3	0.10	1.41	4.40
	90.48	99.54	9.06	3.25	19.08	30.56	242.5	3.19	26.78	8.61
including	90.48	93.96	3.48	2.37	35.13	39.51	470.7	7.50	41.22	3.31
	99.54	106.47	6.93	0.13	0.40	1.25	4.8	0.02	0.79	6.58

(1) Metal equivalency based on US\$4.56/lb Cu, US\$1,879.20/oz Au, US\$1.37/lb Zn, US\$28.02 /oz Ag and US\$1.00/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery. Prices taken from 6-month contracts for precious metals and 3-month contracts for base metals from the London Metal Exchange, dated June 11, 2021.

Drill holes CURI-386, CURI-387, and CURI-389 were designed to test the outer margins of the Indicated category material and to further assess the pit wall geology. These drill holes confirmed modelling previously done along the margins of the deposit and provide excellent geological control for future modelling studies. Both CURI-386 and CURI-387 intersected low-grade sections of footwall mineralized felsic autoclastic volcanic rocks 73.06 to 82.49 and 80.60 to 85.40 metres, respectively. CURI-386 graded 0.13% copper, 0.78 g/t gold, 0.30% zinc, 17.3 g/t silver and 0.09% lead (0.86% CuEq) for an approximate true thickness of 6.13 metres and CURI-387 graded 0.02% copper, 0.30 g/t gold, 0.13% zinc, 10.4 g/t silver and 0.03% lead (0.34% CuEq) for an approximate true thickness of 4.56 metres. CURI-389 did not yield any significant results.

All results from the completed infill definition drilling program are being used to update the Mineral Resource estimate for El Domo, which will serve as the basis of the ongoing feasibility study for the development of El Domo (see December 2, 2020 news release). Figure 1 illustrates the drill locations for the results of the six drill holes outlined in this news release. Drill collar location coordinates are summarized for the infill and geomechanical drilling programs in Table 1 at the end of this news release.

For reference, the last Mineral Resource estimate completed in accordance with NI 43-101 for El Domo was published as part of the preliminary economic assessment report titled: "Technical Report on the Preliminary Economic Assessment for the Curipamba Project - El Domo Deposit, Central Ecuador", with an effective date of June 14, 2019 on SEDAR.

Technical Information and QAQC

The Curipamba project work program is being managed and reviewed by Vice President Exploration, Jason Dunning, M.Sc., P.Geol., a Qualified Person within the meaning of NI 43-101. Salazar staff collect and process samples that are securely sealed and shipped to Bureau Veritas ("BV") in Quito for sample preparation that includes crushing and milling to prepare pulps that are then split for shipment to their facility in Lima, Peru or Vancouver, Canada for analysis. All assay data have undergone internal validation of QAQC; noting there is an established sampling control program with blind insertion of assay blanks, certified industry standards and sample duplicates for the Curipamba project. A QAQC program is also in place at BV

and includes insertion of blanks, standards, and duplicate reanalysis of selected samples. BV's quality system complies with the requirements for the International Standards ISO 9001:2000 and ISO 17025: 1999. At BV, samples from the El Domo infill drilling have gold analyzed by classic fire assay techniques with an AAS finish, while silver and base metals are analyzed by a 44-element aqua regia technique with ICP-AES finish. For regional drilling, silver and base metals are analyzed by a 45-element 4 acid technique with ICP-MS finish. Overlimit protocols are in place for gold, silver, copper, lead, and zinc.

Qualified Person

The technical information of this news release has been reviewed and verified as accurate by Mr. Jason Dunning, M.Sc., P.Geo., Vice President Exploration for Adventus, a non-Independent Qualified Person, as defined by NI 43-101.

About Adventus

Adventus Mining Corporation is an Ecuador focused copper-gold exploration and development company. Its strategic shareholders include Altius Minerals Corporation, Greenstone Resources LP, [Wheaton Precious Metals Corp.](#), and the Nobis Group of Ecuador. Adventus is advancing the El Domo copper-gold project through a feasibility study, while exploring the broader Curipamba district. In addition, Adventus is engaged in a country-wide exploration alliance with its partners in Ecuador, which has incorporated the Pijili and Santiago copper-gold porphyry projects to date. Adventus also controls an exploration project portfolio in Ireland with South32 Limited as funding partner as well as an investment portfolio of equities in several exploration companies. Adventus is based in Toronto, Canada, and is listed on the TSX Venture Exchange under the symbol ADZN and trades on the OTCQX under the symbol ADVZF.

About Salazar

[Salazar Resources Ltd.](#) is focused on creating value and positive change through discovery, exploration, and development in Ecuador. The team has an unrivalled understanding of the geology in-country and has played an integral role in the discovery of many of the major projects in Ecuador, including the two newest operating gold and copper mines. Salazar Resources has a wholly owned pipeline of copper-gold exploration projects across Ecuador with a strategy to make another commercial discovery and farm-out non-core assets. The Company actively engages with Ecuadorian communities and together with the Salazar family it co-founded The Salazar Foundation, an independent non-profit organization dedicated to sustainable progress through economic development. The Company already has carried interests in three projects. At its maiden discovery, Curipamba, Salazar Resources has a 25% stake fully carried through to production. At two copper-gold porphyry projects, Pijili and Santiago, the Company has a 20% stake fully carried through to a construction decision.

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this news release.

This press release contains "forward-looking information" within the meaning of applicable Canadian securities laws. Any statements that express or involve discussions with respect to predictions, expectations, beliefs, plans, projections, objectives, assumptions or future events or performance (often, but not always, identified by words or phrases such as "believes", "anticipates", "expects", "is expected", "scheduled", "estimates", "pending", "intends", "plans", "forecasts", "targets", or "hopes", or variations of such words and phrases or statements that certain actions, events or results "may", "could", "would", "will", "should" "might", "will be taken", or "occur" and similar expressions) are not statements of historical fact and may be forward-looking statements.

Forward-looking information herein includes, but is not limited to, statements that address activities, events, or developments that Adventus and Salazar expect or anticipate will or may occur in the future. Although Adventus and Salazar have attempted to identify important factors that could cause actual actions, events, or results to differ materially from those described in forward-looking information, there may be other factors that cause actions, events or results not to be as anticipated, estimated, or intended. There can be no assurance that such information will prove to be accurate, and actual results and future events could differ materially from those anticipated in such information. Accordingly, readers should not place undue reliance

on forward-looking information. Adventus and Salazar undertake to update any forward-looking information except in accordance with applicable securities laws.

Please also visit the Adventus website at www.adventusmining.com and LinkedIn page at <https://www.linkedin.com/company/adventus-mining-corporation>

Table 1: Drill Collar Information for Infill Drill Holes at El Domo

Hole ID	EAST	NORTH	ELEV	AZIMUTH	DIP	DEPTH	COMMENT
CURI-391	655001	9854898	882	165	-65	70.6	Successfully completed per design
CURI-390	695109	9855451	953	170	-79	137.7	Successfully completed per design
CURI-389	694999	9855351	908	338	-70	64.5	Successfully completed per design
CURI-388	695051	9855474	930	165	-50.6	143.0	Successfully completed per design
CURI-387	695051	9855474	930	26	-49	112.3	Successfully completed per design
CURI-386	695100	9855600	943	230	-65	90.2	Successfully completed per design
CURI-385	695094	9855482	940	45	-54	128.0	Successfully completed per design
CURI-384	695054	9855642	923	136	-54	110.6	Successfully completed per design
CURI-383 ⁽¹⁾	695373	9855400	995	270	-65	210.4	Successfully completed per design
CURI-382	695094	9855482	940	64	-48	156.5	Successfully completed per design
CURI-381	695214	9855602	949	197	-57	154.4	Successfully completed per design
CURI-380 ⁽¹⁾	695375	9855000	1030	270	-70	250.1	Successfully completed per design
CURI-379	695094	9855482	940	167	-48	153.8	Successfully completed per design
CURI-378	695054	9855122	893	181	-57	113.1	Successfully completed per design
CURI-377	695054	9855122	893	55	-51	92.3	Successfully completed per design
CURI-376 ⁽¹⁾	695361	9855100	1087	270	-70	275.4	Successfully completed per design
CURI-375 ⁽¹⁾	695333	9855200	1057	270	-75	250.1	Successfully completed per design
CURI-374	695006	9855134	883	296	-45	120.6	Successfully completed per design
CURI-373	695094	9855482	940	103	-48	197.0	Successfully completed per design
CURI-372	695041	9854913	888	38	-45	106.3	Successfully completed per design
CURI-371 ⁽¹⁾	695399	9855298	1016	270	-65	225.7	Successfully completed per design
CURI-370	695040	9854913	888	231	-74	86.2	Successfully completed per design
CURI-369	695094	9855482	940	142	-48	168.7	Successfully completed per design
CURI-368	695041	9854913	888	331	-58	113.6	Successfully completed per design

CURI-367	695006	9855134	883	196	-45	102.2	Successfully completed per design
CURI-366	694975	9854918	872	186	-72	74.5	Successfully completed per design
CURI-365	694934	9855242	874	151	-72	69.5	Successfully completed per design
CURI-364-A	695131	9855402	946	108	-60	121.8	Successful but lost in fault zone
CURI-364	695134	9855402	946	108	-60	130.4	Successful but lost in fault zone
CURI-363	694934	9855242	874	180	-54	95.0	Successfully completed per design
CURI-362	694975	9854918	872	288	-61	88.9	Successfully completed per design
CURI-361	695134	9855402	946	75	-54	172.8	Successfully completed per design
CURI-360	694934	9855242	874	25	-48	83.0	Successfully completed per design
CURI-359	695006	9855134	883	349	-69	86.5	Successfully completed per design
CURI-358	694934	9855082	867	255	-54	113.0	Successfully completed per design
CURI-357	695057	9855149	894	229	-74	105.0	Successfully completed per design
CURI-356	695006	9855134	883	241	-77	110.6	Successfully completed per design
CURI-355	695057	9855149	894	36	-45	86.3	Successfully completed per design
CURI-354	695057	9855149	894	55	-54	81.0	Successfully completed per design
CURI-353	695094	9855122	908	192	-45	97.4	Successfully completed per design
CURI-352	695057	9855149	894	306	-77	78.0	Successfully completed per design
CURI-351	695057	9855149	894	338	-59	77.0	Successfully completed per design
CURI-350	695094	9855122	908	180	-57	85.7	Successfully completed per design
CURI-349	695094	9855122	908	263	-51	130.2	Successfully completed per design
CURI-348	695094	9855082	910	276	-45	135.1	Successfully completed per design
CURI-347	695094	9855082	910	105	-54	91.0	Successfully completed per design
CURI-346	695094	9855082	910	52	-69	83.4	Successfully completed per design
CURI-345	695094	9855082	910	142	-48	95.7	Successfully completed per design
CURI-344	695094	9855082	910	360	-60	84.1	Successfully completed per design
CURI-343	695094	9855082	910	192	-45	142.0	Successfully completed per design
CURI-342	695094	9855082	910	192	-45	142.0	Successfully completed per design
CURI-341	695134	9854922	917	360	-60	117.4	Successfully completed per design
CURI-340	695134	9854922	917	360	-45	149.0	Successfully completed per design

SOURCE: Adventus Mining Corp. Christian Kari Simard, President and Chief Executive Officer, at
 1-800-344-0228 or christian@adventusmining.com. For further information from Salazar, please contact
 r.salazar@resources.com.
 (2) All drill holes are surveyed in UTM Datum (Provisional South American 1956, Zone 17)
 SOURCE: Adventus Mining Corp.

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/386438--Adventus-and-Salazar-Announce-Drilling-Results-at-the-El-Domo-Deposit-Highlighted-by-26.8Prozent-Copper-Equ>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).