White Metal Intersects 1.5 m of 27.2 g/t Au in the A Zone and 1.5 m of 10.9 g/t Au in the D Zone, Phase 3 Drilling, Tower Mountain Gold Project, Ontario

22.03.2022 | Newsfile

Thunder Bay, March 22, 2022 - White Metal Resources Corp. (TSXV: WHM) (FSE: CGK1) (OTC Pink: TNMLF) ("White Metal" or the "Company") is pleased to announce that it has received additional drill core assay results from its recently completed Phase 3 drilling program at its flagship Tower Mountain Gold Project (the "Project" or "Property"), located about 50 km west-northwest of the port city of Thunder Bay, Ontario. The D Zone is located some 500 m southeast of the A Zone and results from the current drilling extended the A Zone by 25 m down-dip. Drilling results from C&M Zone suggest a possible link to alteration and gold mineralization located in the areas of the D and 110 zones, extending the strike for more than 700 m to the west. (Figure 1).

Highlights from the most recent results of Phase 3 drilling are:

- TM-21-123: from 233.0 m, 10.90 g/t Au over 1.5 m (D Zone).
- TM-22-128: from 30.5 m, 7.13 g/t Au over 1.5 m (C&M Zone).
- TM-22-129: from 62.0 m, 5.3 g/t Au over 1.5 m (C&M Zone).
- TM-22-130: from 14.0 m, 27.2 g/t Au over 1.5 m (A Zone).
- TM-22-132: from 5.0 m, 5.34 g/t Au over 1.5 m (A Zone).

The Company is very pleased with the results to date as it continues to identify low-grade gold over long core intervals and high-grade gold over narrower core intervals. Much more drilling is required to evaluate the full potential and scale of the D, 110, C&M and A zones, as well as numerous other zones and surface showings.

The Phase 3 drilling program was successful in testing the multitude of gold zones, expanding the potential of the Bench Zone, and in-fill drilling between holes TM-21-120 and TM-21-121, which had significant gold grades over substantial core lengths (see Company news release dated September 23, 2021).

The Ellen Zone, U&V Zone, Star Zone, H Zone, G Zone, and P Zone are still to be tested by diamond drilling and will be the focus of future drilling programs (see Company news release dated October 21, 2021).

The following is a summary of the drill hole results for the holes reported in this news release with core assay results summarized in Table 1. A plan map showing drill hole locations and traces is provided in Figure 2. A comprehensive list of drill core assay results is provided on the Company website at https://www.whitemetalres.com/. Core assay intervals are calculated using a 100 ppb Au exploration cut-off with intersection calculations terminated if two or more sampling intervals are less than 100 ppb Au.

Table 1. Summary of drill core assay results reported in this news release, Phase 3 drilling.

| Drill Hole | From (m) To (m) Interval (m)* Au (g/t) Zone | | | | | |
|------------|---|---------------|--|--|--|--|
| | 149.00 171.50 | 22.50 0.486 | | | | |
| TM-21-123 | 176.00 197.00 | 21.00 0.501 D | | | | |
| | 233.00234.50 | 1.50 10.900 | | | | |

| Drill Hole F | rom (m) | To (m) | Interval (m)*/ | Au (g/t) Zone |
|--------------|--------------------|--------|----------------|---------------|
| TM-21-124 | | 102.50 | 13.50 | |
| TM-21-125 | 63.50 [·] | 107.00 | 43.50 | 0.338 |
| incl. | 63.50 | 96.50 | 33.00 | 0.392 |
| TM-21-125 | 131.00 | 152.00 | 21.00 | 0.202 |
| TM-22-126 | 42.50 | 101.00 | 58.50 | 0.447 |
| TM-22-126 | 117.50 | 132.50 | 15.00 | 0.887 110 |
| incl. | 119.00 | 126.50 | 7.50 | 1.484 |
| TM-22-126 | 153.50 | 182.00 | 28.50 | 0.843 |
| incl. | 156.50 | 165.50 | 9.00 | 2.088 |
| incl. | 162.50 | 165.50 | 3.00 | 2.735 |
| TM-22-127 | 113.00 | 150.50 | 37.50 | 0.343 |
| incl. | 119.00 | 128.00 | 9.00 | 0.636 |
| TM-22-128 | 9.50 | 68.00 | 58.50 | 0.591 C&M |
| incl. | 30.50 | 36.50 | 6.00 | 2.452 |
| incl. | 30.50 | 32.00 | 1.50 | 7.130 |
| TM-22-129 | 62.00 | 63.50 | 1.50 | 5.300 |
| TM-22-129 | 138.50 | 156.50 | 18.00 | 0.186 |
| TM-22-130 | 2.50 | 23.00 | 20.50 | 2.269 |
| incl. | 12.50 | 17.00 | 4.50 | 9.520 |
| incl. | 14.00 | 15.50 | 1.50 | 27.200 |
| TM-22-130 | 128.00 | 155.00 | 27.00 | 0.211 |
| TM-22-131 | 2.70 | | 17.30 | 0.590 |
| incl. | 5.00 | 6.50 | 1.50 | 1.320 |
| incl. | 14.00 | 20.00 | 6.00 | 0.960 |
| incl. | 18.50 | 20.00 | 1.50 | 1.840 A |
| TM-22-132 | 3.70 | 23.00 | 19.30 | 0.741 |
| incl. | 5.00 | 6.50 | 1.50 | 5.340 |
| TM-22-132 | 27.50 | 29.00 | 1.50 | 2.460 |
| TM-22-132 | 39.50 | 41.00 | 1.50 | 1.610 |
| TM-22-132 | 45.50 | 57.50 | 12.00 | 1.113 |
| incl. | 47.00 | 56.00 | 9.00 | 1.378 |
| incl. | 53.00 | 54.50 | 1.50 | 2.210 |
| TM-22-132 | 60.50 | 86.00 | 25.50 | - |
| incl. | 78.50 | 80.00 | 1.50 | 2.780 |
| TM-22-132 | 134.00 | 149.00 | 15.00 | 0.317 |

*drill hole intervals are not representative of true width but are core lengths.

Figure 1. Plan map of the Tower Mountain Gold Project showing some of the principal gold zones on the western side of the TMIC.

To view an enhanced version of this graphic, please visit: https://orders.newsfilecorp.com/files/5364/117595_0f1f3f0424b3f975_003full.jpg

D Zone

 TM-21-123 - drilled 240 m west-southwest of TM-21-95 and designed to test the down-dip extension of the D Zone, intersecting it at a drill hole depth of 149 metres.

110 Zone

- TM-21-125 designed to test down-dip extension of the 110 Zone, intersecting this zone at 63.5 metres.
- TM-22-126 drilled 50 m northwest of TM-21-110 and intersected mineralization at a drill hole depth of 42.5 metres.

C&M Zone

- TM-22-127 drilled 670 m west of the 110 Zone; the Company interprets gold mineralization intersected in this hole to may be a possible strike continuation of the 110 Zone.
- TM-22-128 drilled 700 m east of TM-22-126, with gold mineralization suggesting the D Zone has a potential strike length of 800 m and is open in all directions.

A Zone

- TM-22-129 drilled on the eastern side of the A Zone, designed to test the down-dip extension of this of TM-21-117.
- TM-22-130 drilled 30 m southwest of TM-21-118 in the central portion of the A Zone, designed to test the down-dip extension of this zone.
- TM-22-131 drilled from the same set up as TM-22-30 and terminated at 20 m due to bad ground, with the last core sample assaying 1.80 g/t Au.
- TM-22-132 drilled 30 m southwest of TM-21-117 and designed to test the down-dip extension of TM-21-119.

Drillholes TM-22-129, 130,131 and 132 were designed to test the down-dip extension of the impressive results from TM-21-108, 117, 118 and TM-21-119, drilled 20 to 25 m southwesterly along drill-section. The results from the recent drilling confirm the continuation of the A Zone.

The A zone has been interpreted as the result of two major structural events. Low-grade and strongly anomalous gold-enriched breccia structures are intersecting a later vein structural system, creating a high-grade, very steep westerly plunging shoot. This new understanding gives exciting potential to future definition drilling and the targeting of high-grade gold.

Like the Phase 1 and 2 drilling programs before, the Phase 3 drilling program demonstrates the potential of the Tower Mountain Gold Project to host mineralization potentially amenable to a large, low-grade gold open pit operation with high-grade sections that could be amendable to underground mining. Much more drilling is required to fully understand the extent of the Project's gold zones as each round of drilling continues to deliver new information and positive results. A summary of all results reported to date are provided on the Company website at https://www.whitemetalres.com/.

Future drill core assay results will be reported as they are received, compiled, and interpreted by the Company. Readers are also encouraged to refer to the Company's news release dated January 11, 2022 for more specific details surrounding the Tower Mountain Gold Project and the Phase 3 drilling program.

Figure 2. Drill hole plan map with histograms of gold concentration overlain on a 3D-IP plan map (RL 400 m) and the contact trace of the TMIC in the southern area of the main trend on the Property.

To view an enhanced version of this graphic, please visit: https://orders.newsfilecorp.com/files/5364/117595_0f1f3f0424b3f975_004full.jpg

It should be noted that many of the gold zone discovered to date on the Tower Mountain Gold Project, including the newly discovered Ellen Zone, A Zone, and as well parts of the U & V Zone are associated with magnetic lows which seem to have a direct correlation with elevated gold concentration. To date, White Metal has covered about 60% of the Property with detailed ground magnetic survey and due to the correlation between magnetic lows and gold, the Company is planning to complete the magnetic surveying over the remaining 40% of the Property in the coming weeks. About 40% of the Property has been covered by soil sampling and recent success in drilling on the C&M Zone and extensions of the 110 and D zones targeted highly anomalous gold-in-soil, obtained from the 2021 summer soil sampling program. The number one priority will be the Star Zone where a large area of gold-in-soil anomalies were defined during the 2021 program (see White Metal news release dated September 23, 2021). The remainder of the Property will be covered with soil sampling in order to define new drill targets.

About the Tower Mountain Gold Project

The Tower Mountain Gold Project is located 50 km west of Thunder Bay, Ontario and consists of unpatented and patented lands totalling 1,968 ha (19.68 square km). The Property has excellent infrastructure and can be worked year-round with well-maintained roads and a power grid within <5 kilometres. Gold mineralization on the Property is described as intrusive-associated disseminated gold and may have similarities to gold mines hosted in the Abitibi Greenstone Belt of northeastern Ontario, such as in the Kirkland Lake and Malartic gold camps. One example, the Young-Davidson Mine, is currently one of Canada's largest underground gold mines and in 2021 produced 195,000 ounces of gold (Alamos Gold news release January 17, 2022).

Mineralization hosted by established operations and other exploration projects is not necessarily indicative of mineralization hosted on the Company's Property.

To view additional project information and maps please visit the White Metal website and slide show at www.whitemetalres.com/tower-mountain-au.html. For a detailed overview of the Tower Mountain Gold Project (Fact Sheet) click here. For table of results for all White Metals drill core assay results click here.

Qualified Person

Technical information in this news release has been reviewed and approved by Dr. Scott Jobin-Bevans (P.Geo.), Interim President & CEO and a Director of White Metal, who is a Qualified Person under the definitions established by NI 43-101.

About White Metal Resources Corp.

<u>White Metal Resources Corp.</u> is a junior exploration company exploring in Canada and southern Africa. The Company's two key properties are the Flagship Tower Mountain Gold Project in Thunder Bay, Ontario, Canada and the Okohongo Copper-Silver Project in Namibia, Africa. For more information about the Company please visit www.whitemetalres.com.

On behalf of the Board of Directors

"Scott Jobin-Bevans" Interim President & CEO, Director

For further information contact: Scott Jobin-Bevans White Metal Resources Corp. 684 Squier Street Thunder Bay, Ontario, P7B 4A8 M: +1-647-405-3632 scott.jb@caraclecreek.com

Elliot Strashin P: +1-416-504-0077 ext 22 elliot@strashindevelopments.com

THE TSX VENTURE EXCHANGE HAS NOT REVIEWED AND DOES NOT ACCEPT RESPONSIBILITY FOR THE ADEQUACY OR ACCURACY OF THIS RELEASE.

The information contained herein contains "forward-looking statements" within the meaning of applicable securities legislation. Forward-looking statements relate to information that is based on assumptions of management, forecasts of future results, and estimates of amounts not yet determinable. Any statements that express predictions, expectations, beliefs, plans, projections, objectives, assumptions or future events or performance are not statements of historical fact and may be "forward-looking statements."

Forward-looking statements are subject to a variety of risks and uncertainties which could cause actual events or results to differ from those reflected in the forward-looking statements, including, without limitation: risks related to failure to obtain adequate financing on a timely basis and on acceptable terms; risks related to the outcome of legal proceedings; political and regulatory risks associated with mining and exploration; risks related to the maintenance of stock exchange listings; risks related to environmental regulation and liability; the potential for delays in exploration or development activities or the completion of feasibility studies; the uncertainty of profitability; risks and uncertainties relating to the interpretation of drill results, the geology, grade and continuity of mineral deposits; risks related to the inherent uncertainty of production and cost estimates and the potential for unexpected costs and expenses; results of prefeasibility and feasibility studies, and the possibility that future exploration, development or mining results will not be consistent with the Company's expectations; risks related to gold price and other commodity price fluctuations; and other risks and uncertainties related to the Company's prospects, properties and business detailed elsewhere in the Company's disclosure record. Should one or more of these risks and uncertainties materialize, or should underlying assumptions prove incorrect, actual results may vary materially from those described in forward-looking statements. Investors are cautioned against attributing undue certainty to forward-looking statements. These forward-looking statements are made as of the date hereof and the Company does not assume any obligation to update or revise them to reflect new events or circumstances. Actual events or results could differ materially from the Company's expectations or projections.

To view the source version of this press release, please visit https://www.newsfilecorp.com/release/117595

Dieser Artikel stammt von Rohstoff-Welt.de

Die URL für diesen Artikel lautet: https://www.rohstoff-welt.de/news/410433--White-Metal-Intersects-1.5-m-of-27.2-g~t-Au-in-the-A-Zone-and-1.5-m-of-10.9-g~t-Au-in-the-D-Zone-Phase-3-Drilli

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere <u>AGB/Disclaimer!</u>

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt! Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere <u>AGB</u> und <u>Datenschutzrichtlinen</u>.