

Filo Mining Reports 984m at 0.89% CuEq, including 614m at 1.06% CuEq; Extending the Aurora Zone 160m to the Northeast

14.04.2023 | [CNW](#)

VANCOUVER, April 13, 2023 - [Filo Mining Corp.](#) (TSX: FIL) (Nasdaq First North Growth Market: FIL) (OTCQX: FLMMF) ("Filo Mining", or the "Company") is pleased to announce assay results from hole FSDH073 at the Filo del Sol Project in San Juan, Argentina. Highlights and detailed results are shown below along with accompanying figures: [View PDF Version](#)

● Drillhole FSDH073 intersected 983.9m at 0.89% CuEq from a depth of 404.5m, including; ● 614.0m at 1.06% CuEq and 272.0m at 1.33% CuEq. Commenting on the results, Jamie Beck, President, and CEO stated, "Hole 73 has successfully extended the Aurora Zone to the northeast of our previous drilling, along the main trend of the Zone, leaving it wide open towards the Bonita Zone which sits 1.5 kilometres to the northeast. It is now the most northerly hole drilled into the Aurora Zone and future drilling will seek to determine if the Aurora and Bonita Zones are connected. It is an excellent result; extending the Aurora Zone 160m is significant, and even small Aurora step-outs of long, high-grade drill intersections substantially increase the deposit's potential size."

Hole ID	From	To	Length	Cu %	Au g/t	Ag g/t	CuEq %
FSDH073	404.5	1388.4	983.9	0.62	0.32	4.0	0.89
incl	600.0	1214.0	614.0	0.74	0.41	3.2	1.06
incl	756.0	1028.0	272.0	0.92	0.52	3.2	1.33

Mineralized zones within the Aurora Zone are bulk porphyry-style zones and drilled widths are interpreted to be very close to true widths.

FSDH073 was collared 150m northeast of hole FSDH061 on section 9600N, and drilled towards the west at an angle of -70 degrees. It is entirely outside of and almost 300m north of the resource pit shell, and is the only hole drilled on this section.

The geology in this hole was very similar to other holes in this area and matched the geological interpretation very well. It intersected volcanoclastic and coherent rhyolite from surface to a depth of about 572m where the main mineralized breccia was intersected. The rhyolite sequence was well mineralized from a depth of about 400m with the grade increasing on approach to the breccia. The hole continued in breccia to its end.

Additional drilling to the north, east and west of FSDH073 is required to determine the full width of the zone on this section, along with the potential connection between the Aurora and Bonita Zones.

Outlook

Drilling is ongoing with 9 rigs active on the project and will remain a mix of both large and small step-outs.

Holes that have been completed with assays pending include:

- FSDH075 - Bonita (1,649m)
- FSDH076 - Aurora (1,543m)
- FSDH079 - Gemelos (846m)
- FSDH081 - Flamenco (683m)

Assay results for completed holes will be released as they are received, analyzed, and confirmed by the

Company.

Holes that are currently underway, or have been paused include:

- FSDH065 - Aurora West - terminated and re-started as FSDH072
- FSDH066 - Maranceles veins (paused at 458m) - located 1.3km northeast of FSDH060 - will be deepened, dependent on drilling priorities and rig availability
- FSDH072 - Aurora West (1,268m) - underway
- FSDH078 - Aurora (489m) - underway; high-priority hole to test up-dip of Breccia 41
- FSDH080 - Aurora (564m) - underway
- FSDH082 - Gemelos (521m) - underway
- FSDH083 - Aurora Extension (511m) - underway
- FSDH084 - Aurora (354m) - underway
- FSDH085 - Bonita East (227m) - underway; located 700m east of FSDH075-1 - testing a potential new zone
- FSDH086 - Aurora (0m) - underway; rig is currently setting up on the hole

The ninth rig is completing the last of a series of geotechnical holes to examine a potential future underground exploration adit.

On behalf of Filo Mining,

Jamie Beck
President and CEO

About Filo del Sol

Filo del Sol is a high-sulphidation epithermal copper-gold-silver deposit associated with one or more large porphyry copper-gold systems. Overlapping mineralizing events combined with weathering effects, including supergene enrichment, have created several different styles of mineralization, including structurally controlled and breccia-hosted gold, manto-style high-grade silver (+/- copper) and high-grade supergene enriched copper within a broader envelope of disseminated, stockwork and breccia-hosted sulphide copper and gold mineralization. This complex geological history has created a heterogeneous orebody which is characterized by zones of very high-grade copper +/- gold +/- silver mineralization within a large envelope of more homogeneous, lower-grade mineralization.

Qualified Persons and Technical Notes

The scientific and technical disclosure for the Filo del Sol Project included in this news release have been reviewed and approved by Bob Carmichael, B.A.Sc., P.Eng. who is the Qualified Person as defined by NI 43-101. Mr. Carmichael is Vice President, Exploration for the Company. Samples were cut at Filo Mining's operations base near the town of Gualiñzuil, Argentina by Company personnel. Diamond drill core was sampled in 2 metre intervals (except where shortened by geological contacts) using a rock saw for sulphide mineralization. Oxide mineralization was cut with a core splitter in order to prevent dissolution of water-soluble copper minerals during the wet sawing process. Core diameter is a mix of PQ, HQ and NQ depending on the depth of the drill hole. RC samples were collected at the drill site by Company personnel with splitting carried out at the Company's field camp near the drill sites. Individual samples represent final splits from 2 metre intervals down the hole. Samples were bagged and tagged and packaged for shipment by truck to the ALS preparation laboratory in Mendoza, Argentina where they were crushed and a 500g split was pulverized to 85% passing 200 mesh. The prepared samples were sent to the ALS assay laboratories in either Lima, Peru or Santiago, Chile for copper, gold and silver assays, and multi-element ICP and sequential copper analyses. ALS is an accredited laboratory which is independent of the Company. Gold assays were by fire assay fusion with AAS finish on a 30g sample. Copper and silver were assayed by atomic absorption following a 4-acid digestion. Samples were also analyzed for a suite of 36 elements with ICP-ES and a sequential copper leach analysis was completed on each sample with copper greater than 500ppm (0.05%). Copper and gold standards as well as blanks and duplicates (field, preparation and analysis) were randomly inserted into the sampling sequence for Quality Control. On average, 9% of the submitted samples are Quality Control samples. No data quality problems were indicated by the QA/QC program.

Mineralized zones within the Filo del Sol deposit are typically flat-lying, or bulk porphyry-style zones and drilled widths are interpreted to be very close to true widths.

¹Copper Equivalent (CuEq) for drill intersections is calculated based on US\$ 3.00/lb Cu, US\$ 1,500/oz Au and US\$ 18/oz Ag, with 80% metallurgical recoveries assumed for all metals. The formula is: $\text{CuEq \%} = \text{Cu \%} + (0.7292 * \text{Au g/t}) + (0.0088 * \text{Ag g/t})$.

About Filo Mining

Filo Mining is a Canadian exploration and development company focused on advancing its 100% owned Filo del Sol copper-gold-silver deposit located in Chile's Region III and adjacent San Juan Province, Argentina. The Company's shares are listed on the TSX and Nasdaq First North Growth Market under the trading symbol "FIL", and on the OTCQX under the symbol "FLMMF". Filo Mining is a member of the Lundin Group of Companies.

Additional Information

The Company's certified adviser on the Nasdaq First North Growth Market is Aktieinvest FK AB, +46 8 506 51703, rutger.ahlerup@aktieinvest.se.

The information contained in this news release was accurate at the time of dissemination, but may be superseded by subsequent news release(s). The Company is under no obligation, nor does it intend to update or revise the forward-looking information, whether as a result of new information, future events or otherwise.

This information was submitted by [Filo Mining Corp.](#) for publication, through the agency of the contact person set out below, on April 13, 2023 at 23:30 EDT.

Cautionary Note Regarding Forward-Looking Statements

Certain statements made and information contained herein in the news release constitutes "forward-looking information" and "forward-looking statements" within the meaning of applicable securities legislation (collectively, "forward-looking information"). The forward-looking information contained in this news release is based on information available to the Company as of the date of this news release. Except as required under applicable securities legislation, the Company does not intend, and does not assume any obligation, to update this forward-looking information. Generally, this forward-looking information can frequently, but not always, be identified by use of forward-looking terminology such as "plans", "expects" or "does not expect", "is expected", "budget", "scheduled", "estimates", "forecasts", "intends", "projects", "budgets", "assumes", "strategy", "goals", "objectives", "potential", "possible", "anticipates" or "does not anticipate", or "believes", or variations of such words and phrases or statements that certain actions, events, conditions or results "will", "may", "could", "would", "should", "might" or "will be taken", "will occur" or "will be achieved" or the negative connotations thereof. All statements other than statements of historical fact may be forward-looking statements.

The Company believes that the expectations reflected in the forward-looking information included in this news release are reasonable, but no assurance can be given that these expectations will prove to be correct and such forward-looking information should not be unduly relied upon. Information contained in this news release is as of the date of this press release. In particular, this press release contains forward-looking information pertaining to assumptions made in the interpretation of drill results, geology, grade, geochemistry and continuity of mineral deposits; expectations regarding access and demand for equipment, skilled labour and services needed for exploration and development of mineral properties; and that activities will not be adversely disrupted or impeded by exploration, development, operating, regulatory, political, community, economic, environmental and/or health and safety risks. In addition, this news release may contain forward-looking statements or information pertaining to: potential exploration upside at the Filo del Sol Project, including the extent and significance of the porphyry copper-gold system underlying the current Mineral Resource and the prospectivity of exploration targets; exploration and development plans and expenditures, including a transition to year-round operations and the timing thereof; the ability of the Company's COVID-19 operating protocol to continue to meet government-mandated health and safety guidelines enabling it to conduct its field programs as planned; the success of future exploration activities; potential for resource expansion; ability to build shareholder value; expectations with regard to adding to its Mineral Reserves or Resources through exploration; expectations with respect to the conversion of inferred resources to an indicated resources classification; ability to execute planned work programs; plans or ability to add additional drill rigs; timing or anticipated results of an update to the mineral resource estimate for Filo del Sol; government regulation of mining activities; environmental risks; unanticipated reclamation expenses; title disputes or claims; limitations on insurance coverage; and other risks and uncertainties.

Statements relating to "mineral resources" are deemed to be forward-looking information, as they involve the implied assessment, based on certain estimates and assumptions that the mineral resources described can be profitably produced in the future.

The forward-looking statements contained in this news release are made as at the date of this news release and Filo does not undertake any obligations to publicly update and/or revise any of the included forward-looking statements, whether as a result of additional information, future events and/or otherwise, except as may be required by applicable securities laws. Forward-looking information is provided for the purpose of providing information about management's current expectations and plans and allowing investors and others to get a better understanding of the Company's operating environment. Forward-looking information is based on certain assumptions that the Company believes are reasonable, including that the current price of and demand for commodities will be sustained or will improve, the supply of commodities will remain stable, that the general business and economic conditions will not change in a material adverse manner, that financing will be available if and when needed on reasonable terms and that the Company will not experience any material labour dispute, accident, or failure of plant or equipment. These factors are not, and should not be construed as being, exhaustive. Although the Company has attempted to identify important factors that would cause actual results to differ materially from those contained in forward-looking information, there may be other factors that cause results not to be as anticipated, estimated, or intended. There can be no assurance that such statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. All the forward-looking information contained in this document is qualified by these cautionary statements. Readers are cautioned not to place undue reliance on forward-looking information due to the inherent uncertainty thereof.

Contact:
info@filo-mining.com, www.filo-mining.com, www.thelundin-group.com, Trevor D'Sa, Investor Relations, Canada +1 604 689 7842; Robert Eriksson, Investor Relations, Sweden + 46 701 112 615; A Lundin Group Company

Twitter: https://twitter.com/filo_mining

LinkedIn: <https://www.linkedin.com/company/filo-mining-corp>

Instagram: https://www.instagram.com/filo_mining/

Facebook: <https://www.facebook.com/Filo-Mining-Corp>

Die IJBH für diesen Artikel lautet:
<https://www.rohstoff-welt.de/news/440670--Filo-Mining-Reports-984m-at-0.89Prozent-CuEq-including-614m-at-1.06Prozent-CuEq-Extending-the-Aurora-Zone-Base-Map-with-Sat-Image-2023-APR>
Filo Mining Corp. ist eine in Kanada registrierte Gesellschaft. Die aufgeführte Quelle, Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Der Leser trägt die alleinige Verantwortung für die Folgen von Falsch, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere AGB/Disclaimer!

Long Section with Plan, APR 2023

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).

SOURCE [Filo Mining Corp.](#)