AbraSilver Intersects 31.5 m Grading 277 g/t Silver in Step Out Drilling at JAC Deposit on Diablillos Silver-Gold Project

19.08.2024 | The Newswire

AbraSilver Resource Corp. (TSX.V: ABRA; OTCQX: ABBRF) ("AbraSilver" or the "Company") is pleased to announce assay results from the Company's fully-funded 20,000 metre ("m") Phase IV drill program, on its wholly-owned Diablillos project in Argentina (the "Project"). Key takeaways from the latest drill results include:

• Holes DDH 24-014, DDH 24-016 and DDH 24-018 were drilled to test the southern western extensions of the JAC deposit. All three holes encountered significant silver mineralization over broad intercepts outside the conceptual open pit boundary at JAC.

o DDH 24-018 was a step-out hole to the south of JAC which intersected a high-grade silver intercept of 31.5 m grading 277 g/t Ag, including 13.7 m grading 455 g/t Ag. 

oo This intercept confirms a new significant high-grademineralized structure at an angle to the main JAC zone, which is now a top-priority exploration target.

o DDH 24-016 was drilledwest of JAC towards the Alpaca target and encountered 53.5 m grading 110 g/t Ag including 5.0 m grading 339.2 g/t Ag. This result demonstrates that JAC remains open to the west towards the Alpaca target.

o DDH 24-014 was also drilled west of JAC towards Alpaca with 48.8 m grading 70 g/t Ag.
Hole DDH 24-011 was a step-out in the Oculto Northeast area which intersected several zones of mineralization, with 21.0 m at 131.3 g/t Ag 0.36 g/t Au including 2 m at 326.6 g/t Ag 1.07 g/t Au. This intercept is situated above the known zone of mineralization in the northeast and is expected to convert material currently classified as waste into Mineral Resources and Reserves.

The latest assay result highlights are summarized in Table 1 below.

Table 1 – Summary of Diablillos Drill Results

Intercepts greater than 2,000 gram-metres Ag shown in bold text:

		From	То		Interval		
Drill Hole	Area	(m)	(m)	Туре	(m)	Ag	
g/t	Au g/t						
DDH-24-009	JAC/Oculto)	92.0		96.0	Oxides	4.0
DDH-24-011	Oculto NE		114.0		135.0	Oxides	21.0
DDH-24-011	Including		130.0		132.0	Oxides	2.0
DDH-24-011	1	.38.0	15	5.5	Oxide	es 17.5	31.4
DDH-24-011	1	60.5	17	2.0	Oxide	s 11.5	40.5
DDH-24-011	1	.86.0	18	9.0	Oxide	s 3.0	60.2
DDH-24-014	Alpaca/JAC	1	75.2		124.0	Oxides	48.8
DDH-24-015	Oculto		178.0	18	4.0	Oxides	6.0
DDH-24-015	1	.86.0	22	4.0	Oxide	s 38.0	39.8
DDH-24-015	Including		215.0		222.0	Oxides	7.0
DDH-24-015	2	234.0	23	8.0	Oxide	es 4.0	36.8
DDH-24-016	Alpaca/JAC	1	80.0		133.5	Oxides	53.5
DDH-24-016	C.	95.0	100	.0	Oxides	5.0	339.2
DDH-24-018	JAC South		87.0		90.4	Oxides	3.4
DDH-24-018	1	17.5	14	9.0	Oxide	s 31.5	276
DDH-24-018	Including		128.8		142.5	Oxides	13.7

Note: All results in this news release are rounded. Assays are uncut and undiluted. Widths are drilled widths,

not true widths. True widths are estimated to be approximately 80% of the interval widths for oxides.

John Miniotis, President and CEO, commented, "These exciting new high-grade drill results over significant widths continue to demonstrate the exceptional Mineral Resource growth potential at Diablillos, across multiple exploration areas. The identification of new high-grade structures, confirms that the JAC deposit has significant growth potential, particularly towards the southern and western extensions."

Dave O'Connor, Chief Geologist, commented, "We are very encouraged by these latest drill results, which confirm the strong continuity of high-grade silver mineralization beyond the existing boundaries of the JAC deposit. Additionally, the potential to extend mineralization toward the Oculto Northeast area represents an exciting opportunity to further grow our Mineral Resource base and further enhance the overall value at our world-class Diablillos project."

Figure 1 – Plan View of Latest Drill Holes https://www.thenewswire.com/data/tnw/clients/img/e16ac7706557a0839667af006969868f.png

Additional Details on Drill Results

Figure 2 shown below is at an angle to the main trend of mineralization in the JAC southwest area and shows broad mineralized intercepts including high-grade silver following a structural trend extending northwards towards Alpaca. The section clearly shows the potential to expand the conceptual open pit defined in the recent Pre-Feasibility Study and increase the JAC Mineral Resource and Reserve. Additional drilling is currently underway along this new trend.

https://www.thenewswire.com/data/tnw/clients/img/ce5b7335bd3d644d46eaaaebddec31f3.png Figure 2 –Section Through Drill Holes DDH 24-016 and DDH 24-018 (JAC & JAC South)

Figure 3 shown below highlights the mineralized intercept in hole DDH 24-011 located in the Oculto northeast zone. The intercept is between 150 - 200 metres above the previously known dominant level of mineralization. The core is well mineralized to the end of the hole, which was lost at 194 metres downhole depth due to lack of water circulation in a zone of friable rock. The section again demonstrates the potential to expand the currently defined open pit and with it the Mineral Resources and Reserves. Additional drilling is planned in order to test the various levels of mineralization in the area for shallower mineralization and a potentially higher-grade gold zone beneath.

https://www.thenewswire.com/data/tnw/clients/img/b4dec88a5bad333839d2630cb712c518.png Figure 3 – Long Section Through Drill Hole DDH 24-011 (Oculto NE / Cerro Bayo)

Phase IV Exploration Program Update

The ongoing Phase IV drill program is focused on expanding target areas with known mineralization as well as exploring newly identified prospective exploration targets within the broader Diablillos land package. The highest priority target areas are:

• JAC Extension / Alpaca: The southwest extension of the main JAC trend and the structure heading towards the Alpaca zone are currently being drilled.

• Oculto Northeast / Cerro Bayo: A structural mapping project is currently underway and will be completed over the next few weeks and will be followed by a drill program designed to focus on the mineralized structures extending northeast from Oculto.

• Porphyry Complex (Cerro Blanco / Cerro Viejo): The Cerro Blanco / Cerro Viejo area is located approximately 3.5 km northeast of the Oculto deposit. Currently an electromagnetic survey is being conducted to help site a series of deeper drill holes to explore for an underlying porphyry system. Drilling in this area is expected to commence by the end of September.

Collar Data

Hole	Number	UTM Coordinates		Elevation	Azimuth	Dip
	Area	NOTES N7201		256		
DDH	24-000 1 1E0	E /2024/	N/201		Togramoid	Agort wool
DDH	4,100	90 1720025	-60	90.5	Jasperoid	Assay resu
	N7100025	E/ZUUZS				
	M/199025	0	60	1 / 2	TAG Ogulto goppo	ation
זזממ	4,203	U 10707	-00	143	JAC-OCUICO COIIIC	
DDH	24-UIU N7100E94	臣/19/9/				
	N/199564	0	C 0	1 5 0	Fersterme Orulte	
	4,190		-60	150	Fantasma-Ocuito	connection
DDH	24-UII N7100F4F	E/209//				
	N/199545	100	60	104		
DDU	4,422		-60	194	OCUILO NE	
DDH	24-UIZ	出/19/23				
	N/199500	0	C 0	100	Fersterme Orulte	
דותת	4,18Z		-60	129	Fantasma-Ocuito	connection
DDH	24-U13	上/20353				
	N/201851	070	60		T	7
	4,146	270	-60	11/.5	Jasperoid	Assay re
DDH	24-014	E/19096				
	N/198/19	0	<u> </u>	1 5 0		
	4,131	0	-60	150	Alpaca-JAC	
DDH	24-015	E720419				
	N7199581					
	4,293	180	-70	317.5	Oculto	
DDH	24-016	E719151				
	N7198745				_	
	4,131	45	-60	148.5	Alpaca-JAC	
DDH	24-017	E720480				
	N7199569					
	4,308	180	-70	350	Oculto NE	Assay resu
DDH	24-018	E719280				
	N7198536					
	4,136	315	-60	169.5	JAC South	

Rohstoff-Welt.de - Die ganze Welt der Rohstoffe

About Diablillos

The Diablillos property is located within the Puna region of Argentina, in the southern part of Salta Province along the border with Catamarca Province, approximately 160 km southwest of the city of Salta and 375 km northwest of the city of Catamarca. The property comprises 15 contiguous and overlapping mineral concessions acquired by AbraSilver in 2016. The project site has good year-round accessibility through a 150 km paved road, followed by a well-maintained gravel road, shared with other adjacent projects.

There are several known mineral zones on the Diablillos property. Approximately 150,000 m have been drilled to date, which has outlined multiple occurrences of epithermal silver-gold mineralization at Oculto, JAC, Laderas and Fantasma. Additionally, several satellites zones of silver/gold-rich epithermal mineralization have been located within a 500 m to 1.5 km distance surrounding the Oculto/JAC epicentre.

Comparatively nearby examples of high sulphidation epithermal deposits include: La Coipa (Chile); Yanacocha (Peru); El Indio (Chile); Lagunas Nortes/Alto Chicama (Peru) Veladero (Argentina); and Filo del Sol (Argentina).

The most recent Mineral Reserve estimate for Diablillos is shown in Table 2:

Table 2 - Diablillos Mineral Reserve Estimate - As of March 07, 2024

			Contained	Contained	
	Tonnage	Ag Au	Ag	Au	
Category	(000 t)	(g/t) (g/t)	(000 oz Ag)	(000 oz Au)	
Proven	12,364	118	0.86	46,796	341
Probable	29,930	80	0.80	76,684	766
Proven & Probable	42,294	91	0.81	123,480	1,107

Notes for Mineral Reserve Estimate:

1. Mineral reserves have an effective date of March 7th, 2024.

2. The Qualified Person for the Mineral Reserve Estimate is Mr. Miguel Fuentealba, P.Eng.

3. The mineral reserves were estimated using the Canadian Institute of Mining, Metallurgy and Petroleum (CIM), Definition Standards for Mineral Resources and Reserves, as prepared by the CIM Standing Committee on Reserve Definitions and adopted by CIM Council.

4. The mineral reserves were based on a pit design which in turn aligned with an ultimate pit shell selected from a Whittle TM pit optimization exercise. Key inputs for that process are:

Metal prices of USD \$1,750/oz Au; USD \$22.50/oz Ag

• Variable Mining cost by bench and material type. Average costs are USD \$1.94/t for all lithologies except for "cover", Cover mining cost of USD 1.73/t, respectively.

• Processing costs for all zone, USD \$22.97/t. • Infrastructure and G&A cost of USD 3.32/t. • Pit average slope angles varying from 37° to 60° depending on the geotechnical domain. • The average recovery is estimated to be 82.8% for silver and 86.6% for gold.

1. The Mineral Reserve Estimate has been categorized in accordance with the CIM Definition Standards (CIM, 2014).

2. A Net Value per block ("NVB") cut-off was used to constrain the Mineral Reserve with the reserve pit 2shell. The NVB was based on "Benefits = Revenue-Cost" being positive, where, Revenue = [(Au Selling Price (USD/oz) - Au Selling Cost (USD/oz)) x (Au grade (g/t)/31.1035)) x Au Recovery (%)] + [(Ag Selling Price (USD/oz) - Ag Selling Cost (USD/oz)) x (Ag grade (g/t)/31.1035)) x Ag Recovery (%)] and Cost = Process Cost (USD/t) + Transport Cost (USD/t) + GA Cost (USD/t) + [Royalty Cost (%) x Revenue]. The NVB method resulted in an average equivalent cut-off grade of approximately 46g/t AgEq.

3. In-situ bulk density was read from the block model, assigned previously to each model domain during the process of mineral resource estimation, according to samples averages of each lithology domain, separated by alteration zones and subset by oxidation.

4. All tonnages reported are dry metric tonnes and ounces of contained gold and silver are troy ounces.5. All figures are rounded to reflect the relative accuracy of the estimates. Minor discrepancies may occur due to rounding to appropriate significant figures.

QA/QC and Core Sampling Protocols

AbraSilver applies industry standard exploration methodologies and techniques, and all drill core samples are collected under the supervision of the Company's geologists in accordance with industry practices. Drill core is transported from the drill platform to the logging facility where drill data is compared and verified with the core in the trays. Thereafter, it is logged, photographed, and split by diamond saw prior to being sampled. Samples are then bagged, and quality control materials are inserted at regular intervals; these include blanks and certified reference materials as well as duplicate core samples which are collected in order to measure sample representivity. Groups of samples are then placed in large bags which are sealed with numbered tags in order to maintain a chain-of-custody during the transport of the samples from the project site to the laboratory.

All samples are sent to the Alex Stewart sample preparation facility in Jujuy, then the sample pulps are sent to the Alex Stewart laboratory in Mendoza where they are analyzed. All samples are analyzed using a multi-element technique consisting of a four-acid digestion followed by ICP/AES detection, and gold is analyzed by 50g Fire Assay with an AAS finish. Silver results greater than 100g/t are reanalyzed using four acid digestion with an ore grade AAS finish. Qualified Persons

David O'Connor P.Geo., Chief Geologist for AbraSilver, is the Qualified Person as defined by National Instrument 43-101 Standards of Disclosure for Mineral Projects, and he has reviewed and approved the scientific and technical information in this news release.

About AbraSilver

AbraSilver is an advanced-stage exploration company focused on rapidly advancing its 100%-owned Diablillos silver-gold project in the mining-friendly Salta and Catamarca provinces of Argentina. The current Proven and Probable Mineral Reserve estimate for Diablillos, from a recently completed Pre-Feasibility Study, consists of 42.3 Mt grading 91 g/t Ag and 0.81 g/t Au, containing approximately 124 Moz silver and 1.1 Moz gold, with significant further exploration upside potential. In addition, the Company has entered into an earn-in option and joint venture agreement with Teck on the La Coipita project, located in the San Juan province of Argentina. AbraSilver is listed on the TSX-V under the symbol "ABRA" and in the U.S. on the OTCQX under the symbol "ABBRF."

For further information please visit the AbraSilver Resource website at www.abrasilver.com, our LinkedIn page at AbraSilver Resource Corp., and follow us on Twitter at www.twitter.com/abrasilver

Alternatively please contact:

John Miniotis, President and CEO info@abrasilver.com Tel: +1 416-306-8334

Cautionary Statements

This news release includes certain "forward-looking statements" under applicable Canadian securities legislation. Forward-looking statements are necessarily based upon a number of estimates and assumptions that, while considered reasonable, are subject to known and unknown risks, uncertainties, and other factors which may cause the actual results and future events to differ materially from those expressed or implied by such forward-looking statements. All statements that address future plans, activities, events or developments that the Company believes, expects or anticipates will or may occur are forward-looking information. There can be no assurance that such statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. Accordingly, readers should not place undue reliance on forward-looking statements. When considering this forward-looking information, readers should keep in mind the risk factors and other cautionary statements in the Company's disclosure documents filed with the applicable Canadian securities regulatory authorities on SEDAR+ at www.sedarplus.ca. The risk factors noted in the disclosure documents could cause actual events or results to differ materially from those described in any forward-looking information. The Company disclaims any intention or obligation to update or revise any forward-looking statements, whether as a result of new information, future events or otherwise, except as required by law.

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this news release

Dieser Artikel stammt von <u>Rohstoff-Welt.de</u> Die URL für diesen Artikel lautet: https://www.rohstoff-welt.de/news/478370--AbraSilver-Intersects-31.5-m-Grading-277-g-t-Silver-in-Step-Out-Drilling-at-JAC-Deposit-on-Diablillos-Silver-Gold-

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere <u>AGB/Disclaimer!</u>

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt! Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere <u>AGB</u> und <u>Datenschutzrichtlinen</u>.