

# Renforth Resources Inc. Receives Positive Initial QEMSCAN Characterization

27.03.2025 | [The Newswire](#)

## And Liberation Analysis Results at Victoria Sulphide Nickel Polymetallic in Quebec

[Renforth Resources Inc.](#) (CSE: RFR) (OTC: RFHRF) (FSE: 9RR) ("Renforth" or the "Company"), would like to update shareholders on positive results from our recently completed mineralogical characterization work on representative core samples taken from within the 2.5km drilled strike of our ~20km long Victoria nickel sulphide polymetallic structure on our wholly owned, approximately 300km<sup>2</sup>, Malartic Metals Package near Malartic, Quebec.

Renforth conducted a comprehensive mineralogical assessment on a set of 18 samples, selected from the west, central and east portions of the 2.5km drilled area. Samples selected of the ultramafic, the calc-silicate and the graphitic mudstone were selected from each area for lithological representation in order to characterize the general rock type, as opposed to selection based upon grade, or study based upon grade. These samples were retrieved from our secure core storage and sealed and securely transported to the facilities of ALS where they underwent a mineralogical assessment with an emphasis on the elemental deportment of copper, nickel, zinc and sulfur within their respective minerals.

Findings of this initial test work include:

1 - The 18 samples assayed between 0.01 to 0.16% copper, where 90-100% of the copper contained in the samples was in chalcopyrite, with the balance in bornite

2- The 18 samples assayed between 0.03 to 0.27% nickel, where 2-98% of the nickel was mostly contained in pentlandite and violarite. Most of the remaining nickel in these samples was in solid solution form in pyrrhotite and pyrite. In samples containing over 0.1% nickel, over half of the nickel content was present in nickel-sulphide minerals .

3 - Zinc grades varied widely for the 18 samples, between 0.01 to 1.5% zinc. Samples higher in copper were generally also higher in zinc. Zinc grading over 0.1% was contained entirely in sphalerite, lower grade samples contained zinc in chromite and steel.

4 - The 18 samples measured between 0.3 to 8.7% sulfur. 60-95% of this sulfur was present as pyrrhotite, a smaller fraction present as pyrite and the remainder was distributed among nickel sulphides, chalcopyrite, sphalerite, galena and molybdenite.

5 - A comparison of copper and nickel sulphides demonstrates that some samples were rich in copper and zinc sulphides, some in nickel sulphides and some samples in all 3, suggesting distinct flotation conditions would likely be required for each feed type in order to produce high grade copper and/or nickel and/or zinc concentrates.

6 - Samples were subject to a single grind size and underwent a Bulk Mineral Analysis with Liberation Estimate protocol. This process found that it was possible to liberate copper, nickel and zinc by flotation, however, further metallurgical testing and grind size determination work is required.

"We are very happy with these initial results which demonstrate the recovery of saleable metals via grinding and flotation, a standard process, is possible at Victoria. Further testing is of course required and should incorporate our prior positive findings of the ability to concentrate the mineralization from Victoria via TOMRA sorting, which we expect will also positively impact flotation results. Essentially, the combined initial TOMRA testing and the lab work announced here demonstrate that Victoria, in our opinion, looks like it will be

metallurgically viable and therefore merits continued exploration spending. This critical early-stage assessment has been possible due to grant support previously announced which Renforth has received from the Government of Québec." states Nicole Brewster, President and CEO of Renforth.

Samples were selected from Renforth's secure core storage facility in Val d'Or Quebec, sealed and transported to the facilities of ALS Metallurgy in Kamloops, BC. Each sample was crushed and ground to a nominal particle sizing around 106µm K80. Then, each ground sample was sized via wet

screening and portioned into two sized fractions: >53µm and <53µm. The mineralogical analysis was conducted by QEMSCAN BMAL (Bulk Mineral Analysis with Liberation Estimation) protocols on each size fraction to determine the mineral composition, key element deportment, and to estimate the overall liberation and association characteristics. Chemical composition of the 18 samples was measured using four acid digestion ICP Scan (ME-MS61).

Francis Newton P.Geo OGQ, a "qualified person" pursuant to the requirements of NI43-101, has reviewed and approved the technical contents of this press release.

Follow Renforth on Facebook, LinkedIn and Instagram!

No securities regulatory authority has approved or disapproved the contents of this news release.

#### Forward-Looking Statements

This news release contains forward-looking statements and information under applicable securities laws. All statements, other than statements of historical fact, are forward looking. Forward-looking statements are frequently identified by such words as "may," "will," "plan," "expect," "believe," "anticipate," "estimate," "intend" and similar words referring to future events and results. Such statements and information are based on the current opinions and expectations of management. All forward-looking information is inherently uncertain and subject to a variety of assumptions, risks and uncertainties, including the speculative nature of mineral exploration and development, fluctuating commodity prices, the risks of obtaining necessary approvals, licenses and permits and the availability of financing, as described in more detail in the Company's securities filings available at [www.sedar.com](http://www.sedar.com). Actual events or results may differ materially from those projected in the forward-looking statements and the reader is cautioned against placing undue reliance thereon. Forward-looking information speaks only as of the date on which it is provided, and the Company assumes no obligation to revise or update these forward-looking statements except as required by applicable law.

Company Contact:

Renforth Resources Inc.

Nicole Brewster

President and Chief Executive Officer

416-818-1393

[Nicole@RenforthResources.com](mailto:Nicole@RenforthResources.com)

#Unit 1B - 955 Brock Road, Pickering ON L1W 2X9

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/686972--Renforth-Resources-Inc.-Receives-Positive-Initial-QEMSCAN-Characterization.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).