

# Titan Uranium Continues To Intersect High Grade Mineralization In Congo Pit

16.08.2011 | [The Newswire](#)

Aug 16th, 2011 Copyright (c) 2011 Thenewswire.ca - All rights reserved.

(via Thenewswire.ca)

August 16, 2011

Vancouver, British Columbia - Titan Uranium Inc (TSX-V:TUE, FSE:T4X) is pleased to report the results of its recently completed drill program at Sheep Mountain, Wyoming. At this time, Titan is reporting additional drilling in the amount of 9612 feet in 32 holes (see previous release July 13, 2011). The total program is now complete for a total of 71 holes for 20,162 feet. The drilling is located in the area of the proposed Congo Open Pit, and is designed to better define the ultimate pit limits for detailed mine design.

Chris M. Healey, President of Titan commented; "We are very pleased to note that the drilling continues to intersect high grade mineralization in multiple horizons within the planned open pit, as well as mineralization outside of the original planned pit limits. The high wall on the eastern limit of the planned pit is now established, but there will likely be extensions to the north and west."

Highlights of the drilling to date include:

-0.458% eU3O8 over 11.5 feet in Congo 111

-0.362% eU3O8 over 6.5 feet in Congo 106

-0.340% eU3O8 over 2.0 feet in Congo 109

-0.299% eU3O8 over 2.0 feet in Congo 125

-0.294% eU3O8 over 3.5 feet in Congo 127

-0.275% eU3O8 over 7.0 feet in Congo 115

-0.236% eU3O8 over 5.5 feet in Congo 140

-0.227% eU3O8 over 7.5 feet in Congo 139

-0.224% eU3O8 over 4.0 feet in Congo 136

Full results are shown in the table below (all measurements in feet):

Hole #	Depth	From	To	Thickness	%eU3O8
Congo 98	240	65.0	70.5	5.5	0.084
?	and	81.5	83.5	2.0	0.057
?	and	103.5	106.5	3.0	0.082
?	and	119.0	123.0	4.0	0.104
?	and	221.5	224.0	2.5	0.086
Congo 102	140	93.0	95.5	2.5	0.072
?	and	104.0	106.5	2.5	0.054
Congo 103	80	Barren	?	?	?
Congo 104	140	82.5	85.0	2.5	0.039
?	and	88.5	95.0	6.5	0.148
?	and	105.0	108.0	3.0	0.051
?	and	112.5	118.0	5.5	0.070
Congo 105	60	Barren	?	?	?
Congo 106	180	84.0	89.0	5.0	0.085
?	and	92.0	98.5	6.5	0.362
Congo 107	240	Barren	?	?	?
Congo 108	260	Barren	?	?	?
Congo 109	160	141.5	143.5	2.0	0.340
?	and	144.5	150.0	5.5	0.069
Congo 110	160	Barren	?	?	?
Congo 111	180	82.0	93.5	11.5	0.458
?	and	142.0	145.5	3.5	0.133
Congo 112	260	36.5	39.5	3.0	0.062
?	and	47.0	50.0	3.0	0.115
Congo 113	180	Barren	?	?	?
Congo 114	360	112.5	115.0	2.5	0.073

?	and	117.5	119.0	1.5	0.083
?	and	212.5	214.5	2.0	0.088
?	and	217.5	219.5	2.0	0.045
?	and	274.0	277.0	3.0	0.138
?	and	320.0	322.0	2.0	0.056
Congo 115	340	110.5	113.5	3.0	0.066
?	and	164.5	166.0	1.5	0.035
?	and	193.0	200.0	7.0	0.275
Congo 116	320	65.5	69.5	4.0	0.113
?	and	71.5	74.0	2.5	0.067
?	and	81.0	83.0	2.0	0.045
?	and	112.5	117.0	4.5	0.046
?	and	143.0	146.0	3.0	0.054
?	and	150.5	155.5	5.0	0.084
?	and	216.5	219.0	2.5	0.278
?	and	285.5	295.5	10.0	0.071
?	and	299.5	303.0	3.5	0.063
Congo 117	180	161.0	164.0	3.0	0.120
Congo 118	182	116.0	120.0	4.0	0.100
Congo 119	320	43.0	50.5	7.5	0.045
?	and	54.5	65.0	10.5	0.058
?	and	167.0	169.5	2.5	0.055
?	and	189.5	191.5	2.0	0.039
Congo 120	100	31.5	33.0	1.5	0.034
?	and	70.5	72.0	1.5	0.035
?	and	79.5	82.5	3.0	0.061
?	and	88.5	90.5	2.0	0.179
Congo 121	220	Barren	?	?	?
Congo 122	100	43.5	45.0	1.5	0.055
?	and	96.0	97.5	1.5	0.047
Congo 123	200	83.5	86.5	3.0	0.087
?	and	92.0	94.0	2.0	0.075
?	and	108.5	110.5	2.0	0.063

Congo 124	180	66.5	68.5	2.0	0.085
?	and	82.0	86.5	4.5	0.089
?	and	165.0	166.5	1.5	0.184
Congo 125	580	258.5	260.0	1.5	0.122
?	and	371.0	373.0	2.0	0.038
?	and	390.5	394.5	4.0	0.148
?	and	424.5	426.5	2.0	0.299
?	and	427.0	429.5	2.5	0.119
Congo 126	540	302.5	303.5	1.0	0.125
?	and	366.0	368.5	2.5	0.064
?	and	407.0	412.5	5.5	0.066
Congo 127	460	150.5	153.0	2.5	0.051
?	and	180.5	183.0	2.5	0.089
?	and	210.5	212.0	1.5	0.054
?	and	330.0	331.5	1.5	0.072
?	and	365.0	368.0	3.0	0.074
?	and	413.5	416.5	3.0	0.068
?	and	418.5	422.0	3.5	0.294
?	and	448.0	464.5	16.5	0.049
Congo 128	500	Barren	?	?	?
Congo 129	520	262.5	267.0	4.5	0.048
?	and	330.0	332.5	2.5	0.051
?	and	340.0	343.5	3.5	0.044
?	and	359.0	362.5	3.5	0.042
?	and	371.0	374.0	3.0	0.060
?	and	407.0	411.0	4.0	0.091
Congo 130	550	337.0	345.0	8.0	0.145
?	and	355.0	359.0	4.0	0.147
?	and	373.0	379.5	6.5	0.165
Congo 131	580	Barren	?	?	?
Congo 132	580	490.0	493.0	3.0	0.046
?	and	497.0	499.0	2.0	0.054
?	and	574.0	576.5	2.5	0.055
Congo 133	520	257.0	259.0	2.0	0.042

?	and	319.5	321.5	2.0	0.035
?	and	338.5	340.5	2.0	0.035
?	and	343.5	346.0	2.5	0.048
?	and	483.5	485.5	2.0	0.043
?	and	509.0	511.0	2.0	0.043
Congo 134	300	41.5	46.0	4.5	0.189
?	and	75.0	79.0	4.0	0.050
?	and	86.5	97.0	10.5	0.112
?	and	101.0	103.0	2.0	0.057
?	and	284.0	294.5	10.5	0.082
Congo 135	640	331.5	340.0	8.5	0.081
?	?	444.0	448.0	4.0	0.094
Congo 136	440	16.5	18.5	2.0	0.091
?	and	25.5	28.0	2.5	0.123
?	and	31.5	33.5	2.0	0.093
?	and	35.5	39.0	3.5	0.072
?	and	179.0	182.0	3.0	0.060
?	and	191.5	194.5	3.0	0.053
?	and	202.5	205.0	2.5	0.033
?	and	321.5	327.5	6.0	0.054
?	and	353.0	357.0	4.0	0.224
Congo 137	180	118.5	123.5	5.0	0.162
?	and	154.5	161.5	5.5	0.161
Congo 138	520	185.5	188.5	3.0	0.084
?	and	310.0	312.5	2.5	0.049
?	and	408.0	409.0	1.0	0.109
?	and	423.0	427.5	2.5	0.087
?	and	437.5	440.0	2.5	0.039
?	and	443.0	444.5	1.5	0.146
Congo 139	200	35.0	39.5	4.5	0.115
?	and	154.0	161.5	7.5	0.227
Congo 140	180	161.5	167.0	5.5	0.236

Chris M. Healey, R. Geo. President and CEO of Titan, is the qualified person responsible for the technical content of this release.

All drill holes are collared vertically. The drilling contractors are Deckert Drilling of Casper WY, and Fay Drilling of Gillette, WY. The logging contractor is Hawkins CBM Logging of Cody, WY. Equivalent uranium grades (eU3O8) were estimated by the logging contractor using industry standard equipment which is regularly calibrated in the US Department of Energy test pits in Grand Junction, CO.

ON BEHALF OF TITAN URANIUM INC.

Chris M. Healey, President & CEO

For further information, please contact:

Investor Relations  
[Titan Uranium Inc.](#)

Phone: 604-925-1810  
Facsimile: 604-921-1898

Email: [ir@titanuranium.com](mailto:ir@titanuranium.com)  
[www.titanuranium.com](http://www.titanuranium.com)

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

No stock exchange, securities commission or other regulatory authority has approved or disapproved the information contained herein. This News Release includes certain "forward-looking statements". All statements other than statements of historical fact, included in this release, including, without limitation, statements regarding potential mineralization and reserves, exploration results, and future plans and objectives of Titan Uranium, are forward-looking statements that involve various risks and uncertainties. There can be no assurance that such statements will prove to be accurate and actual results and future events could differ materially from those anticipated in such statements. Important factors that could cause actual results to differ materially from Titan Uranium's expectations are exploration risks detailed herein and from time to time in the filings made by Titan Uranium with securities regulators.

Copyright (c) 2011 Thenewswire.ca - All rights reserved.

---

Dieser Artikel stammt von [Rohstoff-Welt.de](http://Rohstoff-Welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/109953--Titan-Uranium-Continues-To-Intersect-High-Grade-Mineralization-In-Congo-Pit.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).