

Kaminak Drilling Successfully Connects Supremo T3 and T4 Gold Zones

11.09.2012 | [Marketwired](#)

VANCOUVER, 09/11/12 - [Kaminak Gold Corporation](#) (TSX VENTURE: KAM) today announced assay results from 52 drill holes located within the Supremo gold zones (T3, T4 and T5). The purpose of this shallow drilling was to extend the T4 and T5 zones towards the nearby T3 zone. Complete plan maps, cross sections and assay tables are now available on the Company website www.kaminak.com.

Supremo T4 - T5 Zone Drill Highlights	Supremo T3 Zone Drill Highlights
CFD-270: 10.2 g/t Au over 9m (from 219m)	CFR-269: 5.09 g/t Au over 6.1m (from 24.4m)
CFD-272: 4.58 g/t Au over 10m (from 280m)	CFR-271: 27.42 g/t Au over 3.05m (from 53.3m)
CFR-250: 3.96 g/t Au over 21.3m (from 88m)	CFR-276: 21.9 g/t Au over 7.62m (from 24.4m)
CFR-254: 3.09 g/t Au over 51.8m (from 1.5m)	CFR-279: 14.85 g/t Au over 3.05m (from 68.6m)
CFR-260: 4.7 g/t Au over 12.19m (from 105m)	CFR-282: 3.54 g/t Au over 15.24m (from 103.6m)
CFR-267: 5.42 g/t Au over 9.14m (from 152m)	CFR-286: 8.33 g/t Au over 12.19m (from 102.1m)
CFR-268: 5.1 g/t Au over 16.76m (from 128.6m)	
CFR-283: 5.27 g/t Au over 19.82m (from 9.75m)	

"Drilling at Supremo in 2012 successfully connected the T3 zone to the nearby Latte zone, and new results show the T3 and T4 zones are also connected," stated Rob Carpenter, Kaminak President & CEO. "These observations provide further evidence for a single, widespread and continuous gold mineralizing event that begins at surface."

Key Point Summary

- New drilling successfully extends the Supremo T4 gold zone an additional 400m (1,500m total strike length) and the T5 zone an additional 475m (1,200m total strike length). Drill results include: 3.09 grams per tonne gold (g/t Au) over 51.8m (from 1.5m core depth); 5.27 g/t Au over 19.82m (from 9.75m); 10.2 g/t Au over 9m (from 219m); 5.1 g/t Au over 16.76m (from 128.6m); 4.7 g/t Au over 12.19m (from 105m)
- The northern surface trace of the T4 zone appears to merge into or connect with the well defined T3 zone near section 4750N, while to the south the T4 zone connects with the Latte zone. These connections provide further evidence for a single, widespread and continuous gold mineralizing event at Coffee. The T5 zone remains open along strike to the north and south.
- Results from infill drilling on the Supremo T3 zone are also presented including: 5.09 g/t Au over 6.1m (from 24.4m core depth); 27.42 g/t Au over 3.05m (from 53.3m); 21.9 g/t Au over 7.62m (from 24.4m); 14.85 g/t Au over 3.05m (from 68.6m); 3.54 g/t Au over 15.24m (from 103.6m); 8.33 g/t Au over 12.19m (from 102.1m)
- The final hole of the 2012 exploration season at Coffee is currently being drilled. A total of 65,000m from 125 diamond holes and 197 reverse circulation holes were completed this season within the approved budget of \$19 million.
- Pending drill results from Double Double (22 diamond drill holes), Supremo T3, T4-5 and T7 zones (14 diamond drill holes, 40 reverse circulation drill holes), and Sugar (2 diamond drill holes) will be released when final assays are completed in the coming weeks.

Drill Results

A total of 32 reverse circulation and 5 diamond drill holes are reported from the Supremo T4 and T5 gold zones. This drilling was completed on 50m spaced fences and succeeded in extending the zones at least 400m along trend and from surface to a vertical depth of approximately 200m. Results include: 3.09 grams per tonne gold (g/t Au) over 51.8m (from 1.5m core depth); 5.27 g/t Au over 19.82m (from 9.75m); 10.2 g/t Au over 9m (from 219m); 5.1 g/t Au over 16.76m (from 128.6m); 4.7 g/t Au over 12.19m (from 105m).

An additional 15 reverse circulation drill holes were completed within the northern portion of the T3 gold zone. These holes are considered "infill" and are located within areas of previous widely-spaced drill holes. Results include: 5.09 g/t Au over 6.1m (from 24.4m); 27.42 g/t Au over 3.05m (from 53.3m); 21.9 g/t Au over 7.62m (from 24.4m); 14.85 g/t Au over 3.05m (from 68.6m); 3.54 g/t Au over 15.24m (from 103.6m); 8.33 g/t Au over 12.19m (from 102.1m).

Supremo consists of at least eight individual gold-in-soil trends (named T1 to T8) located within a 2km by 2km area. Drilling beneath these soil anomalies successfully identified gold-bearing brittle fractures and breccia zones within gneissic host rock and felsic-intermediate intrusive rocks, accompanied by silica flooding and pyrite which is strongly to completely oxidized to limonite/hematite up to depths of 200 metres below surface. Higher-grade gold is associated with intense silica-sericite alteration and high pyrite/limonite content.

Table of Results

Drill Hole Number	From (m)	To (m)	Width (m) (i)	Weighted grade (g/t Au)
Supremo T4-5 Zone				
CFD-266	27	33	6	1.31
and	59	62	3	2.93
CFD-267	126	137	11	3.16

and	155	160	5	4.04
CFD-269	126	138	12	2.04
and	149	154	5	2.72
CFD-270	196	214	18	1.13
and	219	228	9	10.21
and	250	252	2	6.71
CFD-272	73	83	10	1.36
and	280	290	10	4.58
CFR-238	86.87	88.39	1.52	2.01
CFR-240	32	51.82	19.82	1.61
CFR-241	86.87	91.44	4.57	3.39
CFR-242	135.64	146.3	10.66	2.91
and	181.36	184.4	3.04	7.06
CFR-244	59.44	68.58	9.14	0.95
CFR-246	89.92	97.54	7.62	0.74
CFR-247	44.2	45.72	1.52	1.33
CFR-248	41.15	48.77	7.62	2
CFR-249	50.6	68.88	18.28	1.34
CFR-250	88.39	109.73	21.34	3.96
CFR-251	88.39	97.54	9.15	2.74
CFR-253	137.16	147.83	10.67	1.22
CFR-254	1.53	53.34	51.81	3.09
and	181.36	184.4	3.04	6.58
and	201.17	202.69	1.52	6.97
CFR-255	19.81	21.34	1.53	1.81
CFR-256	3.05	9.14	6.09	2.16
and	94.49	96.01	1.52	5.03
CFR-257	44.2	48.77	4.57	1.2
and	91.44	105.16	13.72	1.32
CFR-258	7.01	11.58	4.57	2.31
and	94.79	99.36	4.57	3.91
CFR-259	No Significant Result - Hole abandoned before target zone reached			
CFR-260	105.16	117.35	12.19	4.7
CFR-261	58.22	67.36	9.14	2.29

CFR-263	9.75	21.34	11.59	1.39
CFR-264	21.34	22.86	1.52	1.6
CFR-265	53.34	62.48	9.14	1.99
CFR-266	31.09	40.23	9.14	2.22
CFR-267	89.92	92.96	3.04	3.7
and	152.4	161.54	9.14	5.42
CFR-268	64.62	67.67	3.05	8.86
and	128.63	145.39	16.76	5.1
CFR-270	131.98	135.03	3.05	5.16
CFR-272	195.68	200.25	4.57	2.44
CFR-275	26.52	29.57	3.05	1.23
CFR-283	9.75	29.57	19.82	5.27
CFR-285	162.15	163.68	1.53	2.04
CFR-287	139.29	145.39	6.1	1.58
Supremo T3 Zone				
CFR-262	156.97	178.31	21.34	2.06
CFR-269	24.38	30.48	6.1	5.09
and	172.21	176.78	4.57	1.59
CFR-271	53.34	56.39	3.05	27.42
and	111.25	114.3	3.05	2.11
CFR-273	No Significant Result - Hole abandoned before target zone reached			
CFR-274	45.72	48.77	3.05	4.15
CFR-276	24.38	32	7.62	21.9
and	71.63	76.2	4.57	2.51
CFR-277	151.49	154.53	3.04	1.19
and	160.63	163.68	3.05	1.58
CFR-278	71.63	74.68	3.05	1.53
CFR-279	68.58	71.63	3.05	14.85
CFR-280	No Significant Result			
CFR-282	57.91	60.96	3.05	4.65
and	103.63	118.87	15.24	3.54
CFR-284	99.06	108.2	9.14	1.65
CFR-286	102.11	114.3	12.19	8.33

and	137.16	144.78	7.62	1.52
CFR-288	7.62	12.19	4.57	1.49
and	176.78	182.88	6.1	1.05
CFR-290	35.05	38.1	3.05	2.72
and	64.01	73.15	9.14	1.23

(i) Down-hole width; true width estimated at approximately 2/3 down-hole length.

QA / QC

Kaminak's disclosure of a technical or scientific nature in this press release has been reviewed and approved by Dr. Rob Carpenter, Ph.D., P.Geol., Kaminak's President and CEO, who serves as a Qualified Person under the definition of National Instrument 43-101. Quality assurance and quality control procedures include the systematic insertion of blanks and standards into the drill sample string. Samples are placed in sealed bags and shipped directly to the ALS Minerals preparatory laboratory in Whitehorse prior to gold fire assay. The Coffee property is an early stage exploration property and does not contain any mineral resources as defined by National Instrument 43-101.

On behalf of the Board of Directors of Kaminak

Rob Carpenter, Ph.D., P.Geol.
President and CEO, Kaminak Gold Corporation

For further information about Kaminak Gold Corporation or this news release, please visit our website at www.kaminak.com.

Certain disclosures in this release, including management's assessment of plans, projects and intentions with respect to the Coffee Project drilling program and future exploration programs, constitute forward-looking statements that are subject to numerous risks, uncertainties and other factors relating to Kaminak's operations as a mineral exploration company that may cause future results to differ materially from those expressed or implied in such forward-looking statements, including risks as to the completion of the plans and projects. Readers are cautioned not to place undue reliance on forward-looking statements. Kaminak expressly disclaims any intention or obligation to update or revise any forward-looking statements whether as a result of new information, future events, or otherwise.

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Contacts:

[Kaminak Gold Corporation](#)

Tony Reda, Vice President of Corporate Development
Directly at 604.646.4534 or Toll Free 1.888.331.2269
info@kaminak.com
www.kaminak.com

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/132969--Kaminak-Drilling-Successfully-Connects-Supremo-T3-and-T4-Gold-Zones.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).