

Rock Tech Intersects Flake Graphite at Lochaber Property

22.10.2012 | [The Newswire](#)

Oct 22nd, 2012 Copyright (c) 2012 Thenewswire.ca - All rights reserved.

(via Thenewswire.ca)

Vancouver, British Columbia, Canada, October 22, 2012 - [Rock Tech Lithium Inc.](#) (TSX-Venture: RCK; Frankfurt: RJA; Pink Sheets: RCKTF) (the "Company" or "Rock Tech") is pleased to announce assay results from the first two drill holes at its Lochaber graphite property in Quebec.

Highlights of the drill results are as follows:

-Drill Hole PB-12-01 intersected 42.07 metres of graphitic carbon ("Cg") with grades ranging from 1.19% Cg to 5.56% Cg;

-Drill Hole PB-12-02 intersected 61.63 metres with grades ranging from 1.10% Cg to 10.52% Cg;

-For additional details, please see the table below:

Drill Hole ID	Depth From	Depth To	Width	Graphite	Geophysical Conductors
	Metres	Metres	Metres	%	
PB-12-01	4.38	15.12	10.74	2.72	A
	31.12	42.12	11.00	2.66	
	47.90	48.90	1.00	1.19	
	52.15	57.32	5.17	1.32	
	59.77	64.96	5.19	2.14	
	67.90	73.87	5.97	2.51	
	87.00	90.00	3.00	5.56	
PB-12-02	4.50	9.44	4.94	1.10	A
	44.30	47.00	2.70	2.00	
	53.00	61.58	8.58	3.45	
	64.82	71.42	6.60	2.77	
	85.90	91.00	5.10	1.64	
	94.26	95.23	0.97	3.37	
	103.00	111.46	8.46	7.46	
Including	106.5	109.5	3.00	10.52	
?	115.04	135.64	20.60	1.88	
	139.94	140.62	0.68	5.48	

Note: The true thickness of the drill intersection may be less than the reported intervals.

Drill hole PB-12-01 is located at 475441E, 5055929N (NAD 1983, Zone 18N) with azimuth 100.3° and dip -44.2°. Drill hole PB-12-02 is located at location 475408E, 5056048N (NAD 1983, Zone 18N) with azimuth 95.2° and dip -45.9°.

A total of 2,405 metres of drilling, over 13 NQ sized drill holes, has been completed to date. The core samples from nine drill holes have been shipped to the laboratory for analysis while the remaining drill core is being logged and sampled. The Company also drilled one hole for metallurgical testing.

QA/QC for drill program

Core logging and QA/QC procedures are provided by Pleson Geoscience. Samples are logged and split by wet diamond saw with half sent for assaying while the other half is stored securely on site. Sample lengths

typically average 1 metre but vary by geological boundaries. QA/QC included inserting blanks into the sample stream at industry standard intervals with duplicate core samples taken every 20 samples. Samples are prepped and analyzed by Activation Laboratories Ltd. ("Actlabs") in Ancaster, ON. Infrared 5D-C graphitic carbon ("Cg") analysis is used and measured as carbon dioxide under the infrared spectrum. The detection limit is 0.05% and other sources of carbon are eliminated via an initial multistage furnace treatment. Actlabs also analyzed pulp and preparation duplicates and method blanks as part of their QA/QC program.

The technical information contained in this news release has been reviewed by Afzaal Pirzada, P.Geo., Vice President, Exploration and interim CEO of the Company and a Qualified Person as defined in NI 43-101.

On behalf of the Board of Directors,

"Afzaal Pirzada"

Afzaal Pirzada, P.Geo.

Director, Interim President and CEO, VP of Exploration

For more information, please contact:

Brad Barnett

Controller and Senior Manager, Business Affairs

[Rock Tech Lithium Inc.](#)

789 West Pender Street, Suite 1205

Vancouver, B.C., V6C 1H2

Telephone: (604) 688-1140

Facsimile: (604) 688-1173

Email: bbarnett@rocktechlithium.com

Disclaimer and Cautionary Statement Regarding Forward-Looking Information

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this press release. This news release shall not constitute an offer to sell or the solicitation of an offer to buy securities in any jurisdiction.

All statements, trend analysis and other information contained in this press release relative to markets about anticipated future events or results constitute forward-looking statements. Forward-looking statements are often, but not always, identified by the use of words such as "seek", "anticipate", "believe", "plan", "estimate", "expect" and "intend" and statements that an event or result "may", "will", "should", "could" or "might" occur or be achieved and other similar expressions. Forward-looking statements are subject to business and economic risks and uncertainties and other factors that could cause actual results of operations to differ materially from those contained in the forward-looking statements. Forward-looking statements are based on estimates and opinions of management at the date the statements are made. The Company does not undertake any obligation to update forward-looking statements even if circumstances or management's estimates or opinions should change. Investors should not place undue reliance on forward-looking statements.

-

Copyright (c) 2012 Thenewswire.ca - All rights reserved.

Dieser Artikel stammt von Rohstoff-Welt.de

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/135669--Rock-Tech-Intersects-Flake-Graphite-at-Lochaber-Property.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).