Volta Resources extends mineralization at depth at its Kiaka Gold Project in Burkina Faso

08.01.2013 | CNW

- intersects 84.4m @ 1.33 g/t gold and
- 31.85m @ 2.63 g/t gold, including 13.0m @ 5.05 g/t gold

TORONTO, Jan. 8, 2013 /CNW/ - Volta Resources Inc. ("Volta Resources" or the "Company") (TSX: VTR) announces the last remaining results from its completed 2012 drilling program (Phase 4) on the Central Area at its Kiaka Gold Project in Burkina Faso. The Phase 4 program was focused principally on infill drilling those areas where Inferred category resources occur within the open pit shell defined in the pre-feasibility study ("PFS", see News Release of 3 May 2012). The aim is to enhance a portion of these Inferred Resources to the Indicated category, thereby allowing them to be converted to Mineral Reserves so that they report to ore and not waste. This +30,000m drilling program also tested the area between the Kiaka Central Area and the Kiaka South Area. Shallow RC drilling has also been undertaken adjacent to identified mineralization to cover the full extent of the proposed PFS pit.

A Mineral Resource update for the total Kiaka Project is currently being finalised. Volta Resources has already defined NI 43-101 compliant resources in the Kiaka Central Area of 117.42 million tonnes @ 1.07 g/t Au for 4,029,000 ounces in the Measured and Indicated categories and 29.96 million tonnes @ 1.00 g/t Au for 1,000,000 ounces in the Inferred category (see News Release of March 21, 2012). A positive pre-feasibility study has converted Proven and Probable Mineral Reserves of 126.08 million tonnes at a diluted grade of 0.96 g/t Au for 3.89 million ounces of gold within a single open pit (see News Release of May 3, 2012). In addition, Volta Resources also announced a maiden NI 43-101 compliant Mineral Resource estimate for the Kiaka South deposit, located some 700m southwest of the Company's Kiaka Central Area. The estimate includes 1.84 million tonnes @ 2.0g/t Au for 118,000 ounces in the Measured and Indicated categories (see News Release of September 27, 2012).

The current press release includes the results from 14 core drill holes, totalling 4,733m of drilling, located in the southern half of the Kiaka Central Area (see Figure 1), between Section 4500N and Section 5650N.

The holes have extended the mineralization at depth in the southern part of the deposit, to over 400m vertical depth on the sections drilled North of 4900N and to 100-150m vertical depth south of 4900N. The southernmost holes have intersected mineralization on both sides of a main gabbro intrusion. Intersection highlights (based on uncut assays) from the current reported holes include:

- KDH452: 31.85m @ 2.63g/t gold, including 13.00m @ 5.05g/t gold AND
- KDH452 : 84.40m @ 1.33g/t gold, including 33.00m @ 1.76g/t gold
- KDH473 : 8.00m @ 7.20g/t gold
- KDH475: 19.30m @ 2.28g/t gold
- KDH479: 8.15m @ 1.23g/t gold, including 3.15m @ 2.43g/t gold

Kevin Bullock, Volta Resources' President and CEO, stated "We are very pleased to conclude our 2012 drill program with positive results. We can now finalize the Mineral Resource update for the Kiaka Gold Project within the next few days. The updated Mineral Resource will form an integral part of our Feasibility Study, to be completed in the third quarter of this year."

Results for the holes are highlighted in Table 1 and locations shown in Figure 1. Analyses of the Volta Resources samples were undertaken by fire assay on a 50g charge at ALS Chemex Laboratories in Ouagadougou. Volta Resources' sampling and assay procedures included rigorous QA/QC elements that employed the inclusion of certified standards and blanks.

Table 1: Highlights of Gold Intersections for the Reported Boreholes

HOLE ID	FROM (m)	TO (m)	INTERVAL (m)		Au (g/t) with	REMARKS
HOLE ID	. ,	, ,	, ,	uncut	topcut (15g/t)	
KDH452	363.20	401.35	38.15	0.50	0.50	

20.11.2025 Seite 1/4

INCL	376.00	380.00	4.00	1.33	1.33	
INCL	390.00	394.00	4.00	1.20	1.20	
AND	408.00		31.85	2.63	1.81	421.0m-422.0=40.90g/t;
INCL	413.00		13.00	5.05	3.05	439.0m-439.85=12.25g/t
AND	449.40	463.80	14.40	1.11	1.11	
INCL	449.40	454.00	4.60	2.28	2.28	
AND		575.40	84.40	1.33	1.33	495.15m-496.1m=10.9g/t;
INCL	503.00	536.00	33.00	1.76	1.76	504.0m-505.0m=11.70g/t
INCL	541.80	556.00	14.20	1.63	1.63	
INCL	564.20	568.15	3.95	1.46	1.46	
KDH465	96.00	109.00	13.00	1.11	1.11	
INCL	100.70	107.00	6.30	1.87	1.87	
KDH467	86.70	122.00	35.30	0.52	0.52	Core loss = 86.2m-86.7m; 92.1m-92.8m
KDH469	99.00	132.00	33.00	0.59	0.59	
INCL	116.00	119.00	3.00	1.41	1.41	
KDH473	336.00	359.00	23.00	0.63	0.63	0
AND	420.55	427.15	6.60	2.80	2.80	Core loss = $427.15m-427.85m$
AND	437.00	443.00	6.00	1.35	1.35	
AND	483.00	491.00	8.00	7.20	2.78	485.0m-486.0m=50.40g/t
AND	612.00	619.00	7.00	1.10	1.10	_
AND	666.00	676.00	10.00	0.61	0.61	
AND	689.30	698.40	9.10	1.07	1.07	
KDH475	331.00	353.85	22.85	1.14		11.0m-342.0m=13.20g/t
AND	392.00	496.00	104.00	0.62	0.62 Cd	ore loss = 473.0m-473.1m; 479.4m-481.0m;
INCL	395.00	398.00	3.00	1.11	1.11	486.8m-488.0m
INCL	421.00	424.00	3.00	1.49	1.49	
INCL	439.00	442.00	3.00	1.40	1.40	
INCL	462.00	465.00	3.00	1.06	1.06	
AND	505.00	527.35	22.35	0.70	0.70	
INCL	519.25	524.25	5.00	1.61	1.61	
AND	543.70	563.00	19.30	2.28	1.50 54	15.7m-546.9m=27.60g/t
KDH476	165.00	192.00	27.00	0.60	0.60	
KDH477	121.00	138.00	17.00	0.56	0.56	
INCL	135.00	138.00	3.00	1.26	1.26	
AND	154.00	165.00	11.00	1.11	1.11	
AND	190.00	194.00	4.00	1.01	1.01	
KDH478	106.00	117.00	11.00	0.53	0.53	
KDH479	285.35	344.45	59.10	0.58	0.58	
INCL	337.20	343.70	6.50	1.13	1.13	
AND	428.00	436.15	8.15	1.23	1.23	
INCL	433.00	436.15	3.15	2.43	2.43	

Notes on Table 1:

- 1. Intervals are core length. True width is unknown at this time.
- 2. Intersections are based on a 0.3 g/t gold cut-off with maximum internal dilution (MID) of 5m for the lower grade mineralization envelope, except for hole KDH452 (408.00-439.85m) where it has been increased to 5.8m.
- 3. In order to highlight the continuity of the high grade zone, a 0.8 g/t gold cut-off with maximum internal dilution of 2m has been used.
- 4. Average gold grades (g/t) are presented with and without top cut applied in separate columns. The values with top cut have applied a grade capping of 15g/t Au.
- 5. Where core losses were reported in the mineralized intercepts, the width of the entire mineralized intercept is reported at the weighted average grade of the remaining samples.
- 6. The intersections listed in the table represent sections of at least 3m in excess of 1g/t Au and/or sections of at least 10m in excess of 0.5g/t Au.
- 7. The intersections represent sections drilled by cored drilling. The cored drill holes were sampled at one meter intervals and cut in half using a diamond saw. Half-core is archived at the core storage facility on site while the other half was sent to the laboratory.

20.11.2025 Seite 2/4

- 8. Samples were then sent to ALS Chemex in Ouagadougou for Fire Assay on a 50g charge.
- Certified standards were inserted every 15 samples, field duplicates (in the RC portions) about every 25
 and blanks about every 10 samples. The blanks, certified standards and duplicate assays confirm that
 all assays used to compile the intersections quoted here have passed Volta Resources' rigorous
 QA/QC checks.

TABLE 2 : Collar coordinates and orientation parameters

SECTION	HOLE ID	EASTING	NORTHING	ELEVATION	DEPTH	DIP	AZIMUTH
				(m)	(m)	(degrees)	(degrees)
4500N	KDH465	738663	1288893	271	175.00	-55	135
4600N	KDH469	738920	1288769	270	226.10	-57	315
4650N	KDH467	738961	1288810	269	226.20	-57	315
4700N	KDH470	738994	1288842	268	226.05	-57	315
	KDH481	738786	1289058	268	225.90	-57	135
4750N	KDH471	739039	1288874	267	201.85	-57	315
4800N	KDH476	739076	1288904	267	262.25	-57	315
4850N	KDH477	739087	1288965	266	249.95	-57	315
4900N	KDH478	739123	1288996	266	250.15	-57	315
4950N	KDH479	739235	1288945	266	488.60	-60	315
5050N	KDH475	739315	1289022	265	600.25	-63	315
5100N	KDH473	738923	1289477	272	700.00	-63	135
5300N	KDH452	739527	1289164	263	649.83	-55	135
5450N	KDH480	739124	1289778	277	250.75	-55	135

Under the guidelines of National Instrument 43-101, the qualified person for the Kiaka Gold Project is Mr. Guy Franceschi, Vice President, Exploration for Volta Resources. Mr. Franceschi is a member of the European Federation of Geologists and has reviewed and approved the contents of this news release.

About Volta Resources:

Volta Resources has a portfolio of quality gold exploration projects in Burkina Faso and Ghana, both mining-friendly West African jurisdictions with proven world-class gold deposits. VTR will focus on fast-tracking its flagship Kiaka Gold Project (NI-43-101 compliant resources include 117.42 million tonnes @ 1.07 g/t Au for 4,029,000 ounces in the Measured and Indicated categories and 29.96 million tonnes @ 1.00 g/t Au for 1,000,000 ounces in the Inferred category [Please see VTR press release dated March 21, 2012] including 34.38 million tonnes @ 1.04 g/t Au for 1,145,969 ounces of gold in the Proven category and 91.70 million tonnes @ 0.93 g/t Au for 2,742,353 ounces of gold in the Probable category (Please see VTR press release dated May 3, 2012) towards a development decision, aiming to complete a Feasibility Study in Q3, 2013. Recent acquisition of properties around the Kiaka Gold Project has provided VTR with an extensive ground position along the highly prospective Markoye Fault Corridor in an important emerging gold province.

Forward Looking Information Caution:

This press release presents "forward-looking statements" within the meaning of Canadian securities legislation that involve inherent risks and uncertainties. Forward-looking statements include, but are not limited to, statements with respect to the future price of gold and other minerals and metals, the estimation of mineral reserves and resources, the realization of mineral reserve estimates, the capital expenditures, costs and timing of the resources, the realization of mineral reserve estimates, the capital expenditures, costs and timing of the development of new deposits, success of exploration activities, permitting time lines, currency exchange rate fluctuations, requirements for additional capital, government regulation of mining operations, environmental risks, unanticipated reclamation expenses, title disputes or claims and limitations on insurance coverage. Generally, these forward-looking statements can be identified by the use of forward looking terminology such as "plans", "expects" or "does not expect", "is expected", "budget", "scheduled", "estimates", "forecasts", "intends", "anticipates" or "does not anticipate", or "believes", or variations of such words and phrases or state that certain actions, events or results "may", "could", "would", "might" or "will be taken", "occur" or "be achieved". Forward-looking statements are subject to known and unknown risks,

20.11.2025 Seite 3/4

uncertainties and other factors that may cause the actual results, level of activity, performance or achievements of Volta Resources to be materially different from those expressed or implied by such forward looking statements, including but not limited to: risks related to international operations, risks related to the integration of acquisitions; risks related to joint venture operations; actual results of current exploration activities; actual results of current or future reclamation activities; conclusions of economic evaluations; changes in project parameters as plans continue to be refined; future prices of gold and other minerals and metals; possible variations in ore reserves, grade or recovery rates; failure of equipment or processes to operate as anticipated; accidents, labour disputes and other risks of the mining industry; and delays in obtaining governmental approvals or financing or in the completion of development or construction activities. Although the management and officers of Volta Resources believe that the expectations reflected in such forward-looking statements are based upon reasonable assumptions and have attempted to identify important factors that could cause actual results to differ materially from those contained in forward-looking statements, there may be other factors that cause results not to be as anticipated, estimated or intended. There can be no assurance that such statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. Accordingly, readers should not place undue reliance on forward-looking statements. Volta Resources does not undertake to update any forward-looking statements that are incorporated by reference herein, except in accordance with applicable securities laws.

Image with caption: "Figure 1: Kiaka Project Central Area (CNW Group/Volta Resources Inc.)". Image available at:

http://photos.newswire.ca/images/download/20130108_C4494_PHOTO_EN_22345.jpg

For further information:

please refer to our website www.Voltaresources.com or contact:

Volta Resources Inc.

Kevin Bullock, P.Eng., President & CEO

Tel: (416) 867-2299 Fax: (416) 867-2298

Email: kbullock@Voltaresources.com or

Andreas Curkovic, Investor Relations

Tel: (416) 577-9927

Dieser Artikel stammt von Rohstoff-Welt.de

Die URL für diesen Artikel lautet:

https://www.rohstoff-welt.de/news/140514--Volta-Resources-extends-mineralization-at-depth-at-its-Kiaka-Gold-Project-in-Burkina-Faso.html

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere AGB/Disclaimer!

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt! Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere AGB und Datenschutzrichtlinen.

20.11.2025 Seite 4/4