

# Rock Tech Drills 82.70 metres of 2.53% Graphite at Lochaber

29.04.2013 | [The Newswire](#)

Vancouver, British Columbia, Canada, April 29, 2013 – [Rock Tech Lithium Inc.](#) (TSX-V: RCK; Frankfurt: RJA) (the “Company” or “Rock Tech”) announces additional assay results from the drill program it announced on December 10, 2012. This planned 4,600 metre drill program included both step-out and in-fill drill holes and focused primarily on electromagnetic conductors ‘A’ and ‘C’. A few other conductors and magnetic anomalies were also tested during this drill program. The electromagnetic conductors were identified on the Plumbago area of the property during geophysical surveys in September, 2012 (click here to view a map).

## Highlights of these assay results include:

- Drill hole PB-12-24 intersected 18.78 metres graphitic carbon (“Cg”) in two intersections with grades ranging from 1.19% Cg to 3.43% Cg, including 11.86 metres at 2.71% Cg;
- Drill hole PB-12-25 intersected 143.90 metres of Cg in various intersections with grades ranging from 1.32% Cg to 4.41% Cg, including 82.70 metres at 2.53% Cg, and;
- Drill hole PB-12-26 intersected 46.30 metres of Cg at various depths with grades ranging from 1.16% Cg to 2.03% Cg, including 24.00 metres at 2.03% Cg.

“Drill holes PB-12-24 and PB-12-26 were drilled in the vicinity of the historical Plumbago mine area. Both drill holes intersected graphite mineralization indicating potential areas for additional exploration. The results for drill hole PB-12-25 further confirm the extensiveness of the mineralization along electromagnetic conductor ‘C’,” said Afzaal Pirzada, Rock Tech’s Vice President of Exploration and interim CEO.

To date, the Company has received and announced assay results for twenty six drill holes and seven trenches. Assay results for the final nine drill holes completed during the fourth quarter of 2012 are pending.

## Quality Assurance/Quality Control

All core samples are logged and split by wet diamond saw with half sent to the lab for analysis and half stored securely on site. The core sample lengths typically average 1 metre but vary depending on geological boundaries. Additional QA/QC procedures include inserting blanks and standards into the core sample stream at industry standard intervals with duplicate core samples taken at intervals of twenty. Core samples are prepped and analyzed by Global Mineral Research Limited in Burnaby, British Columbia. During analysis, the core samples are dried, pulverized, leached and roasted at 450° Celsius and 1200° Celsius with measured weights taken between double ignitions. The laboratories also conduct duplicate and internal standard samples at intervals of ten as part of their QA/QC program.

**For additional details, please see the table below:**

Drill Hole ID	Length From	Length To	Width	Graphite	Geophysical Conductor	
	Metres	Metres	Metres	%		
PB-12-24	1.78	8.70	6.92	1.19	B	
	97.04	108.90	11.86	2.71		
	including	99.00	105.00	6.00		3.43
PB-12-25	26.00	36.48	10.48	1.32	C	
	46.50	50.84	4.34	1.85		
	65.30	148.00	82.70	2.53		
	including	81.00	101.00	20.00		4.06
	including	108.00	118.00	10.00		4.41
		160.62	207.00	46.38		1.72
PB-12-26	8.00	18.70	10.70	1.16	M2	
	60.50	72.10	11.60	1.59		
	103.00	127.00	24.00	2.03		

*Note: The true thickness of the drill intersection may be less than the reported intervals*

Drill hole PB-12-24 is located at 475344E, 5055433N (NAD 1983, Zone 18N) with azimuth 55.6°; and dip -50.2°; drill hole PB-12-25 is located at 474803E, 5055418N (NAD 1983, Zone 18N) with azimuth 99°; and dip -50.8°; drill hole PB-12-26 is located at 475340E, 5055429N (NAD 1983, Zone 18N) with azimuth 254.9°; and dip -51°.

The technical information contained in this news release has been reviewed by Afzaal Pirzada, P.Geo., Vice President of Exploration and interim CEO of the Company and a Qualified Person as defined in NI 43-101.

On behalf of the Board of Directors,

“Afzaal Pirzada”  
 Afzaal Pirzada, P.Geo.  
 Director, Vice President of Exploration and interim CEO

**For more information, please contact:**

Brad Barnett  
 Vice President of Corporate Finance and Development

[Rock Tech Lithium Inc.](http://www.rocktechlithium.com)  
 789 West Pender Street, Suite 1205  
 Vancouver, B.C., V6C 1H2  
 Telephone: (604) 688-1140  
 Facsimile: (604) 688-1173  
 Email: [bbarnett@rocktechlithium.com](mailto:bbarnett@rocktechlithium.com)

**Disclaimer and Cautionary Statement Regarding Forward-Looking Information**

*Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this press release. This news release shall not constitute an offer to sell or the solicitation of an offer to buy securities in any jurisdiction.*

*All statements, trend analysis and other information contained in this press release relative to markets about anticipated future events or results constitute forward-looking statements. Forward-looking statements are often, but not always, identified by the use of words such as "seek", "anticipate", "believe", "plan", "estimate", "expect" and "intend" and statements that an event or result "may", "will", "should", "could" or "might" occur or be achieved and other similar expressions. Forward-looking statements are subject to business and economic risks and uncertainties and other factors that could cause actual results of operations to differ materially from those contained in the forward-looking statements. Forward-looking statements are based on estimates and opinions of management at the date the statements are made. The Company does not undertake any obligation to update forward-looking statements even if circumstances or management's estimates or opinions should change. Investors should not place undue reliance on forward-looking statements.*

---

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/147853--Rock-Tech-Drills-82.70-metres-of-2.53Prozent-Graphite-at-Lochaber.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).