Alpha Minerals Reports Step-Out Drilling Hits 85.5m of Mineralization Including 18.93m of “Off-Scale“ Radioactivity at Patterson Lake South, Athabasca Basin

18.07.2013 | Marketwired

VANCOUVER, BRITISH COLUMBIA -- (Marketwired - Jul 18, 2013) - Alpha Minerals Inc. (TSX VENTURE:AMW) (FRANKFURT:E2GA) ("Alpha" or "the Company") and its 50% Joint Venture partner Fission Uranium Corp. are pleased to announce partial results of its first hole of the summer drill season, testing the western extension of the R390E zone. Hole PLS13-072 (drilling still in progress), has so far returned a broad 85.5m interval (62.0m - 147.5m) of variably radioactive mineralization including a total of 18.93m of off-scale (>9999 cps) radioactivity in numerous narrower intervals throughout.

The hole is located 15m grid west of hole PLS13-061, previously the western-most hole testing the R390E zone. Scintillometer results for hole PLS13-072 overall are stronger, wider, more continuous and contain significantly more off-scale radioactivity than PLS13-061 (see news release dated April 3, 2013). Drilling of hole PLS13-072 is still in progress at a depth of 185.1m, but temporarily on-hold for mechanical reasons and is awaiting replacement

PLS13-072 Highlights:

- 85.5m (62.0m - 147.5m) wide main zone containing total of 18.93m of off-scale (>9999 cps) radioactivity.
  - Main zone characterized by variable radioactivity from weak-to-very strong throughout.
  - Off-scale mineralization comprised of multiple narrower intervals of off-scale (>9999 cps) radioactivity ranging in width from 0.1m to 4.6m wide each, totaling 18.93m.
- Expands the western boundary of the R390E zone by 15m.
- Main wide zone of variably radioactive mineralization starts at shallow depth of 62.0 m, and two narrower intervals starting at 157.5 m and 169.5 m of weak-to-moderate radioactivity as measured with a GR-110 hand held scintillometer.

Key Technical Details

- Hole PLS13-072 (R390E Zone line 345E) was collared as a vertical hole and is still in progress at a depth of 185.1m. The collar is located 15m grid west of PLS13-061 (23.5m @ 1.39% U3O8 including 6.0m @ 4.34% U3O8 (see news release June 5, 2013), and represents a significant intersection at the R390E zone.
- This new drill hole represents a shallow, very broad interval of almost continuous radioactivity and, importantly, extends the R390E Zone an additional 15.0m west.

The relevant geological features of the hole are as follows:

- Basement bedrock was encountered at 55.7m depth, immediately below the overburden with no Devonian sandstone encountered above the basement.
- In drill hole PLS13-072 there is a marked difference in the absence of Devonian sandstone, and greater depth to the top of basement rocks compared to drill holes located along strike to the east within the R390E zone. This may be a result of the RC rig casing past the overburden and bedrock contact, and so the presence or absence of Devonian sandstone is inconclusive. Alternatively, the lack of Devonian sandstone and presence of shallower mineralization may indicate that the bedrock source of the high grade uranium boulders is possibly approaching further to the west of PLS13-072. Other step out drill holes may resolve this.

- From 55.7m to 163.0m basement lithology consists of alternating sequences of moderate-to-steeply dipping pelitic gneiss and mylonites. This alternating sequence is underlain by semi-pelitic gneiss from 163.0m to the present drilling depth.
- Moderate-to-locally-strong clay alteration is present throughout the pelitic gneiss/mylonite package.
- Radioactive mineralization (62.0m - 147.5m) starts 6.3m below the overburden - basement unconformity and is dominantly constrained within the pelitic gneiss/mylonite rocks, though weak mineralization continues below within the semi-pelitic gneiss. The upper 5.0m of mineralization being very weakly radioactive while more intense mineralization begins at 67.0m and continues to 108.0m, consisting of weak-to-strong radioactivity including numerous narrower intervals of off-scale (>9999 cps) radioactivity each ranging in width from 0.1m to 4.6m wide.
- From 108.0m to 125.0m, mineralization is weak-to-moderately radioactive and increasing to moderate-to-locally-strong from 125.0m to 147.5m.

R390E

	Collar			* Hand-held Scintillomenter Results On Mineralized Drillcore (>300 cps / >1.0M minimum)						
Hole ID	Grid Line	Az	Dip	From (m)	To (m)	Width (m)	CPS Peak Range	Sandstone From - To (m)	Basement Unconformity Depth (m)	Total Drillhole Depth (m)
PLS13-072	345E	0	-89	62.0	147.5	85.5	<300 - >9999	N / A	55.7	180.0
				69.0	*85.5*	*16.5*	*1100 - >9999*			
				92.6	*99.5*	*6.9*	*5000 - >9999*			
				157.5	162.5	5.0	<300 - 8600			
				169.5	172.0	2.5	<300 - 720			

A $6.95M, 44 hole, 11,000m drill program and ground geophysics surveys continues at PLS.

Natural gamma radiation in drill core that is reported in this news release was measured in counts per second (cps) using a hand held Exploranium GR-110G total count gamma-ray scintillometer. The reader is cautioned that scintillometer readings are not directly or uniformly related to uranium grades of the rock sample measured, and should be used only as a preliminary indication of the presence of radioactive materials. The degree of radioactivity within the mineralized intervals is highly variable and associated with visible pitchblende mineralization. All intersections are down-hole, core interval measurements and true thickness is yet to be determined.

All holes are planned to be radiometrically surveyed using a Mount Sopris 2GHF-1000 Triple Gamma probe, which allows for more accurate measurements in high grade mineralized zones. The Triple Gamma probe is preferred in zones of high grade mineralization.

Split core samples from the mineralized section of core will be taken continuously through the mineralized intervals and submitted to SRC Geoanalytical Laboratories (an SCC ISO/IEC 17025: 2005 Accredited Facility) of Saskatoon for analysis, which includes U3O8 (wt %) and fire assay for gold. All samples sent for analysis will include a 63 element ICP-OES, uranium by ICP-MS and boron. Assay results will be released when received.

For additional comments about the Summer 2013 Program, please watch a video here: https://www.youtube.com/watch?v=FkZgVf4aazo

Patterson Lake South Property

The 31,000 hectare (76,000 acres) PLS project is a 50%/50% Joint Venture held by Alpha Minerals Inc. (AMW) and Fission Uranium (FCU). The Joint Venture property is 100% owned with no underlying royalties or vendor payments. Alpha returns as the Operator of the Joint Venture in 2014. The property is accessible by road with primary access from all-weather Highway 955, which runs 74km north to the former Cluff Lake mine, (>60M lbs of U3O8 produced from multiple open pit and underground mines), and passes through the claims covering the UEX-Areva Shea Creek discoveries located 58km to the north, currently under active exploration and development.

The technical information in this news release has been prepared in accordance with the Canadian regulatory requirements set out in National Instrument 43-101 and reviewed on behalf of Alpha Minerals Inc., by Garrett Ainsworth, P.Geo., Vice President Exploration, a qualified person.

On behalf of the Board of Directors of Alpha Minerals Inc.

Ben Ainsworth
President, CEO and Director

Please refer to the Alpha Minerals Inc. website (www.alphaminerals.ca) for the video and further updated information.

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

This press release contains "forward-looking information" that is based on Alpha's current expectations, estimates, forecasts and projections. This forward-looking information includes, among other things, statements with respect to Alpha's development plans. The words "will", "anticipated", "plans" or other similar words and phrases are intended to identify forward-looking information.

Forward-looking information is subject to known and unknown risks, uncertainties and other factors that may cause Alpha's actual results, level of activity, performance or achievements to be materially different from those expressed or implied by such forward-looking information. Such factors include, but are not limited to: uncertainties related exploration and development; the ability to raise sufficient capital to fund exploration and development; changes in economic conditions or financial markets; increases in input costs; litigation, legislative, environmental and other judicial, regulatory, political and competitive developments; technological or operational difficulties or inability to obtain permits encountered in connection with exploration activities; and labour relations matters. This list is not exhaustive of the factors that may affect our forward-looking information. These and other factors should be considered carefully and readers should not place undue reliance on such forward-looking information. Alpha disclaims any intention or obligation to update or revise forward-looking information, whether as a result of new information, future events or otherwise.

Contact

Alpha Minerals Inc.
Robert (Bob) Meister, Corporate Communications
(604) 629-0293 or Toll Free: 1-866-629-0293
info@alphaminerals.ca
www.alphaminerals.ca