

# Lydian Intersects 221 Meters at 1.2 g/t Gold and 180 Meters at 1.3 g/t Gold, Open at Depth; Amulsar Gold Project, Armenia

19.09.2013 | [Marketwired](#)

## 91 meters at 1.0 g/t gold intersected below the current pit shell southeast of Erato. Drill rigs move onto geotechnical and hydrogeological work

TORONTO, ONTARIO--(Marketwired - Sep 19, 2013) - [Lydian International Ltd.](#) (TSX:LYD) ("Lydian" or "the Company"), a gold-focused mineral exploration and development company, today announced results from its 2013 drilling program at the Amulsar gold project in Armenia. Amulsar is a heap-leach gold project with reported CIM compliant resources of 52.4 Mt at 1.05 g/t gold (1.77 million ounces) in the Measured category, 18.1 Mt at 1.02 g/t gold (0.59 million ounces) of Indicated category and 58.0 Mt at 0.93 g/t gold (1.73 million ounces) in the Inferred category.

The 2013 drill program has so far comprised 27 diamond drill holes and 23 reverse circulation drill holes for a total of 8,448 meters (see map in appendix). Exploration drilling has now been deferred in place of geotechnical and hydrogeological drilling as part of the current mine design and optimization studies.

Highlights from the 2013 drilling program are as follows (all intersections are oxide mineralization; EOH means "end of hole"):

Notable results from resource infill and resource extension drill holes at Tigranes include:

&#8226; RCA-505 (Tigranes) 221 meters at 1.2 g/t gold (EOH)  
&#8226; RCA-507 (Tigranes) 27 meters at 1.0 g/t gold; and  
50 meters at 1.0 g/t gold; and  
21 meters at 1.0 g/t gold

Notable exploratory and resource extension results from Erato and Arshak include:

&#8226; DDA-381 (Erato) 22 meters at 1.0 g/t gold; and  
31.4 meters at 1.3 g/t gold (EOH)  
&#8226; RCA-501 (Erato) 15 meters at 1.0 g/t gold  
&#8226; RCA-502 (Erato) 10 meters at 1.0 g/t gold  
&#8226; RCA-513 (Arshak) 11 meters at 1.1 g/t gold  
&#8226; RCA-514 (Erato) 15 meters at 1.0 g/t gold; and  
34 meters at 1.0 g/t gold  
&#8226; RCA-515 (Erato) 11 meters at 1.0 g/t gold  
&#8226; RCA-516 (Erato) 20 meters at 1.1 g/t gold; and  
18 meters at 1.0 g/t gold  
&#8226; RCA-517 (Erato) 12 meters at 1.0 g/t gold; and  
68 meters at 1.0 g/t gold  
&#8226; RCA-518 (Erato) 16 meters at 1.0 g/t gold; and  
10 meters at 1.0 g/t gold  
&#8226; RCA-520 (Erato) 91 meters at 1.0 g/t gold

&#8226; RCA-522 (Erato) 180 meters at 1.3 g/t gold (EOH)

The 2013 drill program was focussed on in-fill and step-out drilling at Tigranes and Erato. Results confirmed the current geological model and potential for resource extensions in all directions and particularly at depth.

At Tigranes, drill hole RCA-505 returned 221 meters (EOH) at 1.2 g/t gold. The last 92 meters of this intersection are located below the current pit shell, supporting management's view that further resource potential exists at depth (see Figure A in appendix). Tigranes in-fill drill hole RCA-507 located within the current pit shell also returned notable intersections including 27 meters, 50 meters and 21 meters at 1.0 g/t gold.

At Erato, drill hole RCA-522 targeted a southeast extension of the resource beneath the current pit shell and returned 180 meters at 1.26 g/t, open at depth (see Figure B in appendix). Drill hole RCA-520, also drilled on this interpreted southeast extension and below the current pit shell, returned 91m at 1.0 g/t gold. On the northwest margin of Erato, drill hole RCA-517 intersected 68 metres at 1.0g/t gold and drill hole DDA-381 returned numerous separate intersections including 22 meters at 1.0 g/t, 4 meters at 1.4 g/t and 31.4 meters at 1.3 g/t gold, with the hole ending in grade.

"Deep drilling planned for 2013 at Amulsar was frustrated by equipment performance and ground conditions but the deeper holes that were successful returned impressive consistent grades and supported managements view that additional resource potential still remains untested at depth" said Tim Coughlin, Lydian's President and CEO. "It is obvious from this year's drilling program that the key to unlocking Amulsar's hidden potential lies in innovative and advanced deep drilling. Drilling this year has also served to extend known gold mineralization laterally away from the current resource shell and has tracked and connected important higher grade zones from within the resource shell."

### About Lydian International

Lydian is a gold-focused mineral exploration and development company with expertise employing "first mover" strategies in emerging exploration environments. Currently Lydian is focused on Eastern Europe and, in particular, developing its flagship Amulsar gold project in Armenia. Lydian also has a pipeline of promising early-stage gold and base metal exploration projects in the Caucasus regions.

Lydian's management team has a track record of success in grassroots discovery, in acquiring and developing undervalued assets, and in building companies. Lydian has a strong social agenda and a unique understanding of the complex social and political issues that characterise emerging environments. The Company's significant shareholders include the International Finance Corporation which is a member of the World Bank Group and the European Bank for Reconstruction and Development. More information can be found on Lydian's web site at [www.lydianinternational.co.uk](http://www.lydianinternational.co.uk).

TABLE 1. SIGNIFICANT DRILL INTERSECTIONS GREATER THAN 1g/t GOLD							
Drill Hole	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Intersection (m)	Gold (g/t)
DDA-375	-60	120	256.2	40.0	42.0	2.0	1.2
DDA-376	-60	140	200.0	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
DDA-377	-60	110	272.2	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
				23.0	28.0	5.0	1.0
				30.0	33.0	3.0	1.0
DDA-378	-60	300	160.0	95.0	101.0	6.0	1.0
DDA-379	-60	105	83.0	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
DDA-380	-60	100	170.0	26.0	30.0	4.0	1.1
				12.0	34.0	22.0	1.0
				82.0	86.0	4.0	1.4
DDA-381	-60	210	146.4	115.0	146.4 (EOH)	31.4	1.3
				23.0	27.0	4.0	1.0
				70.0	77.0	7.0	1.8
DDA-382	-60	110	270.0	214.0	216.0	2.0	1.3

				65.0	67.0	2.0	1.0
				80.0	95.0	15.0	1.0
				122.0	127.0	5.0	1.0
RCA-501	-60	230	240.0	132.0	139.0	7.0	1.0
				11.0	21.0	10.0	1.0
RCA-502	-60	305	100.0	40.0	44.0	4.0	1.0
RCA-503	-90	0	257.0	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
RCA-504	-90	0	257.0	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
RCA-505	-60	115	257.0	36.0	257.0 (EOH)	221.0	1.2
				2.0	4.0	2.0	1.0
				5.0	7.0	2.0	1.0
				9.0	11.0	2.0	1.0
RCA-506	-60	100	32.0	29.0	32.0 (EOH)	3.0	1.3
				1.0	28.0	27.0	1.0
				56.0	106.0	50.0	1.0
				135.0	156.0	21.0	1.0
RCA-507	-60	120	257.0	171.0	173.0	2.0	1.2
RCA-508	-60	120	11.0	9.0	11.0 (EOH)	2.0	1.6
				76.0	83.0	7.0	1.0
RCA-509	-60	120	197.0	110.0	115.0	5.0	1.0
RCA-510	-60	210	257.0	56.0	58.0	2.0	1.1
RCA-511	-60	30	179.0	60.0	62.0	2.0	1.8
RCA-512	-60	225	197.0	116.0	118.0	2.0	1.1
RCA-513	-60	210	137.0	80.0	91.0	11.0	1.1
				170.0	185.0	15.0	1.0
				186.0	188.0	2.0	1.0
				221.0	228.0	7.0	1.0
RCA-514	-60	305	400.0	268.0	302.0	34.0	1.0
RCA-515	-60	290	155.0	122.0	133.0	11.0	1.0
				81.0	101.0	20.0	1.1
				126.0	144.0	18.0	1.0
RCA-516	-60	110	285.0	228.0	230.0	2.0	1.2
				1.0	13.0	12.0	1.0
RCA-517	-60	105	359.0	46.0	114.0	68.0	1.0
				73.0	75.0	2.0	1.0
				110.0	112.0	2.0	1.0
				117.0	133.0	16.0	1.0
				168.0	178.0	10.0	1.0
				186.0	188.0	2.0	1.0
RCA-518	-60	300	269.0	262.0	268.0	6.0	1.0
RCA-519	-60	295	377.0	20.0	24.0	4.0	1.2
				68.0	159.0	91.0	1.0
RCA-520	-60	295	311.0	188.0	191.0	3.0	1.0
RCA-521	-60	105	197.0	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
				12.0	20.0	8.0	1.0
				64.0	66.0	2.0	1.3
RCA-522	-60	290	287.0	107.0	287(EOH)	180.0	1.3
RCA-523	-60	120	240.0	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			

Cut-off 0.2g/t gold, maximum down-hole internal dilution 10m

All intersections are oxide gold, No true widths

DDAG indicates assayed geotechnical drill hole

To view the map and figures associated with this press release, please visit the following link:  
<http://media3.marketwire.com/docs/Lyidian-International-09-19-13.pdf>.

## Contact

[Lydian International Ltd.](#)

Donna Pugsley

Investor Relations

+44 (0)1534 715473 or +44 (0)7797 742800

[info@lydianinternational.co.uk](mailto:info@lydianinternational.co.uk)

[www.lydianinternational.co.uk](http://www.lydianinternational.co.uk)

---

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/156995--Lydian-Intersects-221-Meters-at-1.2-g-t-Gold-and-180-Meters-at-1.3-g-t-Gold-Open-at-Depth-Amulsar-Gold-Proje>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).