

Gold Reach Drills 186.2 Metres of 0.78% Copper Equivalent Including 82.2 Metres of 1.15% Copper Equivalent at East Seel

06.01.2014 | [Marketwired](#)

VANCOUVER, BRITISH COLUMBIA--(Marketwired - Jan 6, 2014) - [Gold Reach Resources Ltd.](#) (TSX VENTURE:GRV) (Gold Reach and/or the Company) is pleased to announce that assay results for holes S13-170 to 177 from the East and West Seel deposits have been received. The East Seel deposit is located adjacent to the Company's West Seel discovery, and both occur 4 kilometres south-southwest of the Company's Ox deposit. All 3 deposits occur on the Company's 100% owned Ootsa Property located adjacent to the producing Huckleberry copper Mine south of Smithers, British Columbia.

HIGHLIGHTS

- **East Seel Deposit - High Grade Intercepts Continue**
 - Hole S13-172 intersected 35.8m of 0.84% copper equivalent from 39.2 to 75m depth.
 - Hole S13-174 intersected 91.5m of 0.62% copper equivalent from 36.5 to 128m depth, including 53.5m grading 0.76% copper equivalent.
 - Hole S13-175 intersected 46.3m of 0.74% copper equivalent from 101.7 to 148m depth.
 - Hole S13-177 intersected 186.2m of 0.78% copper equivalent from 26.8 to 213m depth, including 82.2m grading 1.15% copper equivalent and 46m of 1.44% copper equivalent.
- **West Seel Deposit - Near Surface High Grade Expanded**
 - Hole S13-171 intersected 14m of 0.93% copper equivalent from 7 to 21 metres depth. This extends the near surface high-grade zone 80 metres to the southeast of the high grade intercept encountered in hole S13-169.
 - The West Seel high grade mineralization starts as shallow as 7m below surface and has been outlined over widths up to 150m, a length of up to 125m and a thickness of up to 40m, and remains open for expansion.
- **West Seel Deposit - Long Mineralized Intercepts**
 - Hole S13-171 intersected 224m of 0.42% copper equivalent from 7 to 231m depth, followed by another 126m of 0.36% copper equivalent from 261m to the end of the hole at 387m.
 - Hole S13-176 intersected 198m of 0.39% copper equivalent from 44 to 242m depth, followed by another 58.2m of 0.41% copper equivalent from 266m to 324.2m depth.

The goal of the 2013 drilling program, which is now complete, was to infill and expand known zones of higher-grade near-surface mineralization at Ox, East Seel, and West Seel and the program has been very successful at achieving that goal. Results for 22 additional drill holes from the 2013 program are still pending.

East Seel Drill Results

An updated drill hole location map for the Seel deposit is available here http://www.goldreachresources.com/resources/maps/Seel_drill_hole_location_map_Dec_30_2013.png and East Seel cross section 17 showing holes S13-170 and 172 is available here http://goldreachresources.com/resources/maps/E_Seel_section_17_Dec_2013.png.

Holes S13-170 and 172 were drilled on East Seel section 17 NE, the northeastern most section on the East Seel zone, where mineralization is truncated by the North and East Faults. Mineralization on the section occurs below 15 to 35 metres of gravel cover, and is up to 175 meters wide by 200 metres deep. Hole S13-170 intersected 4 zones of mineralization. From the top downwards these are: 15.5 metres grading 0.26% copper and 0.23 g/t gold (0.43% copper equivalent) from 59.4 to 70.4 metres depth, 4.8 metres grading 0.49% copper and 0.53 g/t gold (0.88% copper equivalent) from 76.3 to 81.1 metres depth, 34.5 metres grading 0.36% copper and 0.39 g/t gold (0.65% copper equivalent) from 87.5 to 122 metres depth, and 64 metres grading 0.26% copper and 0.18 g/t gold (0.42% copper equivalent) from 144 to 208 metres depth. Hole S13-172 intersected 95.8 metres grading 0.30% copper and 0.35 g/t gold (0.55% copper

equivalent) from 39.2 to 135 metres depth, including 35.8 metres grading 0.45% copper and 0.54 g/t gold (0.84% copper equivalent) from 39.2 to 75 metres depth.

Hole S13-174 was a vertical hole drilled between East Seel sections 16 and 17 NE. The hole intersected 91.5 metres grading 0.36% copper and 0.35 g/t gold (0.62% copper equivalent) from 36.5 to 128 metres depth, including 53.5 metres grading 0.43% copper and 0.45 g/t gold (0.76% copper equivalent) from 36.5 to 90 metres depth.

Hole S13-175 was a vertical in-fill hole drilled on East Seel section 16 NE. The hole intersected mineralization in 5 closely spaced mineralized zones over a cumulative width of 153 metres. The intercepts are summarized in the table below.

Summary of select drill intercepts - East Seel Holes S13-170, 172, 174, 175, 177

Drill Hole	From (m)	To (m)	Width (m)*	Cu %	Au g/t	Ag g/t	Mo %	Cu Eq.%**
S13-170	59.4	70.4	15.5	0.26	0.23	1.50	-	0.43
S13-170	76.3	81.1	4.8	0.49	0.53	2.21	-	0.88
S13-170	87.5	122.0	34.5	0.36	0.39	1.92	-	0.65
S13-170	144.0	208.0	64.0	0.26	0.18	1.26	0.005	0.42
S13-172	39.2	135.0	95.8	0.30	0.35	1.07	-	0.55
including	39.2	75.0	35.8	0.45	0.54	1.64	-	0.84
S13-172	201.0	209.0	8.0	0.52	0.12	15.75	-	0.74
S13-174	36.5	128.0	91.5	0.36	0.35	1.45	-	0.62
including	36.5	90.0	53.5	0.43	0.45	1.60	-	0.76
S13-175	73.0	85.1	12.1	0.22	0.32	1.00	-	0.45
S13-175	91.4	98.0	6.6	0.41	0.54	2.56	-	0.81
S13-175	101.7	148.0	46.3	0.33	0.56	2.08	-	0.74
S13-175	198.0	230.0	32.0	0.27	0.07	9.04	-	0.40
S13-175	246.0	302.0	56.0	0.27	0.09	6.77	-	0.39
S13-177	26.8	213.0	186.2	0.39	0.53	1.86	-	0.78
including	26.8	109.0	82.2	0.56	0.81	2.43	-	1.15
including	61.0	107.0	46.0	0.68	1.05	2.73	-	1.44
S13-177	261.0	283.0	22.0	0.24	0.23	1.17	-	0.41

*Width refers to drill hole intercepts, true widths have not been determined.

**Cu Eq. (copper equivalent) has been used to express the combined value of copper, molybdenum, gold and silver as a percentage of copper, and is provided for illustrative purposes only. No allowances have been made for recovery losses that may occur should mining eventually result. Calculations use metal prices of US \$2.50/lb copper, \$1200/oz gold, \$15 silver, and \$10/lb molybdenum using the formula $Cu\ Eq.\% = Cu\% + (Au\ g/t \times 0.701) + (Ag\ g/t \times 0.0087) + (Mo\% \times 4.01)$.

Hole S13-177 was a vertical in-fill hole drilled between East Seel sections 15 and 16 NE. The hole intersected 186.2 metres grading 0.39% copper and 0.53 g/t gold (0.78% copper equivalent) from 26.8 to 213 metres depth, including 82.2 metres grading 0.56% copper and 0.81 g/t gold (1.15% copper equivalent) from 26.8 to 109 metres depth, and 46 metres grading 0.68% copper and 1.05 g/t gold (1.44% copper equivalent) from 61 to 107 metres depth. Hole S13-177 confirms the continuity of the high grade core between previously released intercepts in hole S13-148 (146.3m grading 0.51% copper and 0.59 g/t gold (0.94% copper equivalent) including 44.3m grading 0.94% copper and 1.12 g/t gold (1.76% copper equivalent)) and hole S13-155 (238m grading 0.38% copper and 0.47 g/t gold (0.73% copper equivalent) including 160m grading 0.44% copper and 0.53 g/t gold (0.83% copper equivalent)).

West Seel Drill Results

Holes S13-171, 173, and 176 are located at the West Seel deposit and are the last of the holes drilled into the West Seel deposit during 2013.

Hole S13-171 is located on West Seel Section 8.5 NE available here http://goldreachresources.com/resources/maps/W_Seel_Section_8_Dec_2013.png.

The hole intersected 224 metres grading 0.21% copper, 0.14 g/t gold, 5.13 g/t silver, and 0.017% molybdenum (0.42% copper equivalent) from 7 to 231 metres depth, including 14 metres grading 0.25% copper, 0.76 g/t gold, 8.06 g/t silver, and 0.018% molybdenum (0.93% copper equivalent) from 7 to 21 metres depth. Hole S13-171 also intersected an additional 126 metres grading 0.20% copper, 0.11 g/t gold,

1.88 g/t silver, and 0.017% molybdenum (0.36% copper equivalent) from 261 to the end of the hole at 387 metres depth. On Section 8.5 NE mineralization has been defined over a width of 300 metres and remains open to the southeast, and to depths of over 500 metres and remains open at depth. Additional drilling is required in this area to fully define the extent of mineralization.

Holes S13-173 and 176 are located on West Seel Section 8 NE available here http://goldreachresources.com/resources/maps/W_Seel_Section_8NE_Dec_2013.png.

Hole S13-173 intersected 3 zones of significant mineralization as summarized in the table below. Hole S13-176 intersected 198 metres grading 0.21% copper, 0.12 g/t gold, 4.96 g/t silver, and 0.013% molybdenum (0.39% copper equivalent) from 44 to 242 metres depth, followed by another 58.2 metres grading 0.19% copper, 0.21 g/t gold, 2.29 g/t silver, and 0.012% molybdenum (0.41% copper equivalent) from 266 to 324.2 metres depth.

The high grade intercept in hole S13-171 is part of a larger zone of near-surface higher-grade mineralization at the West Seel zone that has now been intersected in holes S12-108, S13-150, S13-154, S13-156, S13-167, S13-169 and S13-171. This higher-grade zone starts as shallow as 7 metres below surface and has widths up to 150 metres, a length of up to 125 metres and a thickness of up to 40 metres. Thicknesses of drill intersections within this zone range from a low of 14 metres grading 0.93% Cu Eq. (0.25% Cu, 0.75 g/t Au, 8.06 g/t Ag, and 0.018% Mo) in hole S13-171, to 26 metres grading 1.5% Cu Eq. (0.92% Cu, 0.42 g/t Au, 28.19 g/t Ag, 0.009% Mo) in hole S13-169, to a high of 40 metres grading 0.85% Cu Eq. (0.28% Cu, 0.64 g/t Au, 8.98 g/t Ag, 0.012% Mo) in hole S13-156. Further drilling will be required in 2014 to fully understand the extent of this near-surface higher-grade zone which sits above and within a much larger mineralized body that includes intercepts such as 316 metres grading 0.56% Cu Eq. (0.28% Cu, 0.23 g/t Au, 5.28 g/t Ag, and 0.018% Mo) in hole S12-108 and 355 metres grading 0.48% Cu Eq. (0.22% Cu, 0.19 g/t Au, 4.47 g/t Ag, and 0.021% Mo) in hole S13-167. This large zone of mineralization at West Seel is being evaluated as an open pit target.

Summary of select drill intercepts - West Seel Holes S13-171, 173, and 176

Drill Hole	From (m)	To (m)	Width (m)*	Cu %	Au g/t	Ag g/t	Mo %	Cu Eq.%**
S13-171	7.0	231.0	224.0	0.21	0.14	5.13	0.017	0.42
including	7.0	21.0	14.0	0.25	0.76	8.06	0.018	0.93
S13-171	261.0	387.0 EOH	126.0	0.20	0.11	1.88	0.017	0.36
S13-173	82.0	108.0	26.0	0.25	0.18	5.65	0.013	0.48
S13-173	152.0	278.0	126.0	0.19	0.09	4.78	0.017	0.36
S13-173	310.0	405 EOH	95.0	0.18	0.10	2.95	0.017	0.34
S13-176	44.0	242.0	198.0	0.21	0.12	4.96	0.013	0.39
S13-176	266.0	324.2	58.2	0.19	0.21	2.29	0.012	0.41

*Width refers to drill hole intercepts, true widths have not been determined. EOH = end of hole.

**Cu Eq. (copper equivalent) has been used to express the combined value of copper, molybdenum, gold and silver as a percentage of copper, and is provided for illustrative purposes only. No allowances have been made for recovery losses that may occur should mining eventually result. Calculations use metal prices of US \$2.50/lb copper, \$1200/oz gold, \$15 silver, and \$10/lb molybdenum using the formula Cu Eq.% = Cu% + (Au g/t x 0.701) + (Ag g/t x 0.0087) + (Mo% x 4.01).

Drilling Update

The 2013 drill program is now complete. Assay results for the first 31 holes drilled at Seel have been received (holes S13-147 to 177) and released. An additional 22 holes have been completed at Seel (S13-178 to 199) and will be released shortly.

Additional information is available on our website at www.goldreachresources.com.

About Gold Reach Resources

The Otsa property is an advanced stage exploration project containing the Seel and Ox porphyry systems both with compliant resource estimates open for expansion. The Company has completed 134,878 metres of core drilling on the property, with 36,135 meters completed during 2013. An updated resource for the Ox deposit is expected shortly and an updated resource on the Seel deposit is expected in the first quarter of 2014.

Quality Control

All drill core is logged, photographed, and cut in half with a diamond saw. Half of the core is bagged and sent to AGAT Laboratories for analysis (which is an ISO 9001 and ISO/IEC 17025 certified lab), while the other half is archived and stored on site for verification and reference purposes. Gold is assayed by standard fire assay methods with 45 additional elements analyzed by Induced Coupled Plasma (ICP) utilizing a 4-acid digestion. Duplicate samples, blanks, and certified standards are included with every sample batch and then checked to ensure proper quality assurance and quality control.

Dr. Shane Ebert, P.Geo., President of the Company, is the Qualified Person for the Ootsa project as defined by National Instrument 43-101 and has approved the technical disclosure contained in this news release.

Shane Ebert, President/Director

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Safe Harbour Statement: The Company relies upon litigation protection for "forward-looking statements". The Company undertakes no obligation to update these forward-looking statements in the event management's beliefs, estimates obligations or other factors should change.

Contact

[Gold Reach Resources Ltd.](#)

Shane Ebert

President/Director

Direct Line: 250-964-2699

604-718-5454 or Toll Free: 1-888-500-4587

www.goldreachresources.com

B&D Capital Partners

Don Mosher

604-685-6465

Don@bdcapital.com

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/163739--Gold-Reach-Drills-186.2-Metres-of-0.78Prozent-Copper-Equivalent-Including-82.2-Metres-of-1.15Prozent-Copper->

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).