

California Gold Releases New Assay Results from the Fremont Project Including 56.1 M Grading 2.47 G/T Gold

09.05.2014 | [Business Wire](#)

[California Gold Mining Inc.](#) ("California Gold" or the "Company"; CGM - TSXV) is pleased to announce new assay results from the Company's recently completed Phase II drill program at its flagship Fremont Project (the "Project") in Mariposa County, California.

The Phase II drill program commenced on December 17, 2013 and drilling was concluded on January 29, 2014. During the program, four PQ-sized diamond holes were drilled totaling 568 meters (1,862 ft). The main objective of the Phase II drill program was to generate sufficient representative material from each of the three metallurgical domains that have recently been identified at the Fremont Property, in order to initiate Preliminary Economic Assessment (PEA)-level metallurgical testing. The results of the metallurgical test-work are expected to be received by the end of May, 2014.

"The Phase II drill program was completed on time and under budget. The wide intersections and the high assay grades encountered during this campaign continue to support management's belief that the Fremont Property has the potential to host a world-class gold deposit", said Pat Cronin, Chairman.

Assay results released today pertain to diamond drill holes DD-13-15, DD-14-16, DD-14-17 and DD-14-18. Highlights from these four holes include the results in the following table. The plan-view collar locations, interpreted geological cross-sections and detailed assay results for all four holes can be viewed in Appendices A, B and C of this press release, respectively.

Hole ID #	From (Meters)	To (Meters)	Interval (Meters)	Grade	
				Au (oz/t)	Au (g/t)
DD-13-15	93.0	155.4	62.5	0.05	1.82
Including	93.0	94.5	1.5	0.12	4.11
	116.4	120.2	3.8	0.08	2.74
	127.3	137.9	10.7	0.06	2.06
	137.9	142.5	4.6	0.21	7.20
	150.8	152.4	1.6	0.22	7.54
DD-14-16	92.5	148.6	56.1	0.07	2.47
Including	92.5	99.1	6.6	0.08	2.74
	125.7	126.8	1.1	0.09	3.09
	136.4	143.6	7.3	0.16	5.49
	143.6	148.6	5.0	0.14	4.80
DD-14-17	49.8	76.2	26.4	0.05	1.68
Including	55.2	57.9	2.7	0.11	3.77
	69.5	76.2	6.7	0.11	3.77
DD-14-18	29.0	71.6	42.7	0.03	1.10
Including	13.9	21.0	7.2	0.04	1.37
	32.0	34.1	2.1	0.07	2.40
	56.4	57.9	1.5	0.09	3.09
	68.6	71.6	3.0	0.15	5.14

Note 1: Assay composites include up to 8 meters of waste.

Note 2: Composite true widths for DD-13-15, DD-14-16 & DD-14-17 are estimated at 85% of reported intervals. Composite true width for DD-14-18 is estimated at 70% of the reported interval.

The Company has retained the services of BOMENCO Inc., an independent process engineering consulting

firm based in Vancouver, BC, to advise the Company's technical team on the evaluation of ore processing options at the Fremont Property. Following delivery of a detailed Request For Proposal (RFP) to several qualified test laboratories, the Company awarded the contract for the metallurgical test-work to Inspectorate Exploration & Mining Services Ltd. (Inspectorate) based in Richmond, BC. At present, Inspectorate is in possession of all the samples and has initiated the metallurgical testing. The results of the study are expected to be released by the end of May, 2014.

Discussion of Phase II Drill Holes

The results from all four Phase II drill holes correlated extremely well with the geology documented during historic RC drilling campaigns, detailed historic underground mapping, and historic mine development sampling.

The Phase II drill program successfully generated sufficient representative rock material from each of the three metallurgical domains that have been identified on the Fremont Property in order to conduct PEA-level metallurgical studies. The three metallurgical domains are as follows:

- Oxide cap mineralization
- Sulphide replacement mineralization
- Quartz-hosted gold mineralization

As discussed in previous press releases, the mineralization observed while logging the diamond drill core from the Phase I and Phase II drill programs is variable dependent upon whether it is hosted in the Mariposa Formation volcanic-sedimentary sequence, or the tectonic mélange of the Mariposa Fault Zone (Mariposa Mines Trend). The mineralization has thus been divided into two distinct types, as follows:

- Gold mineralization situated within the serpentinite-matrix tectonic mélange (Type 1)
- Gold mineralization hosted in the Mariposa Formation (Type 2)

DD-13-15

Drill hole DD-13-15 was drilled at 273 degrees azimuth and an inclination of minus 63 degrees to a depth of 174.3m. This hole intersected three important mineralized zones with gold values exceeding 3.0 g/t. Long intervals of lower grade vein quartz and sulfide replaced wall rock were encountered both within the serpentinite-matrix tectonic mélange zone rocks and structurally underlying meta-sediments of the Jurassic Mariposa Formation.

For DD-14-15, the weighted average composited gold fire assays extend from the Pine Tree Quartz #1 Vein lode (93.0m depth) to the footwall of the #4 Vein lode (155.4m depth) averaging 1.82 g/t gold along 62.5m.

DD-14-16

Drill hole DD-14-16 was drilled at 276 degrees azimuth and an inclination of minus 63 degrees to a depth of 161.6m. This hole intersected three important mineralized zones with gold values exceeding 3.0g/t. Similar to DD-14-15, a long interval of lower grade gold mineralization was encountered within the tectonic mélange unit and a broad zone of strong gold mineralization was intersected in the structurally underlying meta-sediments.

For DD-14-16, the weighted average composited gold fire assays extend from the Pine Tree Quartz #1 Vein lode (92.5m depth) to the footwall of the Josephine #2 Vein lode (148.6m depth) averaging 2.47 g/t gold along 56.1m.

DD-14-17

Drill hole DD-14-17 was drilled at 273 degrees azimuth and an inclination of minus 60 degrees, to a depth of 108.2m. This hole intersected two important mineralized zones with gold values exceeding 3.0g/t. A large stope was encountered where the #2 Vein lode was projected. Similar to the previous Phase 2 holes, a long interval of low grade gold mineralization associated with quartz veining and disseminated sulfide replacement mineralization of the serpentinite-matrix tectonic mélange was observed.

For DD-14-17, the weighted average composited gold fire assays extend from the Pine Tree Quartz #1 Vein

lode (49.8m depth) to the footwall of the #13 Vein lode (76.2m depth) averaging 1.68 g/t gold along 26.4m.

DD-14-18

Drill hole DD-14-18 was a vertical hole which extended to a depth of 123.8m. This hole intersected three important mineralized zones with gold values exceeding 3.0g/t. A long interval of lower grade gold mineralization was encountered within the serpentinite-matrix tectonic mélange between the #1 and #3 Vein structures. The competent meta-basaltic volcanoclastic unit within the Mariposa Formation flysch sequence was intersected at the bottom of the hole, with weak mineralization encountered at its top contact in the #16 Vein lode.

For DD-14-18, the weighted average composited gold fire assays extend from the Pine Tree Quartz #1 Vein lode (29.0m depth) to the footwall of the #15 Vein lode (71.6m depth) averaging 1.10 g/t gold along 42.7m.

About California Gold Mining Inc.

[California Gold Mining Inc.](#) (formerly Upper Canada Gold Corp. TSX-V:UCC) is focused on developing its flagship Fremont gold project in Mariposa County, California. The project consists of a land package totaling 3,351 acres of historically producing gold mines. The Fremont Property lies within California's prolific Mother Lode Gold Belt that has produced over 50 million oz of gold historically. The Company purchased the property in March 2013.

The laboratory being used for assay analyses is American Assay Laboratories Inc. ("AAL") based in Sparks, Nevada (ISO/IEC 17025:2005 Certified).

The Company's on-site Quality Assurance & Quality Control ("QA/QC") protocols, and AAL's assay QA/QC protocols have received third-party verification by Paul Daigle, P.Geol., a Qualified Person ("QP") as defined under NI 43-101, representing Tetra Tech WEI Inc.

Mr. Vishal Gupta, the Company's Chief Operating Officer has reviewed and approved this press release. Mr. Gupta is a P.Geol., registered with the Association of Professional Geoscientists of Ontario (APGO), and a Qualified Person (QP) as defined under National Instrument 43-101 regulations.

CAUTION REGARDING FORWARD-LOOKING INFORMATION

This news release of California Gold contains statements that constitute "forward-looking statements". Such forward-looking statements involve known and unknown risks, uncertainties and other factors that may cause California Gold's actual results, performance or achievements, or developments in the industry to differ materially from the anticipated results, performance or achievements expressed or implied by such forward-looking statements. Forward-looking statements are statements that are not historical facts and are generally, but not always, identified by the words "expects", "plans", "anticipates", "believes", "intends", "estimates", "projects", "potential" and similar expressions, or that events or conditions "will", "would", "may", "could" or "should" occur. Forward-looking statements in this document include statements regarding planned exploration work on the Company's Fremont Property, and the timing of the receipt of assay results and metallurgical test results by the Company as well as whether results can be released. There can be no assurance that such statements will prove to be accurate. Actual results and future events could differ materially from those anticipated in such statements, and readers are cautioned not to place undue reliance on these forward looking statements. Any factor could cause actual results to differ materially from California Gold's expectations. California Gold undertakes no obligation to update these forward looking statements in the event that management's beliefs, estimates or opinions, or other factors, should change, unless otherwise required by law.

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Appendix A

Plan Map Depicting Drill Collar Locations
For Historic (RC), Phase I and Phase II (DD) Drill Holes

To view the image, please click on the following link:
<http://www.usetdas.com/pr/caliimage001.jpg>

Appendix B
Interpreted Geological Cross-Sections Depicting Down-Hole Traces
For DD-13-15, DD-14-16, DD-14-17 & DD-14-18

DD-13-15

To view the image, please click on the following link:
<http://www.usetdas.com/pr/caliimage002.jpg>

DD-14-16

To view the image, please click on the following link:
<http://www.usetdas.com/pr/caliimage003.jpg>

DD-14-17

To view the image, please click on the following link:
<http://www.usetdas.com/pr/caliimage004.jpg>

DD-14-18

To view the image, please click on the following link:
<http://www.usetdas.com/pr/caliimage005.jpg>

Appendix C

Detailed Assay Results

For DD-13-15, DD-14-16, DD-14-17 & DD-14-18

DD-13-15

Hole ID	From (ft)	To (ft)	Length (ft)	Au Grade (oz/ton)
dd13015	0.00	5.00	5.00	0.030
dd13015	5.00	10.00	5.00	0.017
dd13015	10.00	15.00	5.00	-0.003
dd13015	15.00	20.00	5.00	-0.003
dd13015	20.00	25.00	5.00	-0.003
dd13015	25.00	30.00	5.00	-0.003
dd13015	30.00	33.00	3.00	0.040
dd13015	33.00	35.00	2.00	0.026
dd13015	35.00	40.00	5.00	-0.003
dd13015	40.00	45.00	5.00	0.021
dd13015	45.00	47.50	2.50	0.016
dd13015	47.50	50.00	2.50	0.009
dd13015	50.00	52.50	2.50	-0.003
dd13015	52.50	55.00	2.50	0.016
dd13015	55.00	57.50	2.50	0.039
dd13015	57.50	60.00	2.50	0.025
dd13015	60.00	62.50	2.50	0.005
dd13015	62.50	65.00	2.50	0.037
dd13015	65.00	67.50	2.50	0.118
dd13015	67.50	70.00	2.50	0.016
dd13015	70.00	72.50	2.50	0.012
dd13015	72.50	75.00	2.50	-0.003
dd13015	75.00	77.50	2.50	0.016
dd13015	77.50	80.00	2.50	0.008
dd13015	80.00	82.50	2.50	-0.003
dd13015	82.50	85.00	2.50	-0.003
dd13015	85.00	87.50	2.50	-0.003
dd13015	87.50	90.00	2.50	-0.003
dd13015	90.00	92.50	2.50	-0.003
dd13015	92.50	95.00	2.50	-0.003
dd13015	95.00	97.50	2.50	-0.003
dd13015	97.50	100.00	2.50	-0.003
dd13015	100.00	102.50	2.50	-0.003
dd13015	102.50	105.00	2.50	-0.003
dd13015	105.00	107.50	2.50	-0.003
dd13015	107.50	110.00	2.50	-0.003

dd13015	110.00	112.50	2.50	-0.003
dd13015	112.50	115.00	2.50	-0.003
dd13015	115.00	117.50	2.50	-0.003
dd13015	117.50	120.00	2.50	-0.003
dd13015	120.00	122.50	2.50	0.003
dd13015	122.50	125.00	2.50	-0.003
dd13015	125.00	127.50	2.50	-0.003
dd13015	127.50	130.00	2.50	-0.003
dd13015	130.00	132.50	2.50	-0.003
dd13015	132.50	135.00	2.50	-0.003
dd13015	135.00	137.50	2.50	-0.003
dd13015	137.50	140.00	2.50	-0.003
dd13015	140.00	142.50	2.50	-0.003
dd13015	142.50	145.00	2.50	-0.003
dd13015	145.00	147.50	2.50	-0.003
dd13015	147.50	150.00	2.50	-0.003
dd13015	150.00	152.50	2.50	-0.003
dd13015	152.50	155.00	2.50	-0.003
dd13015	155.00	157.70	2.70	-0.003
dd13015	157.70	160.00	2.30	-0.003
dd13015	160.00	162.50	2.50	-0.003
dd13015	162.50	165.00	2.50	-0.003
dd13015	165.00	167.50	2.50	-0.003
dd13015	167.50	170.00	2.50	-0.003
dd13015	170.00	172.50	2.50	-0.003
dd13015	172.50	175.00	2.50	-0.003
dd13015	175.00	177.50	2.50	-0.003
dd13015	177.50	180.00	2.50	0.009
dd13015	180.00	182.50	2.50	-0.003
dd13015	182.50	185.00	2.50	-0.003
dd13015	185.00	187.50	2.50	0.007
dd13015	187.50	190.00	2.50	-0.003
dd13015	190.00	192.50	2.50	-0.003
dd13015	192.50	195.00	2.50	0.008
dd13015	195.00	197.60	2.60	-0.003
dd13015	197.60	200.00	2.40	-0.003
dd13015	200.00	202.50	2.50	-0.003
dd13015	202.50	205.00	2.50	-0.003
dd13015	205.00	207.70	2.70	-0.003
dd13015	207.70	210.00	2.30	-0.003
dd13015	210.00	212.50	2.50	-0.003
dd13015	212.50	215.00	2.50	-0.003
dd13015	215.00	217.50	2.50	-0.003
dd13015	217.50	220.00	2.50	-0.003
dd13015	220.00	222.70	2.70	-0.003
dd13015	222.70	225.00	2.30	-0.003
dd13015	225.00	227.50	2.50	-0.003
dd13015	227.50	230.00	2.50	-0.003
dd13015	230.00	232.50	2.50	-0.003
dd13015	232.50	235.00	2.50	-0.003
dd13015	235.00	237.50	2.50	-0.003
dd13015	237.50	240.00	2.50	-0.003
dd13015	240.00	243.00	3.00	-0.003
dd13015	243.00	245.00	2.00	-0.003
dd13015	245.00	247.50	2.50	-0.003
dd13015	247.50	250.00	2.50	-0.003
dd13015	250.00	252.50	2.50	-0.003
dd13015	252.50	255.00	2.50	-0.003
dd13015	255.00	257.50	2.50	-0.003
dd13015	257.50	260.00	2.50	-0.003
dd13015	260.00	262.50	2.50	-0.003
dd13015	262.50	265.00	2.50	-0.003
dd13015	265.00	267.50	2.50	-0.003
dd13015	267.50	270.00	2.50	-0.003
dd13015	270.00	272.50	2.50	-0.003
dd13015	272.50	275.00	2.50	-0.003
dd13015	275.00	277.50	2.50	-0.003
dd13015	277.50	279.00	1.50	-0.003
dd13015	279.00	282.50	3.50	-0.003
dd13015	282.50	285.00	2.50	-0.003
dd13015	285.00	287.50	2.50	-0.003
dd13015	287.50	290.00	2.50	-0.003
dd13015	290.00	292.00	2.00	-0.003
dd13015	292.00	295.00	3.00	-0.003

dd13015	295.00	297.50	2.50	-0.003
dd13015	297.50	300.00	2.50	-0.003
dd13015	300.00	302.50	2.50	-0.003
dd13015	302.50	305.00	2.50	-0.003
dd13015	305.00	307.50	2.50	0.213
dd13015	307.50	310.00	2.50	0.020
dd13015	310.00	311.50	1.50	0.036
dd13015	311.50	313.00	1.50	0.035
dd13015	313.00	315.00	2.00	-0.003
dd13015	315.00	317.50	2.50	-0.003
dd13015	317.50	320.00	2.50	-0.003
dd13015	320.00	322.50	2.50	0.004
dd13015	322.50	325.00	2.50	0.019
dd13015	325.00	327.50	2.50	0.014
dd13015	327.50	330.00	2.50	0.011
dd13015	330.00	332.50	2.50	0.012
dd13015	332.50	335.00	2.50	0.013
dd13015	335.00	337.50	2.50	-0.003
dd13015	337.50	340.00	2.50	-0.003
dd13015	340.00	342.50	2.50	0.006
dd13015	342.50	345.00	2.50	0.014
dd13015	345.00	347.50	2.50	-0.003
dd13015	347.50	350.00	2.50	0.015
dd13015	350.00	352.50	2.50	0.028
dd13015	352.50	355.00	2.50	0.005
dd13015	355.00	357.50	2.50	0.061
dd13015	357.50	360.00	2.50	0.027
dd13015	360.00	362.50	2.50	0.025
dd13015	362.50	365.00	2.50	0.034
dd13015	365.00	367.00	2.00	0.019
dd13015	367.00	370.00	3.00	0.016
dd13015	370.00	371.50	1.50	-0.003
dd13015	371.50	374.00	2.50	0.043
dd13015	374.00	376.50	2.50	0.022
dd13015	376.50	380.00	3.50	0.020
dd13015	380.00	382.00	2.00	0.012
dd13015	382.00	385.00	3.00	0.067
dd13015	385.00	387.50	2.50	0.047
dd13015	387.50	390.00	2.50	0.145
dd13015	390.00	392.50	2.50	0.064
dd13015	392.50	395.00	2.50	0.051
dd13015	395.00	397.50	2.50	-0.003
dd13015	397.50	400.00	2.50	-0.003
dd13015	400.00	402.50	2.50	0.014
dd13015	402.50	405.00	2.50	0.019
dd13015	405.00	407.10	2.10	-0.003
dd13015	407.10	408.10	1.00	0.097
dd13015	408.10	409.30	1.20	0.140
dd13015	409.30	412.50	3.20	0.030
dd13015	412.50	415.00	2.50	0.048
dd13015	415.00	417.50	2.50	0.034
dd13015	417.50	420.00	2.50	0.136
dd13015	420.00	422.50	2.50	0.047
dd13015	422.50	425.00	2.50	0.067
dd13015	425.00	427.50	2.50	0.081
dd13015	427.50	430.00	2.50	0.076
dd13015	430.00	423.50	-6.50	0.057
dd13015	423.50	435.00	11.50	0.043
dd13015	435.00	437.50	2.50	0.038
dd13015	437.50	440.00	2.50	0.125
dd13015	440.00	442.50	2.50	0.103
dd13015	442.50	445.00	2.50	0.024
dd13015	445.00	447.50	2.50	0.034
dd13015	447.50	450.00	2.50	0.018
dd13015	450.00	452.50	2.50	0.027
dd13015	452.50	455.50	3.00	0.132
dd13015	455.50	457.20	1.70	0.077
dd13015	457.20	460.00	2.80	0.101
dd13015	460.00	462.50	2.50	0.279
dd13015	462.50	465.00	2.50	0.104
dd13015	465.00	467.50	2.50	0.577
dd13015	467.50	470.00	2.50	0.096
dd13015	470.00	472.50	2.50	0.049
dd13015	472.50	475.00	2.50	0.019

dd13015	475.00	477.50	2.50	-0.003
dd13015	477.50	480.00	2.50	-0.003
dd13015	480.00	482.50	2.50	-0.003
dd13015	482.50	485.00	2.50	-0.003
dd13015	485.00	487.50	2.50	-0.003
dd13015	487.50	490.00	2.50	-0.003
dd13015	490.00	492.50	2.50	-0.003
dd13015	492.50	490.00	-2.50	0.016
dd13015	490.00	492.50	2.50	0.274
dd13015	492.50	500.00	7.50	0.209
dd13015	500.00	502.50	2.50	0.038
dd13015	502.50	505.00	2.50	0.070
dd13015	505.00	507.50	2.50	0.038
dd13015	507.50	510.00	2.50	0.058
dd13015	510.00	512.50	2.50	0.008
dd13015	512.50	515.00	2.50	-0.003
dd13015	515.00	517.50	2.50	0.007
dd13015	517.50	520.00	2.50	-0.003
dd13015	520.00	522.50	2.50	0.007
dd13015	522.50	525.00	2.50	0.016
dd13015	525.00	527.50	2.50	-0.003
dd13015	527.50	530.00	2.50	-0.003
dd13015	530.00	532.50	2.50	-0.003
dd13015	532.50	535.00	2.50	0.010
dd13015	535.00	537.50	2.50	0.022
dd13015	537.50	540.00	2.50	-0.003
dd13015	540.00	542.50	2.50	-0.003
dd13015	542.50	545.00	2.50	-0.003
dd13015	545.00	547.50	2.50	-0.003
dd13015	547.50	550.00	2.50	0.012
dd13015	550.00	552.50	2.50	-0.003
dd13015	552.50	555.00	2.50	-0.003
dd13015	555.00	557.50	2.50	-0.003
dd13015	557.50	560.00	2.50	-0.003
dd13015	560.00	562.50	2.50	-0.003
dd13015	562.50	565.00	2.50	-0.003
dd13015	565.00	567.50	2.50	-0.003
dd13015	567.50	570.00	2.50	-0.003
dd13015	570.00	571.75	1.75	-0.003

DD-14-16

Hole ID	From (ft)	To (ft)	Length (ft)	Au Grade (oz/ton)
DD14016	0.00	5.00	5.00	-0.003
DD14016	5.00	10.00	5.00	-0.003
DD14016	10.00	15.00	5.00	0.007
DD14016	15.00	20.00	5.00	0.007
DD14016	20.00	25.00	5.00	0.028
DD14016	25.00	30.00	5.00	0.004
DD14016	30.00	35.00	5.00	0.009
DD14016	35.00	45.00	10.00	0.011
DD14016	40.00	50.00	10.00	0.048
DD14016	45.00	55.00	10.00	0.020
DD14016	50.00	60.00	10.00	-0.003
DD14016	55.00	65.00	10.00	0.007
DD14016	60.00	70.00	10.00	-0.003
DD14016	65.00	70.00	5.00	0.021
DD14016	70.00	75.00	5.00	0.017
DD14016	75.00	80.00	5.00	0.028
DD14016	80.00	85.00	5.00	0.016
DD14016	85.00	90.00	5.00	0.016
DD14016	90.00	95.00	5.00	0.019
DD14016	95.00	100.00	5.00	0.019
DD14016	100.00	105.00	5.00	0.007
DD14016	105.00	110.00	5.00	0.032
DD14016	110.00	115.00	5.00	-0.003
DD14016	115.00	120.00	5.00	0.003
DD14016	120.00	125.00	5.00	0.009
DD14016	125.00	130.00	5.00	0.007
DD14016	130.00	135.00	5.00	-0.003
DD14016	135.00	140.00	5.00	-0.003

DD14016	140.00	145.00	5.00	-0.003
DD14016	145.00	150.00	5.00	-0.003
DD14016	150.00	154.50	4.50	-0.003
DD14016	154.50	156.00	1.50	-0.003
DD14016	156.00	160.00	4.00	0.003
DD14016	160.00	165.00	5.00	-0.003
DD14016	165.00	170.00	5.00	-0.003
DD14016	170.00	175.00	5.00	-0.003
DD14016	175.00	180.00	5.00	-0.003
DD14016	180.00	185.00	5.00	-0.003
DD14016	185.00	190.00	5.00	-0.003
DD14016	190.00	195.00	5.00	0.006
DD14016	195.00	200.00	5.00	-0.003
DD14016	200.00	205.00	5.00	-0.003
DD14016	205.00	210.00	5.00	-0.003
DD14016	210.00	215.00	5.00	-0.003
DD14016	215.00	220.00	5.00	-0.003
DD14016	220.00	225.00	5.00	-0.003
DD14016	225.00	230.00	5.00	-0.003
DD14016	230.00	235.00	5.00	-0.003
DD14016	235.00	240.00	5.00	-0.003
DD14016	240.00	245.00	5.00	-0.003
DD14016	245.00	250.00	5.00	-0.003
DD14016	250.00	255.00	5.00	-0.003
DD14016	255.00	260.00	5.00	-0.003
DD14016	260.00	265.00	5.00	-0.003
DD14016	265.00	270.00	5.00	-0.003
DD14016	270.00	275.00	5.00	-0.003
DD14016	275.00	280.00	5.00	-0.003
DD14016	280.00	285.00	5.00	-0.003
DD14016	285.00	286.50	1.50	-0.003
DD14016	286.50	290.00	3.50	-0.003
DD14016	292.50	295.00	2.50	-0.003
DD14016	295.00	298.50	3.50	-0.003
DD14016	298.50	301.00	2.50	-0.003
DD14016	301.00	303.50	2.50	-0.003
DD14016	305.00	307.00	2.00	0.062
DD14016	307.00	308.20	1.20	0.075
DD14016	308.20	311.50	3.30	0.064
DD14016	311.50	313.80	2.30	0.033
DD14016	313.80	315.00	1.20	0.011
DD14016	316.40	319.30	2.90	0.082
DD14016	319.30	321.50	2.20	-0.003
DD14016	321.50	325.00	3.50	0.251
DD14016	325.00	327.50	2.50	0.029
DD14016	330.00	335.00	5.00	-0.003
DD14016	335.00	337.00	2.00	0.012
DD14016	337.00	340.50	3.50	0.023
DD14016	340.50	345.00	4.50	0.036
DD14016	345.00	350.00	5.00	0.008
DD14016	350.00	355.00	5.00	0.028
DD14016	355.00	360.00	5.00	0.078
DD14016	360.00	365.00	5.00	0.038
DD14016	365.00	370.00	5.00	0.061
DD14016	370.00	372.00	2.00	0.013
DD14016	372.00	375.00	3.00	0.084
DD14016	375.00	377.00	2.00	0.103
DD14016	377.00	379.10	2.10	0.130
DD14016	379.10	381.30	2.20	-0.003
DD14016	381.30	383.80	2.50	0.067
DD14016	383.80	386.00	2.20	0.040
DD14016	386.00	388.20	2.20	-0.003
DD14016	388.20	390.00	1.80	-0.003
DD14016	390.00	395.00	5.00	0.006
DD14016	395.00	397.50	2.50	-0.003
DD14016	397.50	400.00	2.50	0.013
DD14016	400.00	402.50	2.50	0.020
DD14016	402.50	405.00	2.50	-0.003
DD14016	405.00	407.50	2.50	-0.003
DD14016	407.50	410.00	2.50	0.012
DD14016	410.00	412.50	2.50	-0.003
DD14016	412.50	415.00	2.50	0.079
DD14016	415.00	416.10	1.10	0.098
DD14016	416.10	420.00	3.90	0.013

DD14016	420.00	422.50	2.50	0.017
DD14016	422.50	425.00	2.50	0.075
DD14016	425.00	430.00	5.00	0.036
DD14016	430.00	432.50	2.50	0.099
DD14016	432.50	435.00	2.50	0.167
DD14016	435.00	437.50	2.50	0.106
DD14016	437.50	440.00	2.50	0.175
DD14016	440.00	442.50	2.50	0.147
DD14016	442.50	445.00	2.50	0.037
DD14016	445.00	447.40	2.40	0.104
DD14016	447.40	450.00	2.60	0.061
DD14016	450.00	452.70	2.70	0.174
DD14016	452.70	456.30	3.60	0.069
DD14016	456.30	461.80	5.50	0.018
DD14016	461.80	465.00	3.20	0.173
DD14016	465.00	467.50	2.50	0.708
DD14016	467.50	470.00	2.50	0.139
DD14016	470.00	472.50	2.50	0.070
DD14016	472.50	475.00	2.50	0.175
DD14016	475.00	477.60	2.60	0.087
DD14016	477.60	480.00	2.40	0.058
DD14016	480.00	482.50	2.50	0.241
DD14016	482.50	485.00	2.50	0.160
DD14016	485.00	487.50	2.50	0.168
DD14016	487.50	490.00	2.50	0.007
DD14016	490.00	492.30	2.30	-0.003
DD14016	492.30	495.00	2.70	-0.003
DD14016	495.00	500.00	5.00	-0.003
DD14016	500.00	505.00	5.00	-0.003
DD14016	505.00	510.00	5.00	0.012
DD14016	510.00	515.00	5.00	0.006
DD14016	515.00	520.00	5.00	-0.003
DD14016	520.00	525.00	5.00	-0.003
DD14016	525.00	530.00	5.00	-0.003

DD-14-17

Hole ID	From (ft)	To (ft)	Length (ft)	Au Grade (oz/ton)
DD14017	0.00	5.00	5.00	0.009
DD14017	5.00	10.00	5.00	0.007
DD14017	10.00	15.00	5.00	-0.003
DD14017	15.00	20.00	5.00	-0.003
DD14017	20.00	25.00	5.00	0.006
DD14017	25.00	40.00	15.00	-0.003
DD14017	40.00	45.00	5.00	-0.003
DD14017	45.00	50.00	5.00	-0.003
DD14017	50.00	55.00	5.00	-0.003
DD14017	55.00	60.00	5.00	-0.003
DD14017	60.00	65.00	5.00	-0.003
DD14017	65.00	70.00	5.00	-0.003
DD14017	70.00	75.00	5.00	-0.003
DD14017	75.00	80.00	5.00	-0.003
DD14017	80.00	85.00	5.00	-0.003
DD14017	85.00	90.00	2.50	-0.003
DD14017	90.00	95.00	2.50	-0.003
DD14017	95.00	100.00	2.50	-0.003
DD14017	100.00	105.00	2.50	-0.003
DD14017	105.00	110.00	2.50	-0.003
DD14017	110.00	115.00	2.50	-0.003
DD14017	115.00	120.00	2.50	-0.003
DD14017	120.00	125.00	2.50	-0.003
DD14017	125.00	130.00	5.00	-0.003
DD14017	130.00	135.00	5.00	-0.003
DD14017	135.00	140.00	5.00	-0.003
DD14017	140.00	145.00	5.00	-0.003
DD14017	145.00	150.00	5.00	-0.003
DD14017	150.00	155.00	5.00	-0.003
DD14017	155.00	160.00	5.00	-0.003
DD14017	160.00	163.50	3.50	-0.003
DD14017	163.50	167.20	3.70	0.013
DD14017	167.20	170.00	2.80	-0.003

DD14017	170.00	175.00	5.00	0.034
DD14017	175.00	177.00	2.00	0.043
DD14017	177.00	181.00	4.00	-0.003
DD14017	181.00	185.00	4.00	0.041
DD14017	185.00	190.00	5.00	0.169
DD14017	190.00	195.00	5.00	0.015
DD14017	195.00	200.00	5.00	-0.003
DD14017	200.00	205.00	5.00	0.010
DD14017	205.00	210.00	5.00	0.021
DD14017	210.00	215.00	5.00	0.022
DD14017	215.00	220.00	5.00	0.036
DD14017	220.00	225.00	5.00	0.005
DD14017	225.00	230.00	5.00	0.010
DD14017	230.00	235.00	5.00	0.062
DD14017	235.00	240.00	5.00	0.071
DD14017	240.00	245.00	5.00	0.194
DD14017	245.00	250.00	5.00	0.143
DD14017	250.00	255.00	5.00	-0.003
DD14017	255.00	259.00	4.00	-0.003
DD14017	259.00	265.00	6.00	-0.003
DD14017	265.00	270.00	5.00	-0.003
DD14017	270.00	275.00	5.00	-0.003
DD14017	275.00	280.00	5.00	-0.003
DD14017	280.00	285.00	5.00	-0.003
DD14017	285.00	290.00	5.00	-0.003
DD14017	290.00	295.00	5.00	0.009
DD14017	295.00	298.50	3.50	0.022
DD14017	298.50	308.50	10.00	0.029
DD14017	308.50	313.50	5.00	0.026
DD14017	313.50	320.50	7.00	0.007
DD14017	320.50	325.00	4.50	-0.003
DD14017	325.00	330.00	5.00	-0.003
DD14017	330.00	335.00	5.00	-0.003
DD14017	335.00	340.00	5.00	-0.003
DD14017	340.00	345.00	5.00	-0.003
DD14017	345.00	350.00	5.00	-0.003
DD14017	350.00	355.00	5.00	-0.003

DD-14-18

Hole ID	From (ft)	To (ft)	Length (ft)	Au Grade (oz/ton)
DD14018	0.00	5.00	5.00	0.005
DD14018	5.00	10.00	5.00	-0.003
DD14018	10.00	15.00	5.00	-0.003
DD14018	15.00	20.00	5.00	0.014
DD14018	20.00	25.00	5.00	0.005
DD14018	25.00	30.00	5.00	0.013
DD14018	30.00	35.00	5.00	0.003
DD14018	35.00	40.00	5.00	0.003
DD14018	40.00	45.50	5.50	0.041
DD14018	45.50	50.00	4.50	0.019
DD14018	50.00	55.00	5.00	0.106
DD14018	55.00	57.00	2.00	-0.003
DD14018	57.00	58.80	1.80	0.081
DD14018	58.80	63.00	4.20	0.018
DD14018	63.00	69.00	6.00	0.005
DD14018	69.00	75.00	6.00	0.010
DD14018	75.00	80.00	5.00	0.004
DD14018	80.00	84.75	4.75	0.012
DD14018	84.75	89.00	4.25	0.013
DD14018	89.00	90.00	1.00	0.011
DD14018	90.00	95.00	5.00	0.007
DD14018	95.00	100.00	5.00	0.029
DD14018	100.00	105.00	5.00	0.020
DD14018	105.00	110.00	5.00	0.065
DD14018	110.00	112.00	2.00	0.069
DD14018	112.00	115.00	3.00	0.115
DD14018	115.00	117.50	2.50	0.014
DD14018	117.50	120.00	2.50	0.006
DD14018	120.00	122.50	2.50	0.011
DD14018	122.50	125.00	2.50	0.043

DD14018	125.00	152.50	27.50	0.022
DD14018	152.50	158.00	5.50	0.009
DD14018	158.00	165.00	7.00	0.042
DD14018	165.00	170.00	5.00	0.005
DD14018	170.00	175.00	5.00	-0.003
DD14018	175.00	180.00	5.00	0.003
DD14018	180.00	185.00	5.00	0.010
DD14018	185.00	190.00	5.00	0.090
DD14018	190.00	195.00	5.00	0.010
DD14018	195.00	200.00	5.00	0.039
DD14018	200.00	205.00	5.00	-0.003
DD14018	205.00	210.00	5.00	-0.003
DD14018	210.00	215.00	5.00	-0.003
DD14018	215.00	220.00	5.00	-0.003
DD14018	220.00	225.00	5.00	-0.003
DD14018	225.00	230.00	5.00	0.146
DD14018	230.00	235.00	5.00	0.163
DD14018	235.00	240.00	5.00	0.005
DD14018	240.00	245.00	5.00	-0.003
DD14018	245.00	250.00	5.00	-0.003
DD14018	250.00	255.00	5.00	-0.003
DD14018	255.00	260.00	5.00	-0.003
DD14018	260.00	265.00	5.00	0.009
DD14018	265.00	270.00	5.00	0.005
DD14018	270.00	275.00	5.00	0.088
DD14018	275.00	280.00	5.00	0.028
DD14018	280.00	285.00	5.00	-0.003
DD14018	285.00	290.00	5.00	-0.003
DD14018	290.00	295.00	5.00	0.007
DD14018	295.00	300.00	5.00	0.010
DD14018	300.00	305.00	5.00	-0.003
DD14018	305.00	310.00	5.00	-0.003
DD14018	310.00	315.00	5.00	-0.003
DD14018	315.00	320.00	5.00	-0.003
DD14018	320.00	325.00	5.00	-0.003
DD14018	325.00	330.00	5.00	0.056
DD14018	330.00	335.00	5.00	0.072
DD14018	335.00	340.00	5.00	-0.003
DD14018	340.00	345.00	5.00	-0.003
DD14018	345.00	350.00	5.00	-0.003
DD14018	350.00	355.00	5.00	-0.003
DD14018	355.00	360.00	5.00	-0.003
DD14018	360.00	365.00	5.00	-0.003
DD14018	365.00	370.00	5.00	-0.003
DD14018	370.00	375.00	5.00	-0.003
DD14018	375.00	380.00	5.00	-0.003
DD14018	380.00	385.00	5.00	-0.003
DD14018	385.00	390.00	5.00	0.026
DD14018	390.00	395.00	5.00	0.004
DD14018	395.00	400.00	5.00	0.030
DD14018	400.00	405.00	5.00	-0.003

Contact

[California Gold Mining Inc.](#)

647-977-9267 x333

Vishal Gupta, Chief Operating Officer

www.caligold.ca

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/173116--California-Gold-Releases-New-Assay-Results-from-the-Fremont-Project-Including-56.1-M-Grading-2.47-G~T-Gold>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).