

Rockhaven Resources Ltd. Drills 27.80 g/t Gold and 656 g/t Silver (40.92 g/t Gold EQ) Over 1.01 m and 21.50 g/t Gold and 323 g/t Silver (27.96 g/t Gold EQ) Over 1.47 m at the Klaza Project, Yukon

06.10.2014 | [Marketwired](#)

VANCOUVER, BRITISH COLUMBIA--(Marketwired - Oct 6, 2014) - **October 6, 2014 - [Rockhaven Resources Ltd.](#)** (TSX VENTURE:RK) ("Rockhaven") is pleased to announce additional results from 2014 drill holes on the Western and Central BRX Zones at its 100%-owned and road-accessible Klaza property, located in the Dawson Range Gold Belt of southern Yukon. The most recent results continue to delineate areas of high-grade gold and silver mineralization within the Western BRX Zone (See News Releases dated July 15th 2014, July 22nd 2014 and July 29th 2014). Drilling announced to date has systematically traced the zone over a 500 m strike length and from surface to a depth of 325 m down-dip.

Highlights from the new drill holes testing the Western BRX Zone are as follows:

- **27.80 g/t gold and 656 g/t silver (40.92 g/t gold EQ*) over 1.01 m - Hole 172**
- **8.71 g/t gold and 38.2 g/t silver (9.47 g/t gold EQ) over 2.41 m**
including 26.80 g/t gold and 101 g/t silver (28.82 g/t gold EQ) over 0.66 m - Hole 177
- **20.73 g/t gold and 235 g/t silver (25.43 g/t gold EQ) over 1.11 m - Hole 181**
- **10.23 g/t gold and 298 g/t silver (16.19 g/t gold EQ) over 2.18 m - Hole 186**
- **21.50 g/t gold and 323 g/t silver (27.96 g/t gold EQ) over 1.47 m - Hole 188**

"Systematic drilling continues to demonstrate excellent continuity and size potential with numerous high-grade gold and silver assays within the Western BRX Zone," stated Matt Turner, CEO of Rockhaven Resources. "Consistent intercepts grading more than 20 g/t gold are delineating an exceptionally high-grade discovery."

Western BRX Zone

The Western BRX Zone was the main target of the 2014 diamond drill program. Mineralized veins are emplaced adjacent to a feldspar porphyry dyke that can be traced along the length of the zone. A secondary vein (BRXb), located 20 to 70 m into the hanging wall of the dyke, is oriented slightly oblique to the main veins and may represent a later-stage mineralizing event.

Significant new results from the Western BRX Zone are shown in the table below.

Drill Hole	Zone ID	From (m)	To (m)	Interval (m)*	Gold (g/t)	Silver (g/t)	Gold EQ (g/t)*
KL-14-172	BRXb	180.31	182.22	1.91	2.85	20.4	3.26
and	BRX	261.29	265.74	4.45	6.65	157	9.79
incl.		261.29	262.30	1.01	27.80	656	40.92
KL-14-177	BRX	279.39	281.80	2.41	8.71	38.2	9.47
incl.		281.14	281.80	0.66	26.80	101	28.82
KL-14-181	BRX	285.06	287.45	2.39	10.21	115	12.51
incl.		286.34	287.45	1.11	20.73	235	25.43
KL-14-183	BRXb	163.68	164.84	1.16	3.62	107	5.76

and	BRX	225.44	226.01	0.57	2.88	16.0	3.20
and		231.52	232.16	0.64	2.99	53.2	4.05
and		261.22	261.59	0.37	35.50	359	42.68
KL-14-186	BRX	219.02	221.20	2.18	10.23	298	16.19
incl.		219.02	219.76	0.74	3.79	593	15.65
and incl.		220.74	221.20	0.46	41.80	433	50.46
KL-14-188	BRX	211.25	213.05	1.80	2.08	3.81	2.16
and		215.28	218.75	3.47	9.86	220	14.25
incl.		217.28	218.75	1.47	21.50	323	27.96
KL-14-192	BRX	230.30	235.13	4.83	2.08	30.6	2.69
incl.		230.30	231.20	0.90	8.92	63.5	10.19
KL-14-195	BRX	214.94	218.57	3.63	3.21	18.7	3.52
incl.		214.94	215.51	0.57	6.14	44.0	6.87
and incl.		218.23	218.57	0.34	13.30	68.1	14.44
KL-14-229	BRX	301.81	302.90	1.09	3.68	38.2	4.45
incl.		302.57	302.90	0.33	10.90	94.7	12.79
KL-14-235	BRX	236.47	236.90	0.43	12.25	60.3	13.46

+ Represents the diamond drill hole length. True widths are estimated to be approximately 80-90% of the interval.

*Gold equivalence (EQ) has been calculated using metal prices of \$1200 per ounce gold and \$24.00 per ounce silver, to be consistent with earlier calculations and assumes 100% recoveries of both metals.

KL-14-191 tested the Western BRX Zone but did not return significant results.

One final hole, KL-14-238, tested the Western BRX Zone at a depth of 500 m down-dip. Results from this hole will be released once assays are received, compiled and evaluated.

Maps, sections and an expanded assay list which includes copper, lead and zinc values for the significant intervals can be viewed at the Company's website at www.rockhavenresources.com.

Central BRX Zone

The Central BRX Zone is the site of the original discovery at the Klaza property and is situated along strike and to the east of the Western BRX Zone. These two zones are separated by a cross fault that facilitated both vertical and lateral displacement between the two zones. Although the orientation and visual nature of the veins are similar on both sides of the fault, mineralization is generally silver dominant in the Central BRX Zone.

Exploration drilling in 2014 at the Central BRX Zone targeted near-surface mineralization along a 1,000 m strike length. It successfully identified key structural controls and provided a better understanding of mineral zonation and grade continuity, which will aid in future drilling at this zone.

Significant new results from the Central BRX Zone are shown in the table below.

Drill Hole	Zone ID	From (m)	To (m)	Interval (m)*	Gold (g/t)	Silver (g/t)	Gold EQ (g/t)*
KL-14-163	BRX	170.63	171.14	0.51	4.06	75.5	5.57
KL-14-165	BRX	84.30	88.35	4.05	1.30	59.9	2.50
incl.		84.30	85.34	1.04	4.70	190	8.50
KL-14-167	BRX	142.17	145.24	3.07	0.31	121	2.73
incl.		142.17	142.56	0.39	2.02	619	14.40
and		150.74	152.60	1.86	1.24	107	3.38
incl.		150.74	151.33	0.59	3.27	304	9.35
KL-14-168	BRX	141.93	144.38	2.45	0.55	39.9	1.35
incl.		141.93	142.34	0.41	1.68	114	3.96
and		149.10	149.55	0.45	1.84	116	4.16

KL-14-170	BRX	184.03	185.67	1.64	1.21	271	6.63
incl.		184.96	185.41	0.45	2.49	664	15.77
KL-14-194	BRX	63.23	63.95	0.72	6.05	318	12.41
and		72.40	73.65	1.25	2.84	185	6.55
incl.		72.75	73.65	0.90	3.84	241	8.66
KL-14-196	BRX	57.72	62.33	4.61	1.92	214	6.21
incl.		57.72	58.78	1.06	2.65	359	9.83
and incl.		59.26	60.05	0.79	4.87	457	14.01
KL-14-197	BRX	79.70	80.43	0.73	6.76	978	26.32
KL-14-198	BRX	69.28	70.53	1.25	3.56	102	5.61
incl.		70.26	70.53	0.27	14.90	412	23.14
and		79.68	80.75	1.07	7.74	156	10.87
incl.		79.68	80.30	0.62	13.20	266	18.52
KL-14-200	BRX	60.28	62.43	2.15	1.04	63.1	2.30
incl.		60.28	60.58	0.30	2.70	99.9	4.70
KL-14-202	BRX	69.05	69.35	0.30	2.49	80.2	4.09
KL-14-203	BRX	67.72	68.38	0.66	1.89	102	3.92
KL-14-205	BRX	76.76	79.11	2.35	1.28	104	3.37
incl.		77.51	78.33	0.82	2.49	203	6.55
KL-14-207	BRX	71.72	80.08	8.36	0.91	80.0	2.51
incl.		71.72	72.43	0.71	3.20	121	5.62
and incl.		74.33	74.93	0.60	5.40	110	7.61
and incl.		78.38	78.78	0.40	1.92	683	15.58
and incl.		79.73	80.08	0.35	1.96	582	13.60
KL-14-209	BRX	63.37	63.83	0.46	3.03	52.3	4.08
KL-14-211	BRX	85.79	86.09	0.30	3.23	25.0	3.73
KL-14-213	BRX	56.61	57.71	1.10	7.79	128	10.35
incl.		57.04	57.71	0.67	12.15	196	16.07
KL-14-215	BRX	73.03	73.75	0.72	10.20	95.8	12.12
KL-14-217	BRX	57.70	60.00	2.30	2.71	10.4	2.91
incl.		58.00	58.30	0.30	17.20	36.3	17.93
and		71.39	82.00	10.61	0.89	29.6	1.48
incl.		73.90	74.91	1.01	3.12	76.1	4.65
and incl.		78.44	79.92	1.48	1.90	82.6	3.55

+ Represents the diamond drill hole length. True widths are estimated to be approximately 80-90% of the interval.

*Gold equivalence (EQ) has been calculated using metal prices of \$1200 per ounce gold and \$24.00 per ounce silver, to be consistent with earlier calculations and assumes 100% recoveries of both metals.

All analyses for rock and core samples from the 2014 program were performed by ALS Minerals with sample preparation in Whitehorse and assays and geochemical analyses in North Vancouver. Core samples are routinely analyzed for gold by fire assay followed by atomic absorption (Au-AA24) and 48 other elements by four acid digestion followed by inductively coupled plasma-mass spectrometry (ME-MS61). Samples that exceed the detection limits of the routine methods are assayed for silver, copper, lead and zinc by inductively coupled plasma-atomic emission spectroscopy (Ag/Cu/Pb/Zn - OG62) and gold by gravimetric analysis (Au-GRA22). Rigorous procedures are in place regarding sample collection, chain of custody and data entry. Certified assay standards, coarse reject duplicates, field duplicates and blanks are routinely inserted into the sample stream to ensure integrity of the assay process. All of the results reported have passed the QAQC screening.

The 2014 program is managed by Archer, Cathro & Associates (1981) Limited (Archer Cathro). Technical information in this news release has been approved by Matthew R. Dumala, P.Eng., a geological engineer with Archer Cathro and qualified person for the purpose of National Instrument 43-101.

[Rockhaven Resources Ltd.](http://www.rockhavenresources.com) is a well-funded company focused on growth through exploration of its wholly-owned projects. For additional information concerning [Rockhaven Resources Ltd.](http://www.rockhavenresources.com) or its various exploration projects please visit Rockhaven's website at www.rockhavenresources.com.

NEITHER THE TSX VENTURE EXCHANGE NOR ITS REGULATION SERVICES PROVIDER (AS THAT TERM IS DEFINED IN THE POLICIES OF THE TSX VENTURE EXCHANGE) ACCEPTS RESPONSIBILITY FOR THE ADEQUACY OR ACCURACY OF THIS RELEASE.

Contact

[Rockhaven Resources Ltd.](#)

Matthew Turner

CEO and Director

604-688-2568

mturner@rockhavenresources.com

www.rockhavenresources.com

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/183374--Rockhaven-Resources-Ltd.-Drills-27.80-g-t-Gold-and-656-g-t-Silver-40.92-g-t-Gold-EQ-Over-1.01-m-and-21.50-g>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).