

TSX-V: CJC and TSX-V: LMR Recent Results Confirm Graphite Mineralization Over 800 Meters at La Loutre With Intercepts of 8.01% Over 20.3 Metres, 11.23% Over 10.7 Metres and 10.3% Gp Over 7 Metres

14.01.2015 | [Marketwired](#)

MONTREAL, QUEBEC--(Marketwired - Jan 14, 2015) - **Canada Strategic Metals Inc.** ("Strategic Metals" or the "Company") (TSX VENTURE:CJC)(FRANKFURT:YXEN)(OTCBB:CJCFF) and **Lomiko Metals Inc.** ("Lomiko") (TSX VENTURE:LMR)(OTCQX:LMRMF)(FRANKFURT:DH8B) are very pleased to announce the results for five more holes of the recent drilling campaign on the La Loutre Graphite project. The La Loutre property consists of contiguous claim blocks totalling approximately 2,500 hectares (25 km²) situated approximately 53 km east of Imerys Carbon and Graphite, formerly known as the Timcal Graphite Mine, North America's only operating graphite mine, and 117 km northwest of Montreal.

"The first drilling campaign on La Loutre property has been successful. We have identified a graphite mineralized zone over 800 metres length, up to 100 meters wide and more than 100 metres depth. This is significant milestone in achieving our objective of rapidly establish mineral resources at La Loutre. In addition, we have a good location near Imerys Carbon and Graphite Mine", said Jean-Sebastien Lavallée, Chief Executive Officer of Canada Strategic Metals.

A total of twenty-five holes, for a total of 3,137 metres, were drilled to test a surface graphite showing and assess the potential extent of the graphite mineralization.

The Company has received the graphite assay results for last five holes from recent La Loutre Drilling, LL-14-21 to LL-14-25. All five returned wide graphite intersections with: **8.01% Gp over 20.3 metres and 5.91% Gp over 15.5 metres from Hole LL-14-21; 2.78% Gp over 66 metres from Hole LL-14-22; 3.48% Gp over 136.5 metres including 6.43% Gp over 4.65 metres, 11.23% Gp over 10.7 metres and 10.30% Gp over 7 metres from Hole LL-14-23; 7.73% Gp over 18.15 metres including 13.15% Gp over 5.3 metres and 2.74% Gp over 99.75 metres including 8.68% Gp over 3.1 metres and 11.99% Gp over 4.5 metres from Hole LL-14-24 and 3.13% Gp over 83.25 metres including 10.94% Gp over 3.75 metres from Hole LL-14-25.** The mineralized intersections and assay results are shown in the table below.

A map of hole localization and results is available on the web site of the company at: www.csmetals.ca

Table of mineralized intersections from the recent drilling campaign

Hole #	From (m)	To (m)	Length* (m)	Gp %
LL-14-01	18.50	39.00	20.50	1.36
	69.00	81.00	12.00	1.54
LL-14-02	8.60	28.00	19.40	2.56
	55.00	71.50	16.50	1.54
LL-14-03	3.00	89.50	86.50	2.55
Including	3.00	54.40	51.40	2.45
Including	59.00	75.00	16.00	5.08
LL-14-04	39.00	117.00	78.00	2.74
LL-14-05	6.65	135.00	128.35	4.72
Including	6.65	20.20	13.55	9.37
Including	104.00	130.40	26.40	8.42
LL-14-06	3.90	102.00	98.10	2.74

LL-14-07	3.30	102.00	98.70	2.12
LL-14-08	10.50	16.50	6.00	2.55
	52.50	102.00	49.50	2.20
Including	72.00	102.00	30.00	2.84
Including	83.00	102.00	19.00	3.36
LL-14-09	NSV			
LL-14-10	3.00	43.00	40.00	3.12
Including	35.00	41.50	6.50	6.34
Including	38.55	41.50	2.95	8.88
LL-14-11including	3.00	35.00	32.00	3.19
	31.00	33.50	2.50	12.38
	86.00	91.20	5.20	3.04
	107.70	111.00	3.30	1.38
LL-14-12including	32.00	65.00	33.00	3.00
	63.00	65.00	2.00	13.18
LL-14-13including	5.30	60.90	55.60	2.74
	56.60	60.90	4.30	9.60
LL-14-14IncludingIncludingincluding	18.80	63.60	44.80	4.98
	18.80	33.50	14.70	9.02
	18.80	22.00	3.20	13.60
	25.50	33.50	8.00	10.20
LL-14-15including	3.40	56.65	53.25	4.40
	10.20	25.55	15.35	7.46
LL-14-16	3.00	24.00	21.00	3.06
LL-14-17	3.70	17.90	14.20	6.52
	82.50	117.50	35.00	2.24
LL-14-18	4.10	25.00	20.90	3.79
LL-14-19	3.00	15.40	12.40	5.36
including	13.00	15.40	2.40	15.65
	37.30	60.00	22.70	6.64
including	38.35	49.00	10.65	11.18
	66.00	75.65	9.65	4.55
LL-14-20	23.40	27.10	3.70	5.14
	34.85	70.00	35.15	6.04
LL-14 -21	15.3	35.6	20.3	8.01
	59.9	75.4	15.5	5.91
LL-14-22	63	129	66	2.78
LL-14-23	25.5	162	136.5	3.48
including	25.5	30.15	4.65	6.43
including	55.3	66	10.7	11.23
including	155	162	7	10.3
LL-14-24	14.1	32.25	18.15	7.73
including	14.1	19.4	5.3	13.15
	73	172.75	99.75	2.74
including	73.95	77.05	3.1	8.68
including	167	171.5	4.5	11.99
	216.55	218.6	2.05	3.5
	224.15	229	4.85	2.16
	274	291	17	1.24
LL-14-25	69.75	153	83.25	3.13
including	69.75	73.50	3.75	10.94
	179.00	189.50	10.5	2.95
	229.50	246.50	17	1.40
	274.55	280.50	5.95	2.68

*Length along the core. The Company estimates the true width of the mineralized zone at 70 to 90% of the width intersected in the drill holes.

The November 2014 drilling program was managed by Consul-Teck Exploration of Val-d'Or, Quebec, who designed the drilling campaign, supervised the program and logged and sampled the core.

Consul-Teck Exploration implemented QA/QC procedures to ensure best practices in sampling and analysis

of the core samples. The drill core was logged and then split, with one half sent for assay and the other retained in the core box as a witness sample. Duplicates and blanks were inserted regularly into the sample stream.

The samples in secure tagged bags were delivered directly to the analytical facility for analysis. In this case, the analytical facility was the ALS minerals in Val-d'Or, Quebec. The samples are weighed and identified prior to sample preparation. The samples are crushed to 70% minus 2 mm, then separated and pulverized to 85% passing 75um. All samples are analyzed for Carbon Graphite using C-IR18.

Jean-Sebastien Lavallée (OGQ #773), geologist, shareholder and Chief Executive Officer of the Company and a Qualified Person under NI 43-101, has reviewed and approved the technical content of this release.

About Canada Strategic Metals

Canada Strategic Metals is an emerging company focused on the exploration and development of a number of projects covering over 20,000 hectares in Quebec. With broad management experience in green technology and junior resource exploration and development, Canada Strategic Metals is well positioned to aggressively advance this promising property portfolio for its shareholders.

For more information on the Company, please visit www.csmetals.ca.

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Contact

Jean-Sebastien Lavallee, P. Geo
Chief Executive Officer
819-354-5146
Christophe Romary
President
514-913-7483
Paradox Public Relations
514-341-0408

Dieser Artikel stammt von Rohstoff-Welt.de

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/189887--TSX-V--CJC-and-TSX-V--LMR-Recent-Results-Confirm-Graphite-Mineralization-Over-800-Meters-at-La-Loutre-W>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).