

Val d'Or, Quebec / TheNewswire / May 7, 2015 - [NioGold Mining Corp.](#) (TSX-V: NOX) (OTCQX: NOXGF) ("NioGold") is pleased to release the results of twenty (20) new diamond drill holes of its infill program on the modelled open pit shell of the Marban deposit, located on NioGold's 100% owned Marban Block property in the Malartic Gold camp, Abitibi District, Quebec.

Drilling highlights from this set of holes include:

- -40.42 g/t Au over 4.8 m in drill hole MB-15-391 at 110 m vertical depth.
- 25.05 g/t Au over 1.2 m in drill hole MB-15-393 at 225 m vertical depth.
- 159.13 g/t Au over 1.0 m in drill hole MB-15-393 at 255 m vertical depth.
- 5.83 g/t Au over 6.7 m in drill hole MB-15-398 at 120 m vertical depth.
- 8.51 g/t Au over 9.7 m in drill hole MB-15-406 at 225 m vertical depth.
- 16.51 g/t Au over 5.2 m in drill hole MB-15-410 at 250 m vertical depth.
- 26.35 g/t Au over 1.2 m in drill hole MB-15-410 at 300 m vertical depth.

The above highlights are all included within the modelled pit shell, with the exception of drill holes MB-15-393 and MB-15-410.

Robert Wares, NioGold's President and CEO, stated: "High-grade intersections that are located outside the modelled pit shell indicate a potential for increasing the in-pit resource within an enlarged shell. Alternatively, we will follow up on these intersections for their underground mining potential, which will require additional targeted drilling."

With these twenty new holes totaling 6,489.5 metres, a total of 69 drill holes for a cumulative length of 23,383.5 meters have been released. These new holes are spread over a strike length of 150 meters in the western portion of the Marban deposit completing a 25 metre-spaced drilling pattern as well as on two sections in the eastern portion which are now drilled at every 25 metres.

Of the 50,000 meter infill drill program, a total of approximately 43,000 metres of drilling has been completed so far. The remaining 7,000 metres of the program will fill in the last gaps along the sections to complete the 25 metre-spacing on them.

Results from holes MB-15-391 to MB-15-410 are summarized in the table below, where intercepts labelled "New" should allow for the definition of additional mineralized lenses:

Hole	Easting (m)	Northing (m)	1 Azimuth	Dip	From (m)	To (m)	Length (m)	Grade (g/t Au)	Zone
MB-15-391 3575	4071	182?	-52?	132.0	136.8	136.8	4.8	40.42	New
					161.7	168.7	7.0	0.95	E
MB-15-392 3574	4039	181?	-52?	110.3	111.6	111.6	1.3	8.03	New
MB-15-393 4597	3930	180?	-54?	278.9	280.1	280.1	1.2	25.05	M
					318.2	319.2	1.0	159.13	W
MB-15-394 4597	3885	182?	-54?	137.3	143.3	143.3	6.0	0.83	D3
MB-15-395 4596	3834	182?	-54?	98.2	101.4	101.4	3.2	1.68	D3
MB-15-396 4547	3907	180?	-57?	30.6	35.4	35.4	4.8	1.07	2
MB-15-397 4547	3877	184?	-53?	181.0	185.8	185.8	4.8	1.88	C
MB-15-398 3625	4036	179?	-51?	77.9	78.5	78.5	0.6	9.51	New
					146.3	153.0	6.7	5.83	E

MB-15-399 3650	4151	179?	-54? 78.7	79.9	1.2	5.58	New
			157.4	160.8	3.4	1.58	Lens
MB-15-400 3674	4252	181?	-47? 91.5	97.4	5.9	1.03	Hw
MB-15-401 3649	4208	178?	-55? 236.0	242.1	6.1	1.14	Z
MB-15-402 3674	4172	185?	-48? 72.5	77.1	4.6	1.43	Hw
			183.0	186.0	3.0	4.84	2
			211.3	219.5	8.2	1.76	Y
			228.0	228.9	0.9	23.98	Z
MB-15-403 3700	4103	179?	-45? 151.0	151.5	0.5	5.13	2
			249.3	251.3	2.0	3.68	C
MB-15-404 3698	4025	179?	-51? 120.0	121.1	1.1	2.05	Z
MB-15-405 3723	4250	178?	-49? 265.4	270.7	5.3	1.26	Y
			327.8	333.2	5.4	1.10	D
MB-15-406 3723	4218	180?	-49? 245.2	260.8	15.6	0.83	Y
			291.7	301.4	9.7	8.51	D
			292.9	294.3	1.4	43.93	D
MB-15-407 3725	4154	177?	-49? 216.0	216.8	0.8	18.53	Z
MB-15-408 3724	4119	179?	-49? 193.2	195.2	2.0	3.83	Z
MB-15-409 3723	4085	182?	-49? 114.0	115.2	1.2	6.78	Lens
			199.0	200.2	1.2	12.28	E
MB-15-410 4548	3988	180?	-60? 291.2	296.4	5.2	16.51	C
			309.5	313.5	4.0	5.66	A
			319.5	321.9	2.4	4.32	A
			357.0	358.2	1.2	26.35	V

1 : Marban local grid

A map showing the location of the best results is available at:

[Marban Block Best Results](#) (right click, open hyperlink)

A longitudinal showing the new best results obtained on the Marban deposit is available at:

[Marban Deposit Longitudinal Section](#) (right click, open hyperlink)

[Technical Info, QA/QC and Qualified Persons](#)

Drill orientations are roughly perpendicular to dip of mineralized zones and true widths of mineralized zones represent minimum 90% of reported core intervals.

Diamond drill holes were drilled with NQ-size core, except for holes that traversed underground workings which were completed using BQ-size core. The core was sealed and delivered by the drilling contractor to NioGold's facilities located at the Norlartic mine site. The core was photo-graphed for reference, logged and mineralised sections were sawed in half. Sample lengths vary between 0.5 to 1.5 metres. Half core samples were bagged, sealed and delivered to Actlabs in Ste Germaine Boule, Quebec, which is an accredited laboratory. The remaining core is stored on site for reference. Samples were assayed by the fire-assay method using an atomic absorption finish on a 50-gram pulp split. A quality assurance and quality control program (QA/QC) was implemented by NioGold and the laboratory to insure the precision and reproducibility of the analytical method and results. The QA/QC program includes the insertion of standards, blanks and field duplicates in the sample batches sent to the laboratory and a systematic re-assaying of samples returning values above 3 g/t Au by fire-assay using a gravimetric finish. As well, pulps grading above 0.5 g/t Au or mineralized intervals are sent to Bourlamaque Assay Laboratories Ltd. in Val-d'Or for check assaying.

Drill program design and monitoring, core logging and sample preparation are being executed at NioGold's facilities in Val d'Or, under the supervision of Yan Ducharme, M.Sc., P.Geo. (OGQ), NioGold's Vice-President Exploration and a Qualified Person as defined by National Instrument 43-101. QA/QC program utilized is consistent with NI 43-101 and industry best practice standards. This news release was prepared by Mr. Ducharme.

NioGold Mining Corporation - << On Canada's Golden Highway >>

[NioGold Mining Corp.](#) is a mineral exploration and development company focused on gold. The Company's projects are located in the heart of Quebec's prolific Abitibi gold mining district. The Cadillac, Malartic and Val-d'Or mining camps in this district have produced over 45 million ounces of gold since the 1930's and presently encompass six producing gold mines, including the prolific Canadian Malartic mine located adjacent to NioGold's flagship Marban project. NioGold's land holdings within the Abitibi presently cover 125km² and encompass seven former gold producers, notably the Norlartic, Kierens, Marban and Malartic Hygrade mines that collectively produced 630,000 ounces of gold.

NioGold's experienced and qualified technical team are overseeing the advancement of these projects, targeting expansion of the resource base and reserve definition of the Marban Block project.

NioGold invites you to visit the company website at www.niogold.com.

For information on [NioGold Mining Corp.](#) contact:

Michael A. Iverson Dale Paruk Louis Baribeau
miverson@niogold.com dparuk@niogold.com lbaribeau@niogold.com

Tel: (604) 856-9887 Tel: (604) 510-4505 Tel: (514) 667-2304

Toll-free: (877) 642-6200

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this news release.

FORWARD-LOOKING STATEMENTS

This news release includes "forward looking statements", as that term is defined in Section 27A of the United States Securities Act of 1933, as amended, and Section 21E of the United States Exchange Act of 1934, as amended, that are subject to assumptions, risks and uncertainties. Statements in this news release which are not purely historical are forward looking statements, including without limitation any statements concerning the Company's intentions, plans, estimates, expectations or beliefs regarding the future. Although the Company believes that any forward looking statements in this news release are reasonable, there can be no assurance that any such forward looking statements will prove to be accurate. The Company cautions readers that all forward looking statements, including without limitation those relating to the Company's future operations and business prospects, are based on assumptions none of which can be assured, and are subject to certain risks and uncertainties that could cause actual events or results to differ materially from those indicated in the forward looking statements. Readers are advised to rely on their own evaluation of such risks and uncertainties and should not place undue reliance on forward looking statements.

Any forward looking statements are made as of the date of this news release, and the Company assumes no obligation to update the forward looking statements, or to update the reasons why actual events or results could or do differ from those projected in the forward looking statements. Except as required by law, the Company assumes no obligation to update any forward looking statements, whether as a result of new information, future events or otherwise.

CAUTIONARY NOTE TO U.S. INVESTORS

The United States Securities and Exchange Commission (the "SEC") permits U.S. mining companies, in their filings with the SEC, to disclose only those mineral deposits that a company can economically and legally extract or produce. The Company may use certain terms in this news release, such as 'measured resources', 'indicated resources' and 'inferred resources', which the SEC guidelines strictly prohibit U.S. registered companies from including in their filings with the SEC. The news release may contain information about adjacent properties on which the Company has no right to explore or mine. U.S. investors are cautioned that mineral deposits on adjacent properties may not be indicative of mineral deposits on the Company's properties.

Copyright (c) 2015 TheNewswire - All rights reserved.