

Talon Metals Corporation: Winter 2016 Exploration Update

28.06.2016 | [Marketwired](#)

25.5 Meters of Semi-Massive Sulphides Intercepted at Tamarack, Grading 3.37% Ni, 1.31% Cu, 0.68 g/t PGE and 0.19 g/t Au

ROAD TOWN, June 28, 2016 - [Talon Metals Corp.](#) ("Talon" or the "Company") (TSX: TLO) is pleased to provide an update on the Tamarack Nickel-Copper-PGE project ("Tamarack Project"), located in Minnesota, USA. The Tamarack Project comprises the Tamarack North Project and the Tamarack South Project. Talon owns an 18.45% interest in the Tamarack Project.

As previously reported in the Company's press release dated June 2, 2016, Kennecott Exploration Company ("KEX") drilled nine holes during the winter 2016 exploration program at the Tamarack Project. Following this press release, all results will have been reported upon, save for drill hole 16TK0235A.

Tamarack Zone (Eastern Flank)

Drill hole 15TK0220A intercepted 25.5 meters of Semi Massive Sulphide Unit ("SMSU"), grading 3.37% Ni, 1.31% Cu, 0.68 g/t PGE and 0.19 g/t Au within a much larger zone of 68.5 meters, grading 2.15% Ni, 1.06% Cu, 1.05 g/t PGE and 0.30 g/t Au along the eastern side of the Tamarack Zone.

Mixed Massive Sulphides ("MMS") were also intercepted in drill hole 15TK0220A over a 4.05 meter interval, grading 2.01% Ni, 1.24% Cu, 1.03 g/t PGE and 1.16 g/t Au, including 1.07 meters of 4.79% Ni, 1.97% Cu, 2.23 g/t PGE and 0.37 g/t Au in the plane that is consistent with MMS intercepted in drill holes 16TK0235A, 16TK0235 (to the north) and 14TK0211, 14TK0213 (to the south). This MMS intercept is also contiguous with off-hole, Downhole Electromagnetic ("DHEM") anomalies from drill holes 15TK0219, 15TK0220, 15TK0220A and 12TK0163. See Figures 2 and 3 for drill hole and DHEM plate locations.

http://www.marketwire.com/library/MwGo/2016/6/28/11G104550/Images/figure_1_Image-4f2def5359659fb8817b20e0b

Figure 1: Photo cut-out of core to demonstrate style of sulphide mineralization intercepted in drill hole 16TK0233A (assays pending)

Tamarack Zone to the 138 Zone

Drill hole 16TK0233A, between the Tamarack Zone and the 138 Zone intercepted approximately 8.7 meters of MMS (assays pending) -- see Figure 1 above for a photo cut-out of core as well as Figures 2 and 3 below for the approximate hole location. These results follow the June 2, 2016 press release, which announced significant, wide step-out, massive sulphide intercepts in the eastern flank of the Tamarack Zone and between the Tamarack Zone and the 138 Zone.

"We are exceptionally pleased with the winter 2016 exploration program results at Tamarack, where Kennecott Exploration Company has been successfully utilizing technologies such as downhole electromagnetic surveys and directional drilling to predict and intercept massive and semi-massive sulphide mineralization", said Henri van Rooyen, CEO of Talon. "The skillful deployment of innovation and technology by Kennecott is a key ingredient to the successful exploration of the Tamarack Igneous Complex".

http://www.marketwire.com/library/MwGo/2016/6/28/11G104550/Images/Figure_2_image-b69f9bfba55192a0a86bdb54

Figure 2: Oblique view of the Massive Sulphide Unit (MSU), Semi-Massive Sulphide Unit (SMSU), Downhole Electromagnetic (DHEM) plates and approximate locations of Mixed Massive Sulphide (MMS), MSU and SMSU intercepts described in this press release.

http://www.marketwire.com/library/MwGo/2016/6/28/11G104550/Images/Figure_3_image-7c118ead5c8ea65f83fc0f45e

Figure 3: Plan View of the Massive Sulphide Unit (MSU), Semi-Massive Sulphide Unit (SMSU), Downhole Electromagnetic (DHEM) plates and approximate locations of Mixed Massive Sulphide (MMS), MSU and SMSU intercepts described in this press release.

Quality Assurance, Quality Control and Qualified Person

Please see the technical report entitled "First Independent Technical Report on the Tamarack North Project, Tamarack, Minnesota" dated October 6, 2014 (the "Tamarack North Technical Report") prepared by independent "Qualified Persons" Brian Thomas (P. Geo) of Golder, Paul Palmer (P. Eng) of Golder and Manochehr Oliazadeh Khorakchy (P. Eng) of Hatch Ltd. for information on the QA/QC, analytical and testing procedures employed by Kennecott at the Tamarack Project. Copies are available on the Company's website (www.talonmetals.com) or on SEDAR at (www.sedar.com). The laboratory used by Kennecott is ALS Minerals who is independent of Kennecott and the Company.

Widths are drill intersections and not necessarily true widths. True widths cannot be consistently calculated for comparison purposes between holes because of the irregular shapes of the mineralized zones.

Drill intersections have been independently selected by Talon. Drill composites have been independently calculated by Talon. The geological interpretations in this news release are solely those of the Company.

The locations and distances highlighted on all maps in this news release are approximate.

James McDonald, Vice President, Resource Geology of Talon is a Qualified Person within the meaning of NI 43-101. Mr. McDonald is satisfied that the analytical and testing procedures used are standard industry operating procedures and methodologies, and he has reviewed, approved and verified the technical information disclosed in this news release, including sampling, analytical and test data underlying the technical information.

About Talon

Talon is a TSX-listed company focused on the exploration and development of the Tamarack Nickel-Copper-PGE Project in Minnesota, USA (which comprises the Tamarack North Project and the Tamarack South Project). The Company has a well-qualified exploration and mine management team with extensive experience in project management.

Table 1: Collar Locations for Holes from the 2016 Exploration Program

http://www.marketwire.com/library/MwGo/2016/6/28/11G104550/Images/table_1_image-50f32dac542a9b14b5d11bde6c

Table 2: Assay Results from the 2016 Exploration Program

http://www.marketwire.com/library/MwGo/2016/6/28/11G104550/Images/Table_2_image-7a66add675a1a9c68f46ae6c

Image Available:

http://www.marketwire.com/library/MwGo/2016/6/28/11G104550/Images/figure_1_Image-4f2def5359659fb8817b20e0b

Image Available:

http://www.marketwire.com/library/MwGo/2016/6/28/11G104550/Images/Figure_2_image-b69f9bfa55192a0a86bdb54

Image Available:

http://www.marketwire.com/library/MwGo/2016/6/28/11G104550/Images/Figure_3_image-7c118ead5c8ea65f83fc0f45e

Image Available:

http://www.marketwire.com/library/MwGo/2016/6/28/11G104550/Images/table_1_image-50f32dac542a9b14b5d11bde6c

Image Available:

http://www.marketwire.com/library/MwGo/2016/6/28/11G104550/Images/Table_2_image-7a66add675a1a9c68f46ae6c

Contact

For additional information on Talon, please visit the Company's website at www.talonmetals.com or contact:
Sean Werger, President
[Talon Metals Corp.](http://www.talonmetals.com)
Tel: (416) 361-9636 x247
Email: werger@talonmetals.com

Dieser Artikel stammt von Rohstoff-Welt.de

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/235162--Talon-Metals-Corporation--Winter-2016-Exploration-Update.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).