

VANCOUVER, BC / TheNewswire / June 29, 2016 - Barkerville Gold Mines Ltd. (TSXV: BGM) (the "Company" or "BGM") is pleased to announce results from the Phase I drilling program on Cow Mountain at the Company's Cariboo Gold Project (CGP). The results of these drillholes are presented in Table 1. A drillhole location plan map and a longitudinal section are offered at the end of this release.

Drilling Highlights:

- BGM-16-280: 12.51 g/t (0.36 oz/t) Au over 9.70 metres including 17.95 g/t (0.52 oz/t) Au over 1.50 metres and 98.50 g/t (2.87 oz/t) Au over 0.87 metres
- BGM-16-298: 30.98 g/t (0.90 oz/t) Au over 6.80 metres including 52.94 g/t (1.54 oz/t) Au over 3.60 metres including 144.50 g/t (4.21 oz/t) Au over 1.10 metres and 15.85 g/t (0.46 oz/t) Au over 1.00 metres
- BGM-16-307: 34.79 g/t (1.01 oz/t) Au over 5.00 metres including 113.00 g/t (3.30 oz/t) Au over 1.10 metres and 42.60 g/t (1.24 oz/t) Au over 1.10 metres
- BGM-16-315: 28.40 g/t (0.83 oz/t) Au over 3.00 metres including 70.10 g/t (2.04 oz/t) Au over 1.20 metres
- BGM-16-326: 31.67 g/t (0.92 oz/t) Au over 2.90 metres including 11.40 g/t (0.33 oz/t) Au over 0.50 metres including 112.50 g/t (3.28 oz/t) Au over 0.70 metres
- BGM-16-333: 10.62 g/t (0.31 oz/t) Au over 9.30 metres including 23.78 g/t (0.69 oz/t) Au over 2.90 metres including 42.40 g/t (1.24 oz/t) Au over 1.00 metres and 29.70 g/t (0.87 oz/t) Au over 0.70 metres
- BGM-16-347: 119.69 g/t (3.49 oz/t) Au over 2.55 metres including 216.93 g/t (6.33 oz/t) Au over 1.40 metres including 317.00 g/t (9.25 oz/t) Au over 0.90 metres
- BGM-16-349: 21.41 g/t (0.62 oz/t) Au over 5.90 metres including 50.90 g/t (1.48 oz/t) Au over 1.50 metres including 71.10 g/t (2.07 oz/t) Au over 0.70 metres
- BGM-16-352: 28.45 g/t (0.83 oz/t) Au over 5.00 metres including 44.05 g/t (1.28 oz/t) Au over 3.00 metres including 43.50 g/t (1.27 oz/t) Au over 1.50 metres and 44.60 g/t (1.30 oz/t) Au over 1.50 metres
- BGM-16-359: 22.84 g/t (0.67 oz/t) Au over 8.05 metres including 53.57 g/t (1.56 oz/t) Au over 2.65 metres including 66.20 g/t (1.93 oz/t) Au over 1.45 metres and 38.30 g/t (1.12 oz/t) Au over 1.20 metres

Note: Reported core lengths represent 50-75% true widths.

Phase I Drilling

The initial 30,000 metre (18,452 metres completed), Phase I drilling program on Cow Mountain was exclusively intended to upgrade areas of geological uncertainty and secondly to augment the geological model in areas that were entirely devoid of historical drilling. The Pinkerton, Sanders, Rainbow and No. 1 Zones have been drilled in the near surface by previous operators at a sufficient hole spacing as to demonstrate a high degree of geological confidence and as such were not the focus of this first drilling campaign. In total, 101 drillholes have been completed to date on approximately 50 metre centres throughout select areas of Cow Mountain.

New High Grade Gold Extension Discovered

A previously undeveloped and unexplored area of gold-bearing quartz veins hosted between the Sanders and Rainbow Zones at approximately 250 metres vertical depth below surface has been identified during the Phase I program:

- BGM-15-325 9.70 g/t (0.28 oz/t) Au over 7.35 metres including 28.50 g/t (0.83 oz/t) Au over 0.50 metres and 9.60 g/t (0.28 oz/t) Au over 0.50 metres and 44.60 g/t (1.30 oz/t) Au over 1.00 metres
- BGM-16-326 31.67 g/t (0.92 oz/t) Au over 2.90 metres including 11.40 g/t (0.33 oz/t) Au over 0.50 metres and 112.50 g/t (3.28 oz/t) Au over 0.70 metres

-BGM-16-340 5.70 g/t (0.17 oz/t) Au over 10.00 metres including 12.70 g/t (0.37 oz/t) Au over 3.40 metres and 30.30 g/t (0.88 oz/t) Au over 0.50 metres and 18.50 g/t (0.54 oz/t) Au over 0.50 metres and 14.70 g/t (0.43 oz/t) Au over 0.50 metres

-BGM-16-361 6.46 g/t (0.19 oz/t) Au over 12.70 metres including 20.94 g/t (0.61 oz/t) Au over 2.40 metres including 20.20 g/t (0.59 oz/t) Au over 0.70 metres and 47.50 g/t (1.39 oz/t) Au over 0.70 metres

Note: Reported core lengths represent 50-75% true widths.

Drilling in this new extension has now defined a corridor of auriferous quartz veins with a strike length of approximately 140 metres and was targeted because of a scarcity of historical drilling in this location. These new mineralized vein sets are untested at depth and also along strike to the northwest and have only been drilled on widely spaced 50 metre centres.

Current Status

With three drill rigs on Cow Mountain, the budgeted 30,000 metre Phase I campaign is continuing and preferentially concentrated on optimizing the continuity of gold mineralization in the near surface.

Mr. Chris Lodder, President of the Company noted, "The results to date from the Phase I program that targeted areas that lacked any historical drillholes is very positive. Not only have we identified a new mineralized extension with high exploration potential that is untested at depth, but we have also added additional gold mineralization across the extents of Cow Mountain".

Qualified Persons

Exploration activities at the Cariboo Gold Project are jointly administered on site by the Company's Project Managers Maggie Layman, P.Geo. and Wanda Carter, P.Geo. As per National Instrument 43-101 Standards of Disclosure for Mineral Projects, Paul Geddes, P.Geo. Vice President Exploration, is the Qualified Person for the Company and has prepared, validated and approved the technical content of this news release. The Company strictly adheres to CIM Best Practices Guidelines in conducting, documenting, and reporting its exploration activities on the Cariboo Gold Project.

Quality Assurance - Quality Control

Once received from the drill and processed, all drill core samples are sawn in half, labelled and bagged. The remaining drill core is subsequently stored on site at the Company's secure facility in Wells, BC. Numbered security tags are applied to lab shipments for chain of custody requirements. The Company inserts quality control (QC) samples at regular intervals in the sample stream, including blanks and reference materials with all sample shipments to monitor laboratory performance. The QAQC program was designed and approved by Lynda Bloom, P.Geo. of Analytical Solutions Ltd., and is overseen by Paul Geddes, P.Geo, Vice President Exploration of the Company.

Drill core samples are submitted to ALS Geochemistry's analytical facility in North Vancouver, British Columbia for preparation and analysis. The ALS facility is accredited to the ISO/IEC 17025 standard for gold assays and all analytical methods include quality control materials at set frequencies with established data acceptance criteria. The entire sample is crushed and 250 grams is pulverized. Analysis for gold is by 50g fire assay fusion with atomic absorption (AAS) finish with a lower limit of 5ppb and upper limit of 10,000ppb. Samples with gold assays greater than 10,000ppb are re-analyzed using 50g fire assay with gravimetric finish, as well as 1,000g screen metallic fire assay. Samples are also analyzed using a 48 multi-elemental geochemical package by a 4-acid digestion, followed by Inductively Coupled Plasma Atomic Emission Spectroscopy (ICP-AES) and Inductively Coupled Plasma Mass Spectroscopy (ICP-MS).

For further information on Barkerville Gold Mines Limited please contact:

Tom Obradovich

Chief Executive Officer

(416) 361-2511

tobradovich@barkervillegold.com

About Barkerville Gold Mines Ltd.

The company is focused on developing its extensive land package located in the historical Cariboo Mining District of central

British Columbia. BGM's mineral tenures cover 1,164 square kilometres along a strike length of 60 kilometres which includes several past producing hard rock mines of the historic Barkerville Gold Mining Camp near the town of Wells, British Columbia. The QR Project, located approximately 110 kilometres by highway and all weather road from Wells was acquired by BGM in 2010 and boasts a fully permitted 900 tonne/day gold milling and tailings facility. Test mining of the Bonanza Ledge open pit was completed in March of 2015 with 91,489 tonnes of ore milled producing 25,464 ounces of gold. BGM has completed a number of drilling and exploration programs over the past 20 years and is currently compiling this data with all historical information in order develop geologic models which will assist new management and provide the framework to continue to explore the Cariboo Gold Project. An extensive drill program is currently underway with the goal of delineating additional high grade gold mineralization.

Cautionary Statement on Forward -Looking Information

Neither the TSX Venture Exchange ("TSXV") nor its Regulation Services Provider (as that term is defined in the policies of the TSXV) accepts responsibility for the adequacy or accuracy of this release. No stock exchange, securities commission or other regulatory authority has approved or disapproved the information contained herein. This news release contains forward-looking information which is not comprised of historical facts. Forward-looking information involves risks, uncertainties and other factors that could cause actual events, results, performance, prospects and opportunities to differ materially from those expressed or implied by such forward-looking information. Forward looking information in this news release includes, but is not limited to, the Company's objectives, goals or future plans, statements regarding exploration results and exploration plans. Factors that could cause actual results to differ materially from such forward-looking information include, but are not limited to, capital and operating costs varying significantly from estimates, the preliminary nature of metallurgical test results, delays in obtaining or failures to obtain required governmental, environmental or other project approvals, uncertainties relating to the availability and costs of financing needed in the future, changes in equity markets, inflation, fluctuations in commodity prices, delays in the development of projects and the other risks involved in the mineral exploration and development industry, and those risks set out in the Company's public documents filed on SEDAR. Although the Company believes that the assumptions and factors used in preparing the forward-looking information in this news release are reasonable, undue reliance should not be placed on such information, which only applies as of the date of this news release, and no assurance can be given that such events will occur in the disclosed time frames or at all. The Company disclaims any intention or obligation to update or revise any forward-looking information, whether as a result of new information, future events or otherwise, other than as required by law.

Table 1: Length weighted gold composites for drillholes BGM-16-261 through BGM-16-361:

HOLE-ID	FROM	TO	LENGTH	AU G/T	AU OZ/T
BGM-16-261				NSA	
BGM-16-262				NSA	
BGM-16-263	58.50	60.00	1.50	10.30	0.30
BGM-16-263	127.45	128.20	0.75	166.50	4.86
BGM-16-264	29.50	33.50	4.00	17.02	0.50
INCLUDING	29.50	30.65	1.15	18.75	0.55
AND	30.65	31.95	1.30	24.80	0.72
AND	33.00	33.50	0.50	28.20	0.82
BGM-16-264	119.40	119.90	0.50	86.50	2.52
BGM-16-264	174.00	178.10	4.10	13.55	0.40
INCLUDING	174.00	175.50	1.50	25.20	0.74
AND	177.00	178.10	1.10	15.60	0.46
BGM-16-265	74.50	75.50	1.00	9.06	0.26
BGM-16-266				NSA	
BGM-16-267				NSA	
BGM-16-268	21.00	22.50	1.50	5.46	0.16
BGM-16-268					

INCLUDING	36.00	37.00	1.00	9.67	0.28
BGM-16-269	31.00	33.50	2.50	5.46	0.16
INCLUDING	31.00	32.00	1.00	11.35	0.33
BGM-16-270	42.00	42.50	0.50	22.90	0.67
BGM-16-270	47.00	48.00	1.00	9.07	0.26
BGM-16-271				ABANDONED	
BGM-16-272				NSA	
BGM-16-273	51.05	52.30	1.25	19.15	0.56
BGM-16-273	119.00	122.05	3.05	17.84	0.52
INCLUDING	120.00	120.65	0.65	22.60	0.66
AND	120.65	122.05	1.40	23.20	0.68
BGM-16-273	140.50	141.00	0.50	22.90	0.67
BGM-16-274				NSA	
BGM-16-275				NSA	
BGM-16-276	72.00	74.20	2.20	10.08	0.29
INCLUDING	72.70	74.20	1.50	13.85	0.40
BGM-16-277	13.00	14.40	1.40	9.92	0.29
BGM-16-277	52.00	53.50	1.50	5.05	0.15
BGM-16-278				NSA	
BGM-16-279				NSA	
BGM-16-280	6.70	33.40	26.70	1.03	0.03
BGM-16-280	42.50	43.80	1.30	38.20	1.11
BGM-16-280	52.50	55.30	2.80	18.42	0.54
INCLUDING	53.30	54.20	0.90	22.90	0.67
AND	54.20	55.30	1.10	26.80	0.78
BGM-16-280	61.80	71.50	9.70	12.51	0.36
INCLUDING	64.50	66.00	1.50	17.95	0.52
AND	68.63	69.50	0.87	98.50	2.87
BGM-16-280	86.50	89.00	2.50	10.40	0.30
INCLUDING	86.50	87.50	1.00	8.37	0.24
AND	87.50	89.00	1.50	11.75	0.34
BGM-16-281	221.40	221.90	0.50	25.40	0.74
BGM-16-282	53.95	55.20	1.25	7.17	0.21

BGM-16-282	79.00	85.50	6.50	15.03	0.44
INCLUDING	79.00	80.00	1.00	50.00	1.46
AND	82.50	84.00	1.50	30.10	0.88
BGM-16-283	48.50	50.00	1.50	51.80	1.51
BGM-16-283	53.00	54.50	1.50	39.60	1.16
BGM-16-284	23.95	25.70	1.75	14.66	0.43
INCLUDING	23.95	24.70	0.75	9.40	0.27
AND	24.70	25.20	0.50	36.30	1.06
BGM-16-285	130.35	131.20	0.85	10.90	0.32
BGM-16-286				NSA	
BGM-16-287	156.20	157.00	0.80	42.80	1.25
BGM-16-287	172.50	173.20	0.70	13.20	0.39
BGM-16-288	173.00	183.50	10.50	3.76	0.11
INCLUDING	173.00	174.50	1.50	13.15	0.38
AND	180.50	181.10	0.60	7.44	0.22
AND	182.40	183.50	1.10	12.80	0.37
BGM-16-289	100.10	101.00	0.90	14.95	0.44
BGM-16-289	119.00	125.00	6.00	8.79	0.26
INCLUDING	121.80	125.00	3.20	14.70	0.43
INCLUDING	121.80	122.30	0.50	16.80	0.49
AND	123.60	124.10	0.50	38.70	1.13
AND	124.10	125.00	0.90	15.65	0.46
BGM-16-289	155.60	156.20	0.60	11.15	0.33
BGM-16-290				NSA	
BGM-16-291				NSA	
BGM-16-292	104.55	105.30	0.75	9.37	0.27
BGM-16-292	153.30	153.90	0.60	23.10	0.67
BGM-16-293				NSA	
BGM-16-294	103.00	104.00	1.00	8.00	0.23
BGM-16-295	160.50	161.00	0.50	24.10	0.70
BGM-16-296	59.95	60.55	0.60	74.10	2.16
BGM-16-297	9.50	14.00	4.50	10.76	0.31
INCLUDING	11.00	12.50	1.50	31.20	0.91

BGM-16-297	73.50	75.50	2.00	34.16	1.00
INCLUDING	73.50	74.20	0.70	96.90	2.83
BGM-16-297	133.50	135.00	1.50	6.50	0.19
BGM-16-298	41.00	42.50	1.50	5.49	0.16
BGM-16-298	51.50	53.00	1.50	6.34	0.18
BGM-16-298	200.30	201.00	0.70	6.17	0.18
BGM-16-298	204.50	211.30	6.80	30.98	0.90
INCLUDING	204.50	205.40	0.90	21.70	0.63
AND	207.70	211.30	3.60	52.94	1.54
INCLUDING	207.70	208.80	1.10	144.50	4.21
AND	208.80	209.80	1.00	15.85	0.46
AND	210.80	211.30	0.50	16.00	0.47
BGM-16-298	224.20	225.80	1.60	11.60	0.34
INCLUDING	224.20	225.00	0.80	12.70	0.37
AND	225.00	225.80	0.80	10.50	0.31
BGM-16-299	153.55	154.15	0.60	24.60	0.72
BGM-16-300	52.50	55.50	3.00	10.76	0.31
INCLUDING	53.00	54.50	1.50	26.30	0.77
BGM-16-300	74.00	76.50	2.50	11.67	0.34
INCLUDING	75.50	76.50	1.00	27.50	0.80
BGM-16-301	98.50	99.50	1.00	8.27	0.24
BGM-16-302	55.50	56.40	0.90	41.00	1.20
BGM-16-302	81.30	87.40	6.10	3.77	0.11
INCLUDING	81.30	82.00	0.70	11.95	0.35
AND	85.00	86.00	1.00	7.01	0.20
BGM-16-303	79.10	82.15	3.05	12.17	0.36
INCLUDING	79.10	80.20	1.10	13.20	0.39
AND	81.55	82.15	0.60	29.10	0.85
BGM-16-303	94.00	94.50	0.50	52.60	1.53
BGM-16-304	107.00	108.15	1.15	9.60	0.28
BGM-16-305	33.50	34.00	0.50	16.70	0.49
BGM-16-305	95.95	96.65	0.70	8.79	0.26
BGM-16-306	188.20	188.80	0.60	92.40	2.70

BGM-16-306	198.50	199.00	0.50	61.60	1.80
BGM-16-307	131.30	132.00	0.70	6.05	0.18
BGM-16-307	138.00	152.40	14.40	3.80	0.11
INCLUDING	141.00	142.50	1.50	20.60	0.60
AND	150.85	151.40	0.55	23.10	0.67
BGM-16-307	165.50	170.00	4.50	5.52	0.16
INCLUDING	166.52	167.00	0.48	33.50	0.98
AND	169.50	170.00	0.50	13.30	0.39
BGM-16-307	185.00	190.00	5.00	34.79	1.01
INCLUDING	186.30	187.40	1.10	113.00	3.30
AND	187.40	188.50	1.10	42.60	1.24
BGM-16-307	197.70	198.20	0.50	60.10	1.75
BGM-16-308				NSA	
BGM-16-309	347.60	348.15	0.55	13.10	0.38
BGM-16-310	130.50	131.50	1.00	37.50	1.09
BGM-16-311	27.50	37.50	10.00	6.36	0.19
INCLUDING	27.50	30.00	2.50	21.40	0.62
INCLUDING	27.50	28.75	1.25	27.80	0.81
AND	28.75	30.00	1.25	15.00	0.44
BGM-16-312	26.50	27.40	0.90	11.60	0.34
BGM-16-312	30.00	31.00	1.00	6.84	0.20
BGM-16-312	34.00	35.00	1.00	10.55	0.31
BGM-16-312	43.15	44.15	1.00	9.57	0.28
BGM-16-312	62.70	63.85	1.15	8.90	0.26
BGM-16-313	7.00	8.50	1.50	24.70	0.72
BGM-16-314	25.50	27.00	1.50	17.40	0.51
BGM-16-315	65.00	68.00	3.00	28.40	0.83
INCLUDING	65.00	66.20	1.20	70.10	2.04
BGM-16-316	84.00	86.00	2.00	22.27	0.65
INCLUDING	85.00	86.00	1.00	43.10	1.26
BGM-16-316	134.15	144.50	10.35	6.76	0.20
INCLUDING	134.15	135.00	0.85	28.60	0.83
AND	140.80	142.00	1.20	31.10	0.91

BGM-16-316	170.70	171.80	1.10	8.95	0.26
BGM-16-317	8.80	9.80	1.00	35.20	1.03
BGM-16-318	8.60	17.30	8.70	5.19	0.15
INCLUDING	8.60	9.65	1.05	7.98	0.23
AND	16.75	17.30	0.55	64.20	1.87
BGM-16-318	76.00	76.60	0.60	7.84	0.23
BGM-16-318	128.00	129.55	1.55	23.40	0.68
BGM-16-319				NSA	
BGM-16-320	105.97	106.95	0.98	19.40	0.57
BGM-16-320	114.40	115.20	0.80	7.70	0.22
BGM-16-321	105.00	108.00	3.00	15.47	0.45
INCLUDING	105.00	106.50	1.50	23.80	0.69
AND	106.50	108.00	1.50	7.14	0.21
BGM-16-321	164.50	165.50	1.00	107.00	3.12
BGM-16-322				NSA	
BGM-16-323				NSA	
BGM-16-324	125.50	127.00	1.50	95.30	2.78
INCLUDING	125.50	126.20	0.70	24.80	0.72
AND	126.20	127.00	0.80	157.00	4.58
BGM-16-325	117.50	118.00	0.50	73.40	2.14
BGM-16-325	295.85	303.20	7.35	9.70	0.28
INCLUDING	295.85	296.35	0.50	28.50	0.83
AND	301.70	302.20	0.50	9.60	0.28
AND	302.20	303.20	1.00	44.60	1.30
BGM-16-326	251.50	252.00	0.50	9.18	0.27
BGM-16-326	263.00	263.50	0.50	7.87	0.23
BGM-16-326	269.00	269.50	0.50	11.05	0.32
BGM-16-326	296.00	298.90	2.90	31.67	0.92
INCLUDING	296.50	297.00	0.50	11.40	0.33
AND	298.20	298.90	0.70	112.50	3.28
BGM-16-327	11.00	11.50	0.50	36.30	1.06
BGM-16-327	29.50	30.00	0.50	46.30	1.35
BGM-16-328	9.00	10.50	1.50	23.50	0.69

BGM-16-329	45.70	46.45	0.75	15.20	0.44
BGM-16-329	133.00	134.00	1.00	7.70	0.22
BGM-16-330	77.00	78.50	1.50	9.10	0.27
BGM-16-330	88.85	89.40	0.55	34.30	1.00
BGM-16-331	159.65	164.85	5.20	6.40	0.19
INCLUDING	159.65	160.40	0.75	39.00	1.14
BGM-16-332	78.50	81.60	3.10	19.29	0.56
INCLUDING	78.50	79.50	1.00	30.00	0.88
AND	79.50	80.50	1.00	16.50	0.48
AND	80.50	81.60	1.10	12.10	0.35
BGM-16-332	91.60	92.60	1.00	33.90	0.99
BGM-16-332	144.50	146.00	1.50	22.20	0.65
BGM-16-333	30.10	39.40	9.30	10.62	0.31
INCLUDING	30.10	33.00	2.90	23.78	0.69
INCLUDING	30.10	31.10	1.00	42.40	1.24
AND	32.30	33.00	0.70	29.70	0.87
BGM-16-333	38.70	39.40	0.70	40.80	1.19
BGM-16-334	114.50	116.00	1.50	7.01	0.20
INCLUDING	115.30	116.00	0.70	10.00	0.29
BGM-16-335	25.46	26.85	1.39	16.52	0.48
INCLUDING	25.46	26.00	0.54	38.50	1.12
BGM-16-335	37.55	38.80	1.25	9.42	0.27
BGM-16-335	56.60	64.00	7.40	4.88	0.14
INCLUDING	59.00	64.00	5.00	6.58	0.19
INCLUDING	59.00	60.00	1.00	9.62	0.28
AND	62.55	64.00	1.45	15.20	0.44
BGM-16-335	90.65	92.00	1.35	7.34	0.21
BGM-16-336	33.10	34.00	0.90	78.70	2.30
BGM-16-336	83.30	83.80	0.50	22.60	0.66
BGM-16-336	92.00	93.00	1.00	16.70	0.49
BGM-16-336	106.00	107.50	1.50	7.46	0.22
BGM-16-337	38.45	38.95	0.50	33.20	0.97
BGM-16-337	52.90	53.75	0.85	27.20	0.79

BGM-16-337	66.40	74.40	8.00	7.60	0.22
INCLUDING	66.40	67.55	1.15	29.40	0.86
AND	73.05	74.40	1.35	13.00	0.38
BGM-16-338	52.00	59.00	7.00	2.64	0.08
BGM-16-338	55.60	56.60	1.00	7.31	0.21
BGM-16-338	139.30	140.00	0.70	10.60	0.31
BGM-16-339				NSA	
BGM-16-340	261.90	271.90	10.00	5.70	0.17
INCLUDING	268.50	271.90	3.40	12.70	0.37
AND	268.50	269.00	0.50	30.30	0.88
AND	269.00	269.50	0.50	18.50	0.54
AND	270.25	270.90	0.65	15.40	0.45
AND	271.40	271.90	0.50	14.70	0.43
BGM-16-341	116.40	117.10	0.70	26.40	0.77
BGM-16-341	122.00	122.50	0.50	8.90	0.26
BGM-16-341	160.60	161.10	0.50	20.50	0.60
BGM-16-341	246.00	246.50	0.50	11.40	0.33
BGM-16-341	265.50	266.50	1.00	10.30	0.30
BGM-16-342	53.25	53.90	0.65	12.80	0.37
BGM-16-343				NSA	
BGM-16-344				ABANDONED	
BGM-16-345	99.40	100.20	0.80	14.80	0.43
BGM-16-345	194.00	195.50	1.50	16.30	0.48
BGM-16-346				ABANDONED	
BGM-16-347	89.45	92.00	2.55	119.69	3.49
INCLUDING	89.45	90.85	1.40	216.93	6.33
INCLUDING	89.45	90.35	0.90	317.00	9.25
AND	90.35	90.85	0.50	36.80	1.07
BGM-16-348	83.80	84.60	0.80	9.31	0.27
BGM-16-349	171.50	177.40	5.90	21.41	0.62
INCLUDING	171.50	173.00	1.50	50.90	1.48
AND	176.70	177.40	0.70	71.10	2.07
BGM-16-350	121.00	121.50	0.50	33.20	0.97

BGM-16-350	125.00	126.25	1.25	12.50	0.36
BGM-16-351	162.90	164.00	1.10	10.40	0.30
BGM-16-352	75.00	80.00	5.00	28.45	0.83
INCLUDING	75.50	78.50	3.00	44.05	1.28
INCLUDING	75.50	77.00	1.50	43.50	1.27
AND	77.00	78.50	1.50	44.60	1.30
BGM-16-353	281.90	282.90	1.00	12.60	0.37
BGM-16-354				ABANDONED	
BGM-16-355	119.35	119.90	0.55	41.40	1.21
BGM-16-356				NSA	
BGM-16-357	115.40	116.30	0.90	10.00	0.29
BGM-16-357	137.30	137.85	0.55	54.30	1.58
BGM-16-358	66.00	67.50	1.50	42.90	1.25
BGM-16-359	51.40	52.00	0.60	9.80	0.29
BGM-16-359	93.50	95.45	1.95	13.52	0.39
INCLUDING	94.75	95.45	0.70	28.20	0.82
BGM-16-359	114.50	116.00	1.50	13.50	0.39
BGM-16-359	123.15	124.40	1.25	210.00	6.13
BGM-16-359	146.30	147.60	1.30	9.08	0.26
BGM-16-359	168.45	176.50	8.05	22.84	0.67
INCLUDING	168.45	171.10	2.65	53.57	1.56
INCLUDING	168.45	169.90	1.45	66.20	1.93
AND	169.90	171.10	1.20	38.30	1.12
BGM-16-360	112.80	113.50	0.70	6.70	0.20
BGM-16-360	119.65	120.20	0.55	11.30	0.33
BGM-16-361	203.00	206.50	3.50	8.96	0.26
INCLUDING	204.00	205.00	1.00	24.60	0.72
BGM-16-361	242.30	255.00	12.70	6.46	0.19
INCLUDING	250.30	252.70	2.40	20.94	0.61
INCLUDING	250.30	251.00	0.70	20.20	0.59
AND	252.00	252.70	0.70	47.50	1.39

Notes:

- (1) Core lengths represent 50-75% true widths. Rock not recovered by drilling was assigned zero grade and not included in the composites. Top cuts have not been applied to high grade assays. Conversion factor: 1.0 oz/t = 34.2857 g/t.
- (2) NSA - No Significant Assays.

Table 2: Drillhole Collar Orientations

HOLE-ID	AZIMUTH	DIP	HOLE-ID	AZIMUTH	DIP	HOLE-ID	AZIMUTH	DIP
BGM-16-261	175.7	-45.1	BGM-16-295	167.7	-60.0	BGM-16-329	167.9	-69.9
BGM-16-262	175.0	-65.1	BGM-16-296	172.3	-46.0	BGM-16-330	352.0	-49.6
BGM-16-263	177.0	-45.0	BGM-16-297	175.5	-44.8	BGM-16-331	351.1	-69.5
BGM-16-264	177.9	-64.1	BGM-16-298	174.1	-59.9	BGM-16-332	172.8	-43.7
BGM-16-265	175.6	-44.8	BGM-16-299	175.5	-70.0	BGM-16-333	169.6	-57.3
BGM-16-266	175.9	-64.8	BGM-16-300	171.3	-60.0	BGM-16-334	168.5	-71.5
BGM-16-267	176.0	-46.0	BGM-16-301	168.1	-70.2	BGM-16-335	171.2	-45.5
BGM-16-268	172.9	-60.0	BGM-16-302	169.6	-45.5	BGM-16-336	168.5	-45.0
BGM-16-269	173.0	-70.0	BGM-16-303	173.4	-60.0	BGM-16-337	166.3	-56.4
BGM-16-270	176.7	-50.4	BGM-16-304	174.7	-70.1	BGM-16-338	166.2	-68.7
BGM-16-271	178.0	-59.9	BGM-16-305	173.2	-44.5	BGM-16-339	171.0	-46.3
BGM-16-272	176.1	-60.3	BGM-16-306	173.6	-60.4	BGM-16-340	170.8	-60.9
BGM-16-273	174.3	-49.1	BGM-16-307	173.8	-70.0	BGM-16-341	169.0	-69.8
BGM-16-274	171.2	-69.6	BGM-16-308	174.9	-44.9	BGM-16-342	172.1	-44.8
BGM-16-275	178.5	-45.0	BGM-16-309	175.7	-59.2	BGM-16-343	166.0	-72.6
BGM-16-276	177.0	-59.6	BGM-16-310	174.3	-71.6	BGM-16-344	137.3	-44.6
BGM-16-277	174.0	-69.9	BGM-16-311	172.8	-45.3	BGM-16-345	135.5	-44.5
BGM-16-278	176.7	-70.2	BGM-16-312	175.7	-59.3	BGM-16-346	162.6	-44.7
BGM-16-279	173.9	-44.7	BGM-16-313	175.1	-66.1	BGM-16-347	166.3	-45.0
BGM-16-280	171.9	-64.9	BGM-16-314	169.7	-45.0	BGM-16-348	163.9	-44.0
BGM-16-281	166.8	-45.8	BGM-16-315	166.2	-68.6	BGM-16-349	127.5	-54.9
BGM-16-282	169.2	-46.0	BGM-16-316	358.9	-48.3	BGM-16-350	163.4	-60.2
BGM-16-283	175.4	-46.2	BGM-16-317	173.1	-45.4	BGM-16-351	161.7	-70.3
BGM-16-284	176.8	-60.0	BGM-16-318	132.0	-45.1	BGM-16-352	172.6	-45.4
BGM-16-285	175.8	-69.5	BGM-16-319	135.5	-65.7	BGM-16-353	173.0	-59.0
BGM-16-286	173.8	-48.0	BGM-16-320	170.6	-45.6	BGM-16-354	170.7	-69.8
BGM-16-287	174.5	-44.8	BGM-16-321	129.8	-52.5	BGM-16-355	178.6	-43.9
BGM-16-288	174.8	-59.9	BGM-16-322	129.7	-59.6	BGM-16-356	177.4	-59.2
BGM-16-289	176.1	-69.2	BGM-16-323	169.4	-60.1	BGM-16-357	356.5	-65.3
BGM-16-290	171.4	-44.8	BGM-16-324	168.4	-45.4	BGM-16-358	174.3	-45.1
BGM-16-291	174.1	-45.1	BGM-16-325	168.7	-59.7	BGM-16-359	175.8	-60.5

BGM-16-292 177.8	-61.0	BGM-16-326 166.8	-70.9	BGM-16-360 176.4	-70.5
BGM-16-293 173.0	-69.6	BGM-16-327 168.1	-53.8	BGM-16-361 168.6	-69.6
BGM-16-294 169.6	-45.1	BGM-16-328 169.1	-65.0		

[Click Image To View Full Size](#)

[Click Image To View Full Size](#)

Copyright (c) 2016 TheNewswire - All rights reserved.