

# Red Pine Exploration Intersects Multiple Zones of Gold Mineralization in the Wawa Gold Corridor

24.01.2017 | [Marketwired](#)

## Drills 0.78 g/t Gold Over 90.8 Metres, Including 16.82 g/t Gold Over 1.92 Metres

TORONTO, Jan. 24, 2017 - [Red Pine Exploration Inc.](#) (TSX VENTURE:RPX) ("Red Pine" or the "Company") has received results for hole SD-16-40 drilled as part of its on-going drilling program at the Wawa Gold Project.

### Highlights from SD-16-40 include:

- 0.78 g/t gold over 90.8 metres in multiples gold zones in the Wawa Gold Corridor including: 16.82 g/t gold over 1.92 metres in the Surluga Road Shear Zone, 2.09 g/t gold over 7.3 metres in the Jubilee Shear Zone and 1.27 g/t gold over 5 metres in the William Gold Zone (*Table 1* and *Figure 1*);
- The discovery of a new zone of gold mineralization in the footwall containing 0.92 g/t gold over 11 metres, including 1.53 g/t gold over 4.5 metres; and
- The discovery of gold mineralization in the Hornblende Shear Zone containing 0.94 g/t gold over 22 metres, including 1.17 g/t gold over 14 metres (*Table 1*).

Quentin Yarie, President and Chief Executive Officer of Red Pine states, "*SD-16-40 validates our exploration model and confirms that the Wawa Gold Corridor is made up of multiple stacked gold zones. We intersected 6 zones of gold mineralization within 300 metres of the inferred resource boundary which further proves the untapped potential of the under-explored Wawa Gold Corridor.*"

### SD-16-40

SD-16-40 was drilled to test the hypothesis that the Wawa Gold Corridor is comprised of multiple stacked gold zones in an area that remains almost entirely under-explored outside the Jubilee Shear Zone. The Jubilee Shear Zone hosts the Surluga Deposit - the currently defined 1,088,000 ounces inferred resource. The intersection of six individual zones of gold mineralization in SD-16-40 strongly supports this hypothesis and indicates that much of the gold remains to be found in the footwall of the inferred resource. The intersected gold zones include from top to bottom: the Algoma Shear Zone, the Jubilee Shear Zone (current host of the inferred resource), the Surluga Road Shear Zone, the William Gold Zone, a newly discovered gold zone, and the Hornblende Shear Zone. SD-16-40 also confirms that the gold mineralization identified in the Hornblende Shear and the William Gold Zone during the Fall 2015 drilling program are respectively mineralized between surface and 300 metres below surface for the Hornblende Shear Zone, and between surface and 150 metres below surface for the William Gold Zone.

*Table 1.* Highlights of drilling results in the Wawa Gold Corridor

Hole	From (m)	To (m)	Length (m)*	Gold (g/t)	Gold Zone
------	----------	--------	-------------	------------	-----------

	86.7	177.5	90.8	0.78	
	Including				Wawa Gold Corridor - Upper
	86.7	94	7.3	2.09	
	98	104	6	0.99	Jubilee Shear Zone
	140.18	147	1.92	16.82	Surluga Road Shear Zone
	170	175	5	1.27	William Gold Zone
SD-16-40	222	230	11	0.92	
	Including				<i>New Discovery</i>
	222	226.5	4.5	1.53	
	349	350.72	2.5	0.45	
	394	416	22	0.94	
	Including				Hornblende Shear Zone
	394	408	14	1.17	
	11	14.3	3.3	0.47	Algoma Shear Zone

*\*Assay results reported over intersection length estimated in the Jubilee and Hornblende Shear Zone to represent >85% true width; As they represent discoveries, no true width estimation are currently defined for the intersection in the newly intersected gold zone and Surluga Road Shear Zone.*

### On-going Drilling Program

The on-going diamond drill program is focused on expanding the Surluga Deposit to the north. Holes SD-17-48 and SD-17-49 targeted the northeastern edge of the inferred resource whereas SD-17-50 is targeting the shallower extension of the Wawa Gold Corridor up-section of SD-16-40.

To view *Figure 1. Fall 2016 Drill Program - location of drill holes*, please visit the following link:  
<http://media3.marketwire.com/docs/1083674RedPine-F1.pdf>

### On-site Quality Assurance/Quality Control ("QA/QC") Measures

Drill core samples are transported in security-sealed bags for analyses at Activation Laboratories Ltd. in Timmins, Ontario. Individual samples are labeled, placed in plastic sample bags and sealed. Groups of samples are then placed into durable rice bags that are then shipped. The remaining coarse reject portions of the samples remain in storage at the Activation Laboratories Ltd. in Timmins, Ontario if further work or verification is needed.

Red Pine has implemented a quality-control program to comply with best practices in the sampling and analysis of drill core. As part of its QA/QC program, Red Pine inserts external gold standards (low to high grade) and blanks every 20 samples in addition to random standards, blanks, and duplicates.

### Qualified Person

Quentin Yarie, P Geo., is the qualified person responsible for preparing, supervising and approving the scientific and technical content of this news release.

### About Red Pine Exploration Inc.

[Red Pine Exploration Inc.](#) is a gold and base-metals exploration company headquartered in Toronto, Ontario, Canada. The Company's common shares trade on the TSX Venture Exchange under the symbol "RPX".

Red Pine has a 30% interest in the Wawa Gold Project through an Assignment and Assumption Agreement with Citabar LLP and [Augustine Ventures Inc.](#) Red Pine is the Operating Manager of the JVA and is focused on expanding the existing gold resource on the property. The JVA is owned 40% by Citabar, 30% by Red Pine and 30% by Augustine.

Red Pine and Augustine entered into a definitive agreement (November 14, 2016) to consolidate their ownership of the Wawa Gold Project. On January 20, 2017, Augustine's shareholders approved the agreement and subject to certain conditions and final acceptance by the TSX-V, the merged Company will

have a 60% interest in the Wawa Gold Project.

For more information about the Company visit [www.redpineexp.com](http://www.redpineexp.com).

<sup>1</sup> NI 43-101 inferred resource of 1,088,000 ounces of gold at a 1.71 grams per tonne (g/t) using a 0.40 g/t gold cut-off grade for pit-constrained and 2.50 g/t gold cut-off grade for underground-constrained resources, contained in 19.82 million tonnes open along strike and at depth. The Cut-off grades are based on a gold price of US\$1,250 per ounce and a gold recovery of 95 percent (Mineral Resource Statement\*, Surluga-Jubilee Gold Deposit, Wawa Gold Project, Ontario, SRK Consulting (Canada) Inc (effective May 26, 2015)). The report is available on [www.SEDAR.com](http://www.SEDAR.com) under Red Pine's profile.

<sup>2</sup> Before results are entirely historical and are based on assay results obtained during drill programs conducted between 1961 and 1989 by previous operators of the Wawa Gold Project. After results represents the combination of the historical results with the new assay results obtained by Red Pine Exploration as part of its sampling program. Red Pine's sampling of the core involves re-measuring the historical boreholes and sampling the un-sampled core pieces left in the historical intersections. A full QA/QC program is implemented as part of Red Pine sampling program. All the sampled historical boreholes with the new sample locations are also systematically photographed as part of the sampling protocols.

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

This News Release contains forward-looking statements. In some cases, you can identify forward-looking statements by terminology such as "may", "should", "expects", "plans", "anticipates", "believes", "estimates", "predicts", "potential" or "continue" or the negative of these terms or other comparable terminology. These statements are only predictions and involve known and unknown risks, uncertainties and other factors that may cause our or our industry's actual results, levels of activity, performance or achievements to be materially different from any future results, levels of activity, performance or achievements expressed or implied by these forward-looking statements.

Although the Company believes that the assumptions and factors used in preparing the forward-looking information in this news release are reasonable, undue reliance should not be placed on such information, which only applies as of the date of this news release. The Company disclaims any intention or obligation to update or revise any forward-looking information, whether as a result of new information, future events or otherwise, other than as required by law.

## Contact

[Red Pine Exploration Inc.](#)  
Quentin Yarie, President & CEO  
(416) 364-7024  
[qyarie@redpineexp.com](mailto:qyarie@redpineexp.com)

[Red Pine Exploration Inc.](#)  
Mia Boiridy, Investor Relations  
(416) 364-7024  
[mboiridy@redpineexp.com](mailto:mboiridy@redpineexp.com)  
[www.redpineexp.com](http://www.redpineexp.com)

---

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/254147--Red-Pine-Exploration-Intersects-Multiple-Zones-of-Gold-Mineralization-in-the-Wawa-Gold-Corridor.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).