

LA PRAIRIE, QUEBEC--(Marketwired - Sept. 5, 2017) - The management of [Vanstar Mining Resources Inc.](#) (TSX VENTURE:VSR) pleased to report the last drilling results from an additional ten diamond drill holes totaling just over 4,400 metres from the 7,669 metres on the project last winter by [IAMGold Corp.](#) These results confirm an extension to the west of the Renard zone structure over 1.3 km of a large hydrothermal gold system that is now drill intersected over 2.3 km strike length. This gold corridor corresponds to a Magnetic Intensity anomaly that remains open along strike and at depth. A number of gold bearing zones are observed to occur within the larger hydrothermal system and are summarized below and provided in the attached Table.

Drill hole NE-17-64 located at 0.7 km west of drill hole NE-16-48 in the Renard zone, returned a grade of 2.78 g/t Au over 11.28 m and 1.31 g/t Au over 5.64 m while drill hole NE-17-61, located 1.3 km from NE-16-48, intersected a grade of 1.21 g/t Au over 9.52 m.

Drill hole NE-17-62 intersected the Renard zone with grades of 2.01 g/t Au over 34.27 m, including 2.88 g/t Au over 20.43 m and 4.43 g/t Au over 11.59 m. This drill hole also intersected another gold zone grading 2.38 g/t Au over 11.59 m. This drill hole confirmed the depth extension of the Renard zone from NE-16-48 which previously returned 3.19 g/t Au over 11.69 m and 1.62 g/t Au over 32.42 m including 3.26 g/t Au over 8.46 m (see M&A release).

Renard drill section: http://media3.marketwire.com/docs/Section_450W.pdf

Drill holes NE-17-63, NE-17-65 and NE-17-66 were located to test the up-dip extensions of drill holes NE-16-46, NE-16-47 and NE-16-48. NE-17-63 successfully intersected their respective targets, returning 1.68 g/t Au over 10.34 m, 1.16 g/t Au over 50.30 m including 2.62 g/t Au over 10.34 m and 2.83 g/t Au over 6.62 m including 8.73 g/t Au over 1.45 m. Several other gold intervals were also intersected in these holes as noted below.

"We are very impressed by the apparent size of this large hydrothermal gold system. The latest results show gold mineralization extending to depth, and it remains open. The encouraging results received to date continue to demonstrate the gold potential of this project. A further drilling campaign will be required to fully evaluate this large system" stated Mr. Guy Morissette, CEO of Vanstar.

[IAMGold Corp.](#), the project operator and Vanstar's joint venture partner on this project, is now compiling and analyzing all of the data to plan the next phase of exploration.

Nelligan Geophysics map: http://media3.marketwire.com/docs/goldzones_august.pdf

Nelligan Gold Horizons map: http://media3.marketwire.com/docs/gold_zones_horizons_august.pdf

The following table summarizes the most recent results of the second part of the 2017 winter drilling campaign.

Table 1 Nelligan Project Drilling Results - 2017 WINTER Drilling program

Hole No.	UTM NAD83 Zone18 Easting	UTM NAD83 Zone18 Northing	UTM NAD83 Zone18 Elevation	AZ (°)	DIP (°)	EOH (m)	from (m)	To (m)	Interval (m)	True Width (1) (m)	Au (2) (g/t)	NOTE
NE-17-58	522822	5473355	384	330	48	500.00	181.05	185.00	3.95	3.71	1.31	ZONE L
NE-17-59	522560	5473369	378	330	48	560.00	No Significant Results					
NE-17-60	522324	5473343	374	330	48	495.00	No Significant Results					
NE-17-61	521227	5473687	370	360	48	504.00	165.00	168.00	3.00	2.72	1.19	WEST F
							270.00	271.50	1.50	1.36	2.47	
							292.50	303.00	10.50	9.52	1.21	
							292.50	297.00	4.50	4.08	1.97	
NE-17-62	522704	5473575	380	335.4	47	525.00	369.65	384.00	14.35	13.48	2.07	ZONE F
							370.50	382.50	12.00	11.59	2.38	
							381.00	382.50	1.50	1.45	12.30	
							399.00	405.00	6.00	5.80	0.87	ZONE F
							423.00	457.80	34.80	34.27	2.01	
NE-17-63	522563	5473833	376	330	45	369.00	97.50	111.00	13.50	10.34	1.68	ZONE F
							100.50	106.60	6.10	4.67	2.58	
NE-17-64	522563	5473833	376	330	45	369.00	135.00	153.00	18.00	13.79	0.92	ZONE F
							139.50	141.00	1.50	1.15	2.43	
							162.00	172.50	10.50	8.04	1.33	
							162.00	163.50	1.50	1.15	3.23	

							166.50	169.50	3.00	2.30	1.95	
							184.50	189.00	4.50	3.45	1.31	ZONE F
							300.00	303.00	3.00	2.60	1.42	
NE-17-64	521828	5473633	378	360	45	456.00	318.00	328.50	10.50	9.87	0.87	WEST F
							319.50	325.50	6.00	5.64	1.13	
							343.50	355.50	12.00	11.28	2.78	
							346.50	348.00	1.50	1.41	15.25	
							390.00	394.50	4.50	4.23	0.89	
NE-17-65	522714	5473818	382	335.9	44.7	363.00	63.00	69.00	6.00	4.60	0.88	
							147.60	159.00	11.40	10.33	0.66	ZONE F
							171.00	180.00	9.00	8.16	0.91	
							195.00	250.50	55.50	50.30	1.16	
							201.00	208.50	7.50	6.80	2.62	
							217.50	225.00	7.50	6.80	1.70	
							229.50	232.50	3.00	2.72	2.25	
							235.50	238.50	3.00	2.72	1.47	
							244.50	247.50	3.00	2.72	1.70	
							267.00	268.50	1.50	1.36	2.53	
							273.00	276.00	3.00	2.72	1.35	
NE-17-66	522768	5474006	374	331.7	47.6	282.00	69.00	79.50	10.50	10.14	0.95	ZONE F
							72.00	78.00	6.00	5.80	1.29	
							100.50	107.35	6.85	6.62	2.83	
							100.50	102.00	1.50	1.45	8.73	
							123.00	124.50	1.50	1.45	1.14	
							129.00	129.90	0.90	0.89	26.90	
NE-17-67	522588	5472799	386	331.9	46.4	366.00	No Significant Results					
							TOTAL 4 420.00 m					

Notes:

- (1) True widths are estimated at 76 to 98% of the core interval.
- (2) Drill hole intercepts are calculated with a lower cut of 0.50 g/t Au and may contain lower grade interval of up to 5 metres in length. They are generally reported with a minimum g*m (or Metal factor) of 5.
- (3) Assays are reported uncut but high grade sub-intervals are highlighted.

About the Nelligan project

This project is located 45 km to the south of Chapais. Access to the property is easy by the paved highway Route 113 N that links Chapais and by forestry gravel roads reaching directly to the center of the property.

The property is located in the northeastern part of the Abitibi Greenstone Belt of the Superior province. It contains several interesting structures including Liam, Dan, North Sector (Renard Zone), Zone 36 and Lac d'Eu. These gold structures were intersected to date over a strike length of over 300 vertical metres and may collectively form a corridor of few hundred of metres in width. The widespread presence of gold is confirmed by drilling throughout the hydrothermal system. These zones remain open along strike and at depth.

This press release was read and approved by Gilles Laverdière, Geologist and Qualified Person under NI 43-101.

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) is responsible for the adequacy or accuracy of this release.

Contact

[Vanstar Mining Resources Inc.](#)
Guy Morissette
CEO
819-763-5096
gmvanstar@vanstarmining.com