

Rockhaven Resources Ltd. Announces Initial Assays from 2017 Drilling at Klaza Project, Yukon

12.09.2017 | [GlobeNewswire](#)

VANCOUVER, Sept. 12, 2017 - [Rockhaven Resources Ltd.](#) (TSX-V:RK) ("Rockhaven") is pleased to announce assay results from the first 28 holes of the 2017 diamond drill program at its 100% owned Klaza gold-silver property, located in the Dawson Range Gold Belt of southern Yukon. The field program was completed ahead of schedule with a total of 15,922 m in 96 holes.

The main objectives of the 2017 program were to: better define and expand the near-surface mineral resources through infill and step-out drilling; explore for new gold zones through drilling, trenching and geophysics; and, continue to advance the metallurgical and engineering facets of the Klaza project.

Near surface assay highlights include:

7.57 g/t gold and 65.6 g/t silver over 2.90 m – Hole 366
 14.14 g/t gold and 116 g/t silver over 1.93 m – Hole 365
 36.90 g/t gold and 1,280 g/t silver over 0.83 m – Hole 341
 1.25 g/t gold and 8.74 g/t silver over 14.04 m – Hole 360
 6.57 g/t gold and 99.0 g/t silver over 2.22 m – Hole 362
 12.65 g/t gold and 419 g/t silver over 1.16 m – Hole 343
 14.10 g/t gold and 331 g/t silver over 1.13 m – Hole 344
 4.78 g/t gold and 22.7 g/t silver over 2.96 m – Hole 346
 3.79 g/t gold and 48.2 g/t silver over 3.78 m – Hole 339
 19.50 g/t gold and 554 g/t silver over 0.63 m – Hole 342
 3.00 g/t gold and 32.7 g/t silver over 6.98 m – Hole 356

"Enhancing the economics at Klaza is largely dependent on adding ounces amenable to open pit mining and these first holes help demonstrate the consistent nature and extent of the near surface gold mineralization within and adjacent to the Klaza and BRX zones," stated Matt Turner, Rockhaven's CEO. "These holes expand the area of mineralization and provide material needed to complete pre-concentration and metallurgical studies."

The majority of the holes announced in this press release are from drilling conducted in the Central Klaza Zone, testing veins located within the zone and in its immediate footwall. All of the holes are situated within or adjacent to the proposed open pit as outlined in a March 1, 2016 Preliminary Economic Assessment (PEA) on the Klaza property. A copy of the PEA can be viewed on the Rockhaven website (www.rockhavenresources.com).

The near-surface veins within the footwall of the Central Klaza Zone were first systematically tested during a drill program conducted in summer 2016. They comprise a laterally extensive complex of moderate to steeply dipping, fracture-filled veins and sheeted veinlets and the majority of these veins are not included in the mineral resource estimate or proposed mine plan contained in the PEA. Samples collected from the drill program will be used for pre-concentration metallurgical test work that will begin in fall 2017.

Maps and sections from the 2017 exploration program can be viewed at Rockhaven's website (www.rockhavenresources.com).

Significant new drill results from the Central Klaza, Eastern BRX and Pika zones are shown in Table I.

Table I – Significant Assay Results from the Central Klaza, Eastern BRX and Pika Zones (FW=Footwall and HW=Hanging Wall)

Drill Hole	Zone ID	From (m)	To (m)	Interval (m)+	Gold (g/t)	Silver (g/t)	Lead (g/t)	Zinc (%)	(%)
KL-17-339	KZA	18.25	18.25	18.70	18.70	0.45	1.73	9.18	
and	KZA	37.98	41.76	3.78	3.78	3.79	48.2	0.25	

incl.	KZA	37.98	38.22	0.24	12.75	223	1
and incl.	KZA	41.00	41.76	0.76	14.75	167	
KL-17-341	KZA	25.22	26.05	0.83	36.90	1280	
and	KZA	35.00	38.75	3.75	1.79	21.2	0.16
and	KZA-FW	43.30	43.70	0.40	11.55	305	6
and	KZA-FW	71.01	71.98	0.97	0.24	140	1
and	KZA-FW	73.06	74.93	1.87	0.80	121	0
KL-17-342	KZA-HW	26.19	26.76	0.57	9.99	63.0	
and	KZA	62.77	63.36	0.59	1.50	283	1.370
and	KZA	66.36	67.15	0.79	1.26	13.3	0.06
and	KZA	83.50	90.30	6.80	1.41	8.49	0.07
and	KZA	98.70	103.17	4.47	3.64	89.7	0.4
incl.	KZA	102.54	103.17	0.63	19.50	554	
KL-17-343	KZA	88.40	89.03	0.63	4.61	87.5	
and	KZA	98.31	103.00	4.69	4.13	205.1	1
incl.	KZA	101.84	103.00	1.16	12.65	419	
KL-17-344	KZA	6.20	7.00	0.80	7.37	112	
and	KZA	17.79	18.74	0.95	4.49	57.0	1.04
and	KZA	39.20	48.18	8.98	2.09	49.9	0.55
incl.	KZA	41.43	42.56	1.13	14.10	331	4
KL-17-345	KZA-HW	8.23	9.48	1.25	1.84	5.36	
and	KZA	25.55	31.00	5.45	1.86	24.0	0.12
and	KZA-FW	52.67	53.25	0.58	2.36	46.4	0
KL-17-346	KZA	26.61	29.57	2.96	4.78	22.7	
and	KZA-FW	40.34	40.68	0.34	6.26	32.6	0
and	KZA-FW	45.19	45.75	0.56	1.10	71.9	1
and	KZA-FW	59.55	61.36	1.81	2.08	12.9	0
and	KZA-FW	66.11	67.27	1.16	1.90	5.21	0
and	KZA-FW	73.46	74.74	1.28	1.78	13.2	0
and	KZA-FW	84.78	86.34	1.56	2.83	41.6	1
and	KZA-FW	110.88	111.65	0.77	1.03	8.1	
KL-17-348	KZA-FW	20.42	21.15	0.73	1.09	79.2	
and	KZA-FW	33.62	35.00	1.38	1.29	12.8	0
and	KZA-FW	44.32	45.10	0.78	2.29	41.0	0
KL-17-349	KZA-FW	26.52	28.00	1.48	1.18	59.2	
and	KZA-FW	61.17	62.53	1.36	3.64	109	1
and	KZA-FW	73.25	73.55	0.30	11.00	203	6
KL-17-350	KZA-FW	23.66	24.77	1.11	4.28	305	
and	KZA-FW	56.33	57.10	0.77	1.15	37.7	0
and	KZA-FW	62.38	63.62	1.24	1.24	47.5	0
and	KZA-FW	73.25	74.52	1.27	2.43	91.1	2
KL-17-351	KZA-FW	37.50	39.53	2.03	1.54	91.6	
and	KZA-FW	43.56	44.08	0.52	3.70	86.5	0
KL-17-352	KZA-FW	25.26	25.94	0.68	1.47	31.0	
and	KZA-FW	33.39	34.73	1.34	5.20	32.6	0
and	KZA-FW	45.47	45.80	0.33	3.78	8	0.09
and	KZA-FW	85.42	86.29	0.87	1.87	125	0
and	KZA-FW	114.30	114.63	0.33	21.20	244	
and	KZA-FW	127.96	128.41	0.45	2.82	14.4	
KL-17-353	KZA-FW	9.35	11.00	1.65	6.10	27.8	
and	KZA-FW	43.29	44.81	1.52	2.80	87.0	0
and	KZA-FW	51.63	52.47	0.84	1.03	10.0	0
and	KZA-FW	92.86	93.43	0.57	5.56	412	0
and	KZA-FW	136.69	137.73	1.04	1.26	3.0	

KL-17-354	KZA-FW	63.81	64.56	0.75	1.80	16.1
and	KZA-FW	77.00	77.85	0.85	1.51	8.33
and	KZA-FW	94.85	95.59	0.74	1.01	20.6
and	KZA-FW	137.55	142.76	5.21	1.08	11.9
incl.	KZA-FW	137.55	139.16	1.61	2.19	25.8
incl.	KZA-FW	142.34	142.76	0.42	4.66	40.5
KL-17-355	KZA-FW	39.16	39.65	0.49	14.35	93.5
and	KZA-FW	88.00	88.34	0.34	3.44	142
and	KZA-FW	121.14	122.54	1.40	3.03	31
incl.	KZA-FW	121.14	121.64	0.50	3.48	59.1
and incl.	KZA-FW	122.17	122.54	0.37	6.75	35.5
and	KZA-FW	140.30	140.69	0.39	6.17	77.5
KL-17-356	KZA	12.85	14.57	1.72	4.67	48.6
and	KZA	23.65	30.63	6.98	3.00	32.7
incl.	KZA	23.65	27.67	4.02	4.81	54.3
and	KZA-FW	70.13	71.40	1.27	3.34	84.9
and	KZA-FW	150.92	152.09	1.17	1.07	34.1
and	KZA-FW	171.85	172.39	0.54	2.16	42.0
KL-17-357	PIKA	81.05	81.53	0.48	1.38	34.9
and	PIKA	90.09	90.80	0.71	1.18	14.4
KL-17-358	PIKA	127.00	128.21	1.21	7.24	18.5
and	PIKA	135.03	135.82	0.79	4.52	15.2
and	PIKA	148.23	148.53	0.30	1.20	3.91
KL-17-359	KZA-FW	49.20	50.57	1.37	4.58	119
and	KZA-FW	76.15	76.83	0.68	1.23	42.3
and	KZA-FW	88.37	89.00	0.63	2.04	51.5
KL-17-360	KZA	11.80	17.72	5.92	1.86	11.4
incl.	KZA	11.80	12.20	0.40	17.45	132
and	KZA	30.00	44.04	14.04	1.25	8.74
incl.	KZA	30.00	30.53	0.53	9.18	34.2
and	KZA-FW	107.97	108.28	0.31	2.76	33.1
and	KZA-FW	144.17	144.48	0.31	3.19	164
KL-17-361	PIKA	77.09	77.49	0.40	6.76	57.8
and	PIKA	92.05	92.50	0.45	2.21	20.4
KL-17-362	PIKA	121.00	123.22	2.22	6.57	99.0
and	PIKA	156.57	157.03	0.46	8.67	28.2
and	PIKA	180.54	181.59	1.05	3.44	59.0
KL-17-363	BYG	11.70	12.28	0.58	5.85	173
and	BYG	43.07	43.68	0.61	3.82	10.5
and	KZA-HW	55.7	57.40	1.70	3.03	27.9
and	KZA-HW	56.84	57.40	0.56	6.98	63.5
and	KZA-HW	72.73	73.32	0.59	1.81	10.4
and	KZA-HW	92.37	92.97	0.60	1.84	21.2
and	KZA	132.20	133.75	1.55	1.95	7.24
and	KZA	142.64	143.06	0.42	3.38	70.8
and	KZA-FW	190.77	191.45	0.68	4.18	158
KL-17-364	AEX	29.28	32.00	2.72	1.00	56.9
and	EBRX	107.00	108.00	1.00	1.13	28.6
and	EBRX	129.00	129.61	0.61	5.39	11.5
and	EBRX	149.53	150.04	0.51	2.40	161
and	EBRX	176.79	177.50	0.71	2.78	26.6
and	PIKA	196.81	197.41	0.60	1.09	53.5
and	PIKA	245.60	246.03	0.43	2.05	11.2
KL-17-365	KZA-HW	40.00	40.47	0.47	8.71	25.8
and	KZA-HW	51.70	53.28	1.58	7.76	16.2
and	KZA	105.37	114.75	9.38	4.08	44.2

incl.	KZA	112.82	114.75	1.93	14.14	116	
and	KZA-FW	124.27	124.81	0.54	4.73	35.5	
KL-17-366	KZA	47.60	50.50	2.90	7.57	65.6	
incl.	KZA	47.60	48.28	0.68	20.40	122	0
and	KZA	69.09	69.45	0.36	21.90	874	1.2
and	KZA-FW	114.38	114.91	0.53	2.70	168	
and	KZA-FW	127.53	128.06	0.53	1.07	11.0	
and	KZA-FW	145.22	145.74	0.52	11.05	256	
and	KZA-FW	157.78	158.10	0.32	9.97	441	
and	KZA-FW	166.80	167.55	0.75	1.19	33.5	
and	KZA-FW	209.24	210.42	1.18	12.35	81.1	
incl.	KZA-FW	209.24	209.63	0.39	21.50	32.7	

+ Represents the diamond drill hole or trench sample length. True widths are estimated to be approximately 80-90% of the interval.

KL-17-340 and KL-17-347 did not return significant mineralization

QAQC

All analyses for rock and core samples from the 2017 program were performed by ALS Minerals with sample preparation in North Vancouver, Whitehorse or Thunder Bay and assays and geochemical analyses in North Vancouver. Core samples were routinely analyzed for gold by fire assay followed by atomic absorption (Au-AA24) and 48 other elements by inductively coupled plasma-mass spectrometry (ME-MS61). Samples that exceeded the detection limits of the routine methods were assayed for silver, copper, lead and zinc by inductively coupled plasma-atomic emission spectroscopy (Ag/Cu/Pb/Zn - OG62) and gold by gravimetric analysis (Au-GRA22). Rigorous procedures were in place regarding sample collection, chain of custody and data entry. Certified assay standards, coarse reject duplicates, field duplicates and blanks were routinely inserted into the sample stream to ensure integrity of the assay process. All of the results reported have passed the QAQC screening.

The 2017 program was managed by Archer, Cathro & Associates (1981) Limited (Archer Cathro). Technical information in this news release has been approved by Matthew R. Dumala, P.Eng., a geological engineer with Archer Cathro and qualified person for the purpose of National Instrument 43-101.

About Rockhaven

[Rockhaven Resources Ltd.](http://www.rockhavenresources.com) is a mineral exploration company focused on growth through the advancement of its Klaza project. For additional information concerning Rockhaven or its Klaza project please visit Rockhaven's website at www.rockhavenresources.com.

Matthew Turner, President, CEO and Director
Rockhaven Resources Ltd.
T:604-687-2522
mturner@rockhavenresources.com

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Dieser Artikel stammt von Rohstoff-Welt.de

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/276690--Rockhaven-Resources-Ltd.-Announces-Initial-Assays-from-2017-Drilling-at-Klaza-Project-Yukon.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).