

BGM Intersects 35.20 G/t Au Over 4.00 Metres at Shaft Zone

31.10.2017 | [CNW](#)

BETA CORRIDOR CONTINUES TO EXPAND - 17.65 G/T AU OVER 6.70 METRES

TORONTO, Oct. 31, 2017 /CNW/ - Barkerville Gold Mines Ltd. (TSXV: BGM) (the "Company" or "Barkerville") is pleased to announce additional drilling results from the ongoing 160,000 metre Phase II Island Mountain exploration and infill drilling program at the Company's flagship Cariboo Gold Project. The Company is currently exploring and delineating the Valley and Shaft Zones with nine drill rigs, while a tenth drill is expanding the known mineralization on the BC Vein. Detailed drilling results, a drill hole location plan map and vertical sections are presented at the end of this release. The exact geometry and hence true width of the mineralized zones cannot be assuredly concluded at this time therefore core lengths are reported.

Highlights:

- IM-17-156: 17.65 g/t Au over 6.70 metres
- IM-17-166: 12.23 g/t Au over 6.70 metres
- IM-17-168: 16.05 g/t Au over 5.72 metres
- IM-17-169: 19.58 g/t Au over 6.65 metres
- IM-17-170: 20.50 g/t Au over 5.50 metres
- IM-17-173: 10.82 g/t Au over 8.60 metres
- IM-17-173: 35.20 g/t Au over 4.00 metres

Beta Corridor Continues to Expand to Depth

The Company is pleased to announce that Phase II drillhole IM-17-169 has expanded the recently announced Beta Corridor via the intersection of 19.58 g/t Au over 6.65 metres at a vertical depth of 320 metres below surface. The expansion occurs 90 metres southwest and up dip along corridor strike from previously disclosed Phase II drillhole IM-17-142 which intersected 10.04 g/t Au over 8.20 metres. Infill drilling between the above-mentioned drillholes has demonstrated the grade and geological continuity of this area as IM-17-173 intersected two veining systems grading 10.82 g/t Au over 8.60 metres and 7.70 g/t Au over 8.35 metres at respective vertical depths of 275 and 350 metres below surface. The Beta Corridor still remains open for expansion along vein strike as well as downdip.

Infill drilling in the Beta Corridor is also indicating the grade and geological continuity of this vein system as demonstrated by drillhole IM-17-172 which intersected two zones averaging 12.81 g/t Au over 4.80 metres followed closely by 12.56 g/t over 3.45 metres at a vertical depth of 150 metres below surface. These intersections occur 40 metres up dip of previously released drillhole IM-17-141 which intersected 6.09 g/t Au over 20.40 metres.

Shaft Zone - Corridors Discussion

The sandstone hosted veining which constitutes the newly named Alpha, Beta and Gamma Corridors of the Shaft Zone are manifested as an anastomosing network of high vein density with an overall sub-vertical dip and northeast strike. Based upon drilling results to date, estimated horizontal widths of the corridors are variable and range from 5 to 35 metres. These corridors, as well as others that are developing in the Shaft and Valley Zones have been defined from surface to a vertical depth of 600 metres and remain open for expansion to depth and down plunge. Drillhole spacing in the corridors currently averages 25 metres between drilling sections with vertical drilling separations ranging from 20 to 75 metres with hole spacing increasing to depth. Gold grades are intimately associated with vein-hosted pyrite as well as pyritic, intensely silicified wall rock haloes in close proximity to the veins.

Qualified Persons

Exploration activities at the Cariboo Gold Project are administered on site by the Company's Exploration Manager, Maggie Layman, P.Geo. As per National Instrument 43-101 Standards of Disclosure for Mineral Projects, Paul Geddes, P.Geo. Vice President Exploration, is the Qualified Person for the Company and has prepared, validated and approved the technical and scientific content of this news release. The Company strictly adheres to CIM Best Practices Guidelines in conducting, documenting, and reporting its exploration activities on the Cariboo Gold Project.

Quality Assurance & Quality Control

Once received from the drill and processed, all drill core samples are sawn in half, labelled and bagged. The remaining drill core is subsequently stored on site at the Company's secure facility in Wells, BC. Numbered security tags are applied to lab shipments for chain of custody requirements. The Company inserts quality control (QC) samples at regular intervals in the sample stream, including blanks and reference materials with all sample shipments to monitor laboratory performance. The QAQC program was designed and approved by Lynda Bloom, P.Geo. of Analytical Solutions Ltd., and is overseen by the Company's Qualified Person, Paul Geddes, P.Geo, Vice President Exploration.

Drill core samples are submitted to ALS Geochemistry's analytical facility in North Vancouver, British Columbia for preparation and analysis. The ALS facility is accredited to the ISO/IEC 17025 standard for gold assays and all analytical methods include quality control materials at set frequencies with established data acceptance criteria. The entire sample is crushed and 250 grams is pulverized. Analysis for gold is by 50g fire assay fusion with atomic absorption (AAS) finish with a lower limit of 0.01 ppm and upper limit of 100 ppm. Samples with gold assays greater than 100 ppm are re-analyzed using a 1,000g screen metallic fire assay. A selected number of samples are also analyzed using a 48 multi-elemental geochemical package by a 4-acid digestion, followed by Inductively Coupled Plasma Atomic Emission Spectroscopy (ICP-AES) and Inductively Coupled Plasma Mass Spectroscopy (ICP-MS).

About Barkerville Gold Mines Ltd.

The Company is focused on developing its extensive land package located in the historical Cariboo Mining District of central British Columbia. Barkerville's mineral tenures cover 2,110 square kilometres along a strike length of 67 kilometres which includes several past producing hard rock mines of the historic Barkerville Gold Mining Camp near the town of Wells, British Columbia. The QR Project, located approximately 110 kilometres by highway and all weather road from Wells was acquired by Barkerville in 2010 and boasts a fully permitted 900 tonne/day gold milling and tailings facility. Test mining of the Bonanza Ledge open pit was completed in March of 2015 with 91,489 tonnes of material milled producing 25,464 ounces of gold. The Company has completed several drilling and exploration programs over the past 20 years and has compiled this data with all historical information in order to develop geologic models which are assisting management in defining new deposits in the Cariboo Gold Project. An extensive drill program is currently underway with the goal of delineating additional high grade gold mineralization.

Cautionary Statement on Forward-Looking Information

Neither the TSX Venture Exchange ('TSXV') nor its Regulation Services Provider (as that term is defined in the policies of the TSXV) accepts responsibility for the adequacy or accuracy of this release. No stock exchange, securities commission or other regulatory authority has approved or disapproved the information contained herein. This news release contains forward-looking information which is not comprised of historical facts. Forward-looking information involves risks, uncertainties and other factors that could cause actual events, results, performance, prospects and opportunities to differ materially from those expressed or implied by such forward-looking information. Forward looking information in this news release includes, but is not limited to, the Company's objectives, goals or future plans, statements regarding exploration results and exploration plans. Factors that could cause actual results to differ materially from such forward-looking information include, but are not limited to, capital and operating costs varying significantly from estimates, the preliminary nature of metallurgical test results, delays in obtaining or failures to obtain required governmental, environmental or other project approvals, uncertainties relating to the availability and costs of financing needed in the future, changes in equity markets, inflation, fluctuations in commodity prices, delays in the development of projects and the other risks involved in the mineral exploration and development industry, and those risks set out in the Company's

public documents filed on SEDAR. Although the Company believes that the assumptions and factors used in preparing the forward-looking information in this news release are reasonable, undue reliance should not be placed on such information, which only applies as of the date of this news release, and no assurance can be given that such events will occur in the disclosed time frames or at all. The Company disclaims any intention or obligation to update or revise any forward-looking information, whether as a result of new information, future events or otherwise, other than as required by law.

Table 1: Length weighted gold composites for Shaft Zone Phase II drillholes:

HOLE-ID	FROM (M)	TO (M)	CORE LENGTH (M)	AU (G/T)
IM-17-154	108.90	109.60	0.70	23.60
IM-17-156	63.80	64.60	0.80	29.90
IM-17-156	128.00	129.60	1.60	6.91
IM-17-156	146.85	148.75	1.90	17.23
INCLUDING	146.85	147.35	0.50	48.30
AND	147.35	147.85	0.50	16.45
IM-17-156	153.00	153.50	0.50	10.95
IM-17-156	252.90	259.60	6.70	17.65
INCLUDING	253.90	254.60	0.70	18.00
AND	255.75	256.40	0.65	42.80
AND	258.50	259.10	0.60	59.30
AND	259.10	259.60	0.50	64.90
IM-17-156	279.50	280.80	1.30	11.75
IM-17-156	315.65	316.15	0.50	33.90
IM-17-156	359.75	361.50	1.75	52.69
INCLUDING	360.75	361.50	0.75	116.50
IM-17-160	173.00	177.00	4.00	5.45
INCLUDING	174.50	175.20	0.70	11.00
IM-17-160	181.50	182.00	0.50	9.17
IM-17-160	190.00	191.00	1.00	83.90
IM-17-160	375.50	376.00	0.50	119.50
IM-17-160	380.85	381.35	0.50	11.70
IM-17-160	415.35	415.90	0.55	10.95
IM-17-161	76.20	79.60	3.40	9.25

INCLUDING	77.35	78.15	0.80	25.00
IM-17-161	133.40	134.50	1.10	19.55
IM-17-161	359.75	360.90	1.15	9.41
IM-17-161	364.80	365.35	0.55	6.75
IM-17-161	455.40	456.10	0.70	53.30
IM-17-161	546.75	547.30	0.55	95.50
IM-17-165	203.50	204.40	0.90	6.14
IM-17-165	208.50	209.25	0.75	34.30
IM-17-165	265.00	265.50	0.50	11.00
IM-17-166	67.00	68.00	1.00	6.19
IM-17-166	72.80	73.30	0.50	17.30
IM-17-166	157.40	164.10	6.70	12.23
INCLUDING	159.00	159.70	0.70	31.90
AND	159.70	160.50	0.80	40.90
AND	163.10	164.10	1.00	12.70
IM-17-166	490.80	492.00	1.20	30.50
IM-17-166	499.50	502.10	2.60	38.07
INCLUDING	499.50	500.10	0.60	106.50
AND	500.80	501.30	0.50	67.10
IM-17-166	515.00	515.50	0.50	14.65
IM-17-166	528.80	529.30	0.50	22.10
IM-17-167	31.40	32.80	1.40	19.50
IM-17-167	82.00	82.50	0.50	17.20
IM-17-167	123.00	123.60	0.60	16.75
IM-17-167	265.30	266.40	1.10	19.05
IM-17-167	373.20	374.70	1.50	8.06
IM-17-167	393.20	394.00	0.80	10.20
IM-17-167	397.45	398.50	1.05	7.56
IM-17-168	78.50	84.22	5.72	16.05
INCLUDING				

80.50

81.80

1.30

55.50

AND	83.00	84.22	1.22	9.80
IM-17-168	135.35	135.90	0.55	48.30
IM-17-169	33.15	33.85	0.70	17.30
IM-17-169	50.45	51.45	1.00	10.15
IM-17-169	81.70	83.00	1.30	7.84
IM-17-169	130.15	130.75	0.60	53.50
IM-17-169	222.50	229.00	6.50	7.00
INCLUDING	223.20	224.00	0.80	18.55
AND	224.00	225.00	1.00	10.55
AND	225.00	226.05	1.05	10.25
AND	228.50	229.00	0.50	13.85
IM-17-169	233.00	233.70	0.70	12.45
IM-17-169	248.35	250.60	2.25	10.91
INCLUDING	249.25	250.10	0.85	24.20
IM-17-169	263.65	266.50	2.85	12.44
INCLUDING	263.65	264.40	0.75	10.75
AND	264.40	265.00	0.60	30.40
AND	265.00	266.00	1.00	9.06
IM-17-169	343.80	350.45	6.65	19.58
INCLUDING	343.80	344.40	0.60	9.22
AND	344.40	345.35	0.95	16.35
AND	347.55	348.30	0.75	102.50
AND	348.30	349.80	1.50	6.82
AND	349.80	350.45	0.65	33.50
IM-17-169	437.75	438.30	0.55	11.30
IM-17-169	540.05	541.00	0.95	8.42
IM-17-170	39.45	40.25	0.80	50.10
IM-17-170	46.50	47.20	0.70	15.05
IM-17-170	90.50	96.00	5.50	20.50
INCLUDING				

90.50

91.65

1.15

47.70

AND	92.55	93.10	0.55	14.10
AND	94.40	95.45	1.05	35.00
IM-17-170	123.20	123.90	0.70	8.39
IM-17-170	166.10	166.60	0.50	8.50
IM-17-170	216.00	219.75	3.75	8.42
INCLUDING	217.05	218.10	1.05	24.40
IM-17-171	221.00	221.65	0.65	40.00
IM-17-172	130.10	132.20	2.10	24.20
INCLUDING	130.10	131.20	1.10	36.70
AND	131.20	132.20	1.00	10.45
IM-17-172	196.80	201.60	4.80	12.81
INCLUDING	198.94	199.75	0.81	56.50
AND	199.75	200.90	1.15	9.72
IM-17-172	208.55	212.00	3.45	12.56
INCLUDING	208.55	210.00	1.45	7.40
AND	210.00	211.00	1.00	17.50
AND	211.00	212.00	1.00	15.10
IM-17-172	235.90	236.40	0.50	41.20
IM-17-172	416.60	417.10	0.50	9.98
IM-17-172	494.75	495.45	0.70	14.40
IM-17-173	118.45	122.45	4.00	35.20
INCLUDING	119.45	120.95	1.50	23.60
AND	120.95	122.45	1.50	68.20
IM-17-173	239.50	240.25	0.75	49.10
IM-17-173	283.40	284.25	0.85	10.30
IM-17-173	306.25	314.85	8.60	10.82
INCLUDING	306.25	306.75	0.50	14.40
AND	307.50	308.00	0.50	46.50
AND	308.00	308.60	0.60	18.60
AND				

314.00

314.85

0.85

58.60

IM-17-173	345.85	346.50	0.65	11.00
IM-17-173	358.00	358.75	0.75	22.30
IM-17-173	369.25	369.90	0.65	8.17
IM-17-173	381.15	389.50	8.35	7.70
INCLUDING	381.15	381.90	0.75	29.80
AND	387.75	389.00	1.25	22.80
AND	389.00	389.50	0.50	23.40

True widths cannot be accurately determined from the information available therefore core lengths are reported. Rock not recovered by drilling was assigned zero grade. Top cuts have not been applied to high grade assays.

Table 2: Drillhole Collar Orientations:

HOLE-ID	AZIMUTH	DIP
IM-17-154	135.50	-46.90
IM-17-156	142.30	-43.50
IM-17-160	134.60	-65.00
IM-17-161	136.50	-65.60
IM-17-165	139.10	-40.50
IM-17-166	132.50	-64.70
IM-17-167	135.60	-48.70
IM-17-168	141.10	-45.00
IM-17-169	139.20	-64.50
IM-17-170	143.60	-44.40
IM-17-171	143.60	-64.40
IM-17-172	139.20	-45.80
IM-17-173	141.80	-64.50

SOURCE [Barkerville Gold Mines Ltd.](#)

Contact

on [Barkerville Gold Mines Ltd.](#) please contact: Chris Lodder, President & Chief Executive Officer, 155 University Avenue, Suite 1440, Toronto, Ontario, Canada, clodder@barkervillegold.com

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/280768--BGM-Intersects-35.20-G-t-Au-Over-4.00-Metres-at-Shaft-Zone.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).