

AuRico Metals Announces Results from Successful 2017 Drill Program Including 338m Grading 0.64 g/t Au and 0.45% Cu at Kemess East

07.12.2017 | [CNW](#)

TORONTO, Dec. 7, 2017 - [AuRico Metals Inc.](#) (TSX: AMI), ("AuRico" or the "Company") is pleased to report the full assay results from the Company's 2017 exploration program on the Kemess Property. Drilling this season focused on converting inferred resource blocks to indicated and testing the northern and southern limits of the Kemess East deposit (eight holes, 11,917 metres), which is located approximately one kilometer east of the Kemess Underground deposit and 6.5 kilometers north of the Kemess mill facility and other infrastructure. The 2017 exploration also tested the northern extension of mineralization within the Kemess Offset Zone ("KOZ") (two holes, 2,006 metres) located between Kemess Underground and Kemess East.

Highlights from this year's drilling at Kemess East include:

- KH-17-05 intersected 338 metres of 0.64 g/t Au and 0.45% Cu
 - Including 120 metres of 1.05 g/t Au and 0.60% Cu
- KH-17-08B intersected 846.5 metres of 0.25 g/t Au and 0.28% Cu
 - Including 208 metres of 0.37 g/t Au and 0.41% Cu
- KH-17-09 intersected 853.8 metres of 0.24 g/t Au and 0.25% Cu
 - Including 147.5 metres of 0.40 g/t Au and 0.42% Cu

Highlights from this year's drilling in the Kemess Offset Zone include:

- KH-17-10 intersected 461.9 metres of 0.27 g/t Au and 0.22% Cu
 - Including 75 metres of 0.61 g/t Au and 0.41% Cu

(The true thickness of the mineralized intervals is estimated at approximately 90% of the reported intercept length.)

(Refer to Table 1 for the Kemess East Drill Results, Table 2 for the KOZ Drill Results, Table 3 for Drill Collar Locations, Table 4 for the Kemess East Resource Estimate, and Figures 1-4 respectively for the Kemess East Plan Map, Kemess East Cross-Section, KOZ Plan Map, and KOZ Cross-Section.)

This year's exploration program had three key objectives: convert inferred resource blocks to indicated, expand the limits of the currently known deposit and test the northern extension of the known mineralization within the KOZ.

Commenting on today's exploration results, Chris Richter, President and CEO of AuRico Metals, stated; "We're pleased to report the outcome of this year's drilling on the Kemess property and believe we've successfully achieved our objectives. At Kemess East we expect to convert a significant amount of inferred resources to indicated resources and a number of the holes point to good potential to grow the resource to the south. At the Kemess Offset Zone, we intersected long intervals of gold and copper mineralization and this target remains open in every direction. The results from the Kemess East drill program will be incorporated into an updated Kemess East resource expected in the first quarter of 2018."

The current Kemess East resource estimate (see press release dated January 13, 2017 and Technical Report dated July 12, 2017) includes a high grade core estimated to contain Indicated Resources of 113.1 million tonnes grading 0.38% Cu and 0.46 g/t Au as well as Inferred Resources of 63.8 million tonnes grading 0.34% Cu and 0.31 g/t Au; as shown in Table 4). The high grade core of the Kemess East resource estimate is associated with strong potassic alteration and the overall resource is mostly hosted in the strong and moderate potassic alteration.

Although each hole in the 2017 program had multiple objectives they can generally be subdivided as follows: Holes KH-17-02, KH-17-04, KH-17-06, KH-17-08B and KH-17-09 were drilled in the southern Kemess East

area. These holes targeted up to 175m south of the current indicated resource blocks within the inferred resource blocks. Drill holes KH-17-04, KH-17-08B and KH-17-09 bottomed in potassic strong alteration with good gold and copper mineralization that was previously modeled as lower grade. KH-17-04 was particularly intriguing as it bottomed in mineralization that was previously thought to be in barren intrusive rock.

Holes KH-17-03, KH-17-05 and KH-17-07 were drilled to test the northern area of the Kemess East deposit and to fill gaps in the current resource. KH-17-05 intersected mineralization as expected, successfully filling in a large gap in the drilling within the resource. KH-17-03 intersected the top of mineralization deeper than expected due to faulting. KH-17-07 deviated toward the area already tested by KH-17-03 and was therefore shut down prior to hitting mineralization.

Finally, holes KH-17-01 and KH-17-10 were designed to test the northern extension of mineralization within the KOZ. Both holes intersected significant mineralized intervals which extended the KOZ mineralization further to the north by 60m to 170m. KH-17-01 was shut down early due to drilling issues, however, we now have a better understanding of the mineralization, alteration and faulting within the KOZ and it remains open in all directions.

We expect that the 2017 drill program will contribute to converting inferred resource blocks to indicated resource blocks and increase the grade of the Kemess East resource. An updated resource for Kemess East is expected in Q1 2018. Following this year's drilling, the Kemess East Deposit remains open to the west towards the KOZ, to the north, and to the south.

Kemess Property Overview

The Kemess Property is located in north-central British Columbia, Canada, approximately 430 kilometres northwest of Prince George. The Kemess Underground Project is located approximately 6 kilometres north of the past producing Kemess South open pit mine that operated from 1998 to 2011 and produced 3 million ounces of gold and 749 million pounds of copper.

A Feasibility Study on the Kemess Underground Project was released on March 23, 2016 and proposes an underground panel caving operation with average annual production of 238,000 gold-equivalent ounces (129,000 ounces of gold and 52 million pounds of copper) for the first five years of a 12 year mine life.

A Preliminary Economic Assessment on Kemess East was released on May 29, 2017 and proposes another underground panel caving operation with average annual production of 222,000 gold-equivalent ounces (80,000 ounces of gold and 57 million pounds of copper) over a 12 year mine life.

Quality Control & Analyses and Sample Location

Exploration activities at Kemess are conducted by AuRico personnel under the supervision of Wade Barnes, Project Geologist and a Qualified Person as defined by National Instrument 43-101. Wade Barnes is a PGeo registered with the Association of Professional Engineers and Geoscientists of British Columbia (APEGBC) and he has verified the data and he has also reviewed and approved this news release.

Samples were prepared at an on-site sample preparation lab. The prepared 250g samples, crushed to 80% passing 10-mesh and pulverized to 85% passing 150-mesh, were shipped in security sealed pails to ALS Minerals in North Vancouver for analysis. The 2017 samples were analyzed for a suite of 48 elements, including iron, molybdenum, and silver, using 4-acid digestion with ICP mass spectrometry and ICP atomic emission spectroscopy finish on a 0.25 gram sub-sample. Significantly mineralized samples were additionally analyzed by an extra ore grade analysis for copper and molybdenum by ICP atomic emission spectroscopy, following a 4-acid digestion on a 0.5 gram sub-sample. Gold analyses were completed by standard 30g fire assay with an atomic absorption finish. The 2017 quality control ("QC") samples (blanks, duplicates, and certified reference materials) were inserted into the sample stream at regular intervals such that 2 in 25 (8%) of samples were submitted for QC purposes. QC sample performance was monitored on a regular basis, independently of the laboratories, and failures addressed in a timely manner. All sample batches were also subjected to each laboratory's internal QC procedures, for an additional 40% QC sample volume.

About AuRico Metals

AuRico Metals is a mining development and royalty company with a 100% interest in the Kemess property in British Columbia, Canada. The Kemess property hosts the feasibility-stage Kemess Underground Gold-Copper Project, the Kemess East Project, and the infrastructure pertaining to the past producing Kemess South mine. AuRico's royalty portfolio includes a 1.5% NSR royalty on the Young-Davidson Gold

Mine and a 2% NSR royalty on the Fosterville Gold Mine, as well as a portfolio of additional producing and pre-production royalty assets located in North America and Australia.

Cautionary Statement on Forward-Looking Information

All statements, other than statements of historical fact, contained or incorporated by reference in this news release including, but not limited to, any information as to the future financial or operating performance of AuRico, constitute "forward-looking information" or "forward-looking statements" within the meaning of certain securities laws, including the provisions of the Securities Act (Ontario) and are based on expectations, estimates and projections as of the date of this news release. Forward-looking statements contained in this news release include, without limitation, statements with respect to: an updated Kemess East resource to be released in the first quarter of 2018, the 2017 drill program will contribute to a much better geological model that will be the basis for the Q1 2018 resource update, the future price of gold, copper and silver, the estimation of mineral resources, costs and timing of the development of projects and new deposits, success of exploration, currency fluctuations, requirements for additional capital, government regulation of mining operations, and environmental risks. The words "anticipates", "estimates", "expects", "focus", "forecast", "indicate", "initiative", "intend", "model", "opportunity", "option", "plans", "potential", "projected", "prospective", "pursue", "strategy", "study" (including, without limitation, as may be qualified by "feasibility" and the results thereof), "target", "timeline" or variations of or similar such words and phrases or statements that certain actions, events or results "may", "could" or "would", and similar expressions identify forward-looking statements.

Forward-looking statements are necessarily based upon a number of estimates and assumptions that, while considered reasonable by AuRico as of the date of such statements, are inherently subject to significant business, economic and competitive uncertainties and contingencies. The estimates, models and assumptions of AuRico referenced, contained or incorporated by reference in this news release, which may prove to be incorrect, include, but are not limited to, the various assumptions set forth herein and in our most recently filed Annual Information Form and Management's Discussion and Analysis as well as: (1) the exchange rate between the Canadian dollar and the U.S. dollar being approximately consistent with assumed levels; (2) certain price assumptions for gold, copper and silver; (3) the results of the Kemess Underground Feasibility Study and Kemess East Preliminary Economic Assessment will be realized within a margin of error consistent with the Company's expectations; (4) the accuracy of the current mineral resource estimates of the Kemess East project; and (5) access to capital markets being consistent with the Company's current expectations.

Known and unknown factors could cause actual results to differ materially from those projected in the forward-looking statements. Such factors include, but are not limited to: the results of exploration at Kemess East and the Kemess Offset Zone and the accuracy of the mineral resource estimates at Kemess East; relations with First Nations partners and the Province of British Columbia; exploration for additional mineral resource potential; fluctuations in the currency markets; changes in the market valuations of peer group companies and the Company, and the resulting impact on market price to net asset value multiples; changes in various market variables, such as interest rates, foreign exchange rates, gold, copper or silver prices; changes in national and local government legislation, taxation, controls, policies and regulations; political or economic developments in Canada, the United States or elsewhere; business opportunities that may be presented to, or pursued by, us; employee relations; litigation against the Company; the speculative nature of mineral exploration and development including, but not limited to, the risks of obtaining necessary licenses and permits; diminishing quantities or grades of reserves; and contests over title to properties. In addition, there are risks and hazards associated with the business of mineral exploration, development and mining. Many of these uncertainties and contingencies can directly or indirectly affect, and could cause, AuRico's actual results to differ materially from those expressed or implied in any forward-looking statements made by, or on behalf of, AuRico.

There can be no assurance that forward-looking statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. Forward-looking statements are provided for the purpose of providing information about management's expectations and plans relating to the future. All of the forward-looking statements made in this news release are qualified by these cautionary statements and those made in our other filings with the securities regulators of Canada including, but not limited to, the cautionary statements made in the "Risk Factors" section of our most recently filed Annual Information Form, Short-Form Prospectus and Management Discussion and Analysis. These factors are not intended to represent a complete list of the factors that could affect AuRico. AuRico disclaims any intention or obligation to update or revise any forward-looking statements or to explain any material difference between subsequent actual events and such forward-looking statements, except to the extent required by applicable law.

Table 1: Drill Intercepts Kemess East Deposit

Hole ID	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (%)	Ag (g/t)	Mo (%)
KH-17-02	761.3	1238	476.7	0.24	0.28	1.72	0.010
including	899.8	1182	282.2	0.32	0.36	1.91	0.011
including	1022	1168	146	0.40	0.37	1.68	0.005
including	1106	1156	50	0.61	0.46	2.20	0.002
KH-17-03	1379	1658.3	279.3	0.29	0.32	1.78	0.013
including	1379	1504.5	125.5	0.37	0.37	1.96	0.012
including	1382	1445.5	63.5	0.51	0.41	2.03	0.008
including	1584.1	1658.3	74.2	0.29	0.35	1.93	0.016
KH-17-04	615	1424.7	809.7	0.22	0.22	1.72	0.008
including	801	981	180	0.29	0.39	2.42	0.022
including	1016.6	1075	58.4	0.42	0.37	2.23	0.005
including	1293	1424.7	131.7	0.33	0.24	1.83	0.006
including	1363.8	1424.7	60.9	0.50	0.38	2.85	0.011
including	1387	1424.7	37.7	0.63	0.40	2.79	0.007
KH-17-05	1109	1447	338	0.64	0.45	2.13	0.008
including	1162	1398	236	0.80	0.52	2.27	0.008
including	1258	1378	120	1.05	0.60	2.58	0.010
KH-17-06	689	1309	620	0.26	0.27	1.62	0.009
including	885	1309	424	0.35	0.34	1.97	0.009
including	970	1214.5	244.5	0.42	0.41	2.23	0.009
including	1070	1194	124	0.51	0.39	2.39	0.003
including	1102	1170.5	68.5	0.61	0.46	2.17	0.003
KH-17-07	Shut down before target depth						
KH-17-08B	748	1594.5	846.5	0.25	0.28	2.03	0.011
including	903	1431	538	0.33	0.33	1.95	0.013
including	941	1149	208	0.37	0.41	1.99	0.012
including	1248.5	1429	180.5	0.37	0.34	2.38	0.019
including	1360	1429	69	0.26	0.44	3.26	0.037

including	1512.7	1594.5	81.8	0.26	0.41	4.35	0.013
KH-17-09	655.9	1509.7	853.8	0.24	0.25	1.89	0.007
including	853	1214.8	361.8	0.32	0.34	2.00	0.009
including	995	1142.5	147.5	0.40	0.42	2.58	0.004
including	1081	1136	55	0.51	0.47	3.44	0.004
including	1393	1509.7	116.7	0.31	0.43	4.17	0.016
including	1407.7	1456	48.3	0.37	0.63	5.91	0.024

Table 2: Drill Intercepts the KOZ

Hole ID	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (%)	Ag (g/t)	Mo (%)
KH-17-01	419	859	440	0.19	0.20	1.54	0.007
including	567.8	736.2	168.4	0.24	0.26	1.94	0.006
including	603	634.5	31.5	0.26	0.31	2.47	0.006
including	670	734.2	64.2	0.28	0.29	2.14	0.007
KH-17-10	385.5	1080	694.5	0.23	0.19	1.18	0.010
including	475	936.9	461.9	0.27	0.22	1.38	0.013
including	552	876	324	0.30	0.24	1.49	0.014
including	620	779	159	0.41	0.29	1.89	0.008
including	625	700	75	0.61	0.41	2.72	0.006
including	645.3	676.3	31	0.99	0.62	3.98	0.004
including	1016.7	1080	63.3	0.33	0.32	1.04	0.015

Table 3: 2017 Drill Collar Locations

Hole ID	Zone	Depth (m)	Easting (NAD83 UTM Z09)	Northing (NAD83 UTM Z09)	Elevation (m)	Azimuth	Dip
KH-17-01	Kemess Offset	860.8	636905	6326305	1699	9.8	-78.3
KH-17-02	Kemess East	1460.3	637835	6326774	1719	164.4	-75.5
KH-17-03	Kemess East	1661.1	637680	6326995	1694	165.6	-78.4
KH-17-04	Kemess East	1424.7	637708	6326806	1712	166.0	-68.0
KH-17-05	Kemess East	1447	637709	6326847	1707	117.1	-83.3
KH-17-06	Kemess East	1460.5	637766	6326872	1705	168.5	-72.3
KH-17-07	Kemess East	1362.5	637810	6326810	1713	245.3	-82.8

KH-17-08	Kemess East	10	637704	6326805	1712	165.0	-73.0
KH-17-08B	Kemess East	1594.5	637703	6326805	1712	165.0	-72.6
KH-17-09	Kemess East	1509.7	637834	6326777	1719	174.3	-72.5
KH-17-10	Kemess Offset	1149	636602	6326248	1713	40.0	-72.5

Table 4: Kemess East Mineral Resource Estimate Summary (SRK, 2017)

Category	Mt	Cu (%)	Au (g/t)	Ag (g/t)	Cu Mlb	Au Koz	Ag Koz
Indicated - potassic strong	67.2	0.43	0.60	2.06	640	1,292	4,457
Indicated - potassic moderate	40.0	0.32	0.27	1.81	286	352	2,336
Indicated - potassic weak	5.1	0.22	0.19	1.45	24	31	238
Indicated - phyllic+propylitic	0.8	0.21	0.20	1.40	4	5	36
Indicated - total	113.1	0.38	0.46	1.94	954	1,680	7,066
Category	Mt	Cu (%)	Au (g/t)	Ag (g/t)	Cu Mlb	Au Koz	Ag Koz
Inferred - potassic strong	15.2	0.41	0.51	2.05	137	249	1,003
Inferred - potassic moderate	41.9	0.34	0.26	1.91	311	353	2,579
Inferred - potassic weak	6.0	0.20	0.17	1.42	27	32	274
Inferred - phyllic + propylitic	0.7	0.21	0.24	1.42	3	6	33
Inferred - total	63.8	0.34	0.31	1.90	478	641	3,889

SOURCE AuRico Metals

Contact

For further information please visit the AuRico Metals website at www.auricometales.ca or contact:
 Chris Richter, President and Chief Executive Officer
[AuRico Metals Inc.](http://www.auricometales.ca)
 416-216-2780
chris.richter@auricometales.ca

Dieser Artikel stammt von Rohstoff-Welt.de

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/284777--AuRico-Metals-Announces-Results-from-Successful-2017-Drill-Program-Including-338m-Grading-0.64-g-t-Au-and->

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
 Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).