

# Great Thunder Gold Corp. Announces Drilling Results from Chubb Lithium Project

23.01.2018 | [FSCwire](#)

Vancouver - [Great Thunder Gold Corp.](#) (TSXV: GTG) is pleased to announce that it has received assay results from its drilling program at its 100%-owned Chubb Lithium Project located approximately 32 kilometres north of Val d'Or, Quebec.

Highlights from Hole C-17-01 include 1.33% of lithium oxide (Li<sub>2</sub>O) over 5.3 metres and 1.15% Li<sub>2</sub>O over 2.1 metres. Hole C-17-02 yielded 0.9% Li<sub>2</sub>O over 3.6 metres. Following are the complete results.

Hole No.	UTM East	UTM North	From (m)	To (m)	Length (m)	Li <sub>2</sub> O (%)	Be (ppm)	Cs (ppm)	Rb (ppm)	Ta (ppm)	Weighted
											average
Li <sub>2</sub> O%											
			55.00	56.00	1.00	1.46	340	72.5	1180	32	
			56.00	57.00	1.00	1.04	183	139	2920	19.55	
			57.00	58.00	1.00	2.40	220	93.6	1380	32.3	1.33% Li <sub>2</sub> O / 5.3 m
C-17-01	280 607	5 354 622	58.00	59.00	1.00	1.35	138.5	150	3870	8.42	
			59.00	60.30	1.30	0.63	210	179.5	3180	14.3	
			64.00	65.00	1.00	1.06	190.5	84.5	1275	17.75	1.15% Li <sub>2</sub> O / 2.1 m
			65.00	66.10	1.10	1.23	138.5	107.5	1700	20	
			11.60	12.60	1.00	0.02	210	83.8	720	59.9	
			12.60	13.60	1.00	0.02	260	100.5	836	38	
			21.70	22.40	0.70	0.83	131.5	121.5	2030	27.1	
C-17-02	280 615	5 354 726	32.80	33.80	1.00	0.71	145	107.5	1140	27.2	
			33.80	34.80	1.00	0.69	153	135.5	2500	33.6	0.9% Li <sub>2</sub> O / 3.6 m
			34.80	35.80	1.00	1.55	148.5	84	1810	20.8	
			35.80	36.40	0.60	0.47	142.5	102	1825	26.5	
C-17-03	280 636	5 354 819	90.00	90.70	0.70	0.06	177	265	780	50.2	

Great Thunder's President, Kevin Whelan, said, "We are excited by the assay results from our recent drilling program. Not only did we confirm historical data, but we extended the depth of lithium-bearing pegmatites."

The three holes, totaling 306 metres, were drilled from December 8 to December 13 to verify several induced

polarization anomalies previously located on the showings area. The holes were drilled with an azimuth of 60 degrees and a dip at collar of -45 degrees, and were spaced approximately 100 metres apart. All lengths reported are core length and insufficient work has been done to establish the true width of the pegmatites.

A total of 74 samples were collected and sent to the ALS Laboratory in Val d'Or, Quebec. Several blanks were added as a measure of control for contamination, no standards for Li<sub>2</sub>O were used except those included by the laboratory. Samples were assayed using protocol ME-MS89L, which is a multi-elements package specially developed for lithium in pegmatites analysis using sodium peroxide fusion and ICP-MS methodology. ALS released the analytical results for lithium in ppm lithium; for clarity the Company has reported the results as Li<sub>2</sub>O, using a conversion factor of 2.153.

#### *About the Chubb Lithium Project*

The Chubb Lithium Project is situated within the Preissac-Lacorne plutonic complex of the Abitibi Greenstone Belt, the complex forming one of the best prospective areas for lithium mineralization. The plutonic complex generated the Quebec Lithium Project – located 60 kilometres north of Val d'Or, Quebec – for which [Canada Lithium Corp.](#) reported proven and probable reserves of 17.1 million tonnes grading 0.94% Li<sub>2</sub>O according to a feasibility study update by [Canada Lithium Corp.](#) dated October 12, 2012.

The Chubb Lithium Project lies 32 kilometres north of Val d'Or and consists of 35 contiguous recorded mineral claims with a total area of 1,509 hectares. The property's geology is dominated by quartz monzodiorite and metasomatized quartz diorite (tonalite). A swarm of spodumene-rich granitic pegmatite dykes intrude fractures and small faults within the plutonic rocks. The pegmatite dykes are 1 to 6 metres thick, oriented 345° – 350° and vary in length from 25 to 250 metres. They are crudely zoned, some having quartz cores and border zones of aplite. The granitic pegmatites are composed of quartz, albite and/or cleavelandite, K-feldspar, muscovite, with 5 to 25% spodumene. There are three important granitic pegmatite dykes containing spodumene mineralization (Dyke #1, #2 and Main Dyke).

Exploration of the Chubb Lithium Project persists since the early 1950s and has consisted mainly of mapping, trenching, geophysical surveys and diamond drilling. The best historical drilling intersections were obtained in 1994 by Abitibi [Lithium Corp.](#), producing intervals of 3.72 m @1.78 wt. % Li<sub>2</sub>O, 2.75 m @1.00 wt. % Li<sub>2</sub>O and 2.38 m @1.25 wt. % Li<sub>2</sub>O. In 2010, [Mineral Hill Industries Ltd.](#) carried out magnetic and IP geophysical surveys, mapping, channel sampling and grab sampling in the area surrounding the three principal spodumene-bearing dykes. The main dyke – which is 300 m long – was shown to have Li<sub>2</sub>O concentration of 1.00 wt. % (n=41).

#### *About Great Thunder Gold Corp.*

[Great Thunder Gold Corp.](#) is a mineral exploration and development company based in Vancouver, British Columbia, Canada. Our Company mandate is to acquire high quality exploration assets with a specific focus on gold and lithium. We intend to build NI 43-101 compliant resource determinations for each of our gold and lithium projects in order to demonstrate their long-term economic viability. In the case of our lithium projects, we are determined to define the mineralogical and metallurgical characteristics for efficient recovery of this coveted metal, to further the Company's plan to become an integral part of the rechargeable battery storage technology supply chain. Great Thunder is managed by an experienced team of mining professionals with extensive operating and financial experience.

The technical contents of this release were approved by Donald Théberge, P.Eng., MBA, an independent Qualified Person as defined by National Instrument 43-101.

ON BEHALF OF THE BOARD

Signed *&ldquo;Kevin C. Whelan&rdquo;*

Kevin C. Whelan, President

Direct line: (250) 474-6640

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Source: [Great Thunder Gold Corp.](#) (TSX Venture:GTG)

---

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/288591--Great-Thunder-Gold-Corp.-Announces-Drilling-Results-from-Chubb-Lithium-Project.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).