

Sarama Resources Establishes New 100% Owned 600KM2 Exploration Position at its Koumandara Project in Burkina Faso

02.02.2018 | [The Newswire](#)

VANCOUVER, February 2, 2018 - [Sarama Resources Ltd.](#) ("Sarama" or the "Company") (TSX-V:SWA) is pleased to announce that it has established a new and significant exploration position at its 100% owned(5) Koumandara Project (the "Project") in south-west Burkina Faso (refer Figure 1).

The new 602km² land position, located in the Banfora Greenstone Belt (refer Figure 2), was assembled by Sarama entering into agreements to acquire 4 mineral properties which complement Sarama's recently granted Nya-Nou exploration permit.

Sarama considers the Banfora Belt to be highly prospective for gold, yet relatively underexplored. Reviews of historical work conducted by Sarama and previous operators within the Project area indicate regionally extensive gold occurrences. These kilometre-scale trends are marked by drilling, large-scale artisanal mining centres and extensive gold-in-soil anomalism along corridors that coincide with a district-scale litho-structural 'break' interpreted as a regional-scale shear zone. A number of the geological characteristics identified by Sarama are seen in the neighbouring Hounde Belt and are considered important for the formation of economic gold deposits.

Highlights

- - 602km² semi-contiguous project area in the Banfora Belt in south-west Burkina Faso.
- Sarama's interests will be 100%, upon the closing of transactions(5).
- Project area overlies a 45km-long section of a district-scale litho-structural break ("Banfora East Shear Zone") which Sarama considers significant in terms of gold emplacement.
- Gold-in-soil anomalism extending over 43km-long x 10km-wide corridor, with approximately 25km untested by historical geochemical surveys.
- The Banfora Greenstone Belt extends from central Cote d'Ivoire where it hosts Perseus Mining's large Yaoure mine development project.
- Banfora East Shear Zone resembles the Boni Shear Zone of the Houde Belt which is spatially associated with several significant high-grade gold deposits/projects including Yaramoko, Siou, Bondi and Golden Hill.
- Exploration is targeting multiple styles of mineralisation, but predominantly large, free-milling, gold-quartz systems that are known to be present in Burkina Faso.
- Historical reconnaissance reverse-circulation ("RC") and aircore ("AC") drilling returned significant intersections including:
 - - 7m @ 6.86 g/t Au from 53m in BF_18 (RC, 100% Fresh);
 - 13m @ 2.87 g/t Au from 10m in BF_08 (RC, 25% Trans / 75% Fresh);
 - 4m @ 10.59 g/t Au from 30m in BF_08 (RC, 100% Oxide);
 - 3m @ 8.94 g/t Au from 105m in FRC802 (RC, 100% Fresh); and
 - 15m @ 1.80 g/t Au from 85m in FRC799 (RC, 100% Fresh).
- High tenor auger and gold-in-soil results have been returned in historical work programs.
- Sarama has commenced reconnaissance work and data compilation.

Sarama's President and CEO, Andrew Dinning, commented:

"The project has taken some time to pull together and we look forward to applying our extensive knowledge of the geology in Burkina Faso and what we have learned in the more established Houde Belt where our team made a multi-million ounce discovery in a purely greenfields area.

This is a large 100%(5) owned position situated in a prospective, yet underexplored gold belt. We are very encouraged by regionally extensive gold-in-soil anomalism and also by the tenor of a number of the reconnaissance auger and RC drilling results. We are looking forward to generating our first round of targets and rapidly moving the project forward."

Geological Setting and Historical Work

The Project is located in the north of the Banfora Belt, a regionally extensive belt of Birimian-aged rocks

which, elsewhere, are known to host multi-million ounce gold deposits. The properties are generally positioned over the central and eastern portions of the belt and overlie a package of lithologically diverse rocks including meta-sedimentary, volcanic and intrusive rock units of varying composition.

A district-scale, north-east trending litho-structural feature ("Banfora East Shear Zone") that lies close to the eastern margin of the Banfora Belt transects several of the properties, giving the Project exposure to a structurally disrupted corridor extending for approximately 45km along strike.

Historical soil geochemistry surveys on broad-spaced grids indicate elevated gold-in-soil anomalism along three main trends(6) within the Project. Peak values of 10.0g/t Au (mean of 5.9ppb Au) and 2.6g/t Au (mean of 10.3ppb Au) were returned for auger and manually collected soil surveys respectively.

The central trend extends for over 30km in strike and is coincident with fault-bounded sedimentary and mafic volcanic rocks units. The spatially-associated Banfora East Shear Zone further enhances the geological environment and increases the potential for large-scale fluid mobility and gold deposition.

The western anomalous trend extends for over 40km and is spatially associated with the contact zone of a granodioritic intrusion with sedimentary rocks in the outboard Banfora Basin. Detailed auger sampling surveys have delineated a third north-easterly-striking trend extending for approximately 30km along strike in the east.

Reconnaissance drilling by various operators to test anomalous gold-in-soil zones (refer Appendix A) has returned the following significant results:

- - Nya-Nou Property (significant Intersections ≥ 10 gram.m/t(7) from 4400m RAB, 6600m AC, 4800m RC)
 - - 7m @ 6.86 g/t Au from 53m in BF_18 (RC, 100% Fresh)
 - 13m @ 2.87 g/t Au from 10m in BF_08 (RC, 25% Trans / 75% Fresh);
 - 4m @ 10.59 g/t Au from 30m in BF_08 (RC, 100% Oxide);
 - 3m @ 8.94 g/t Au from 105m in FRC802 (RC, 100% Fresh);
 - 15m @ 1.80 g/t Au from 85m in FRC799 (RC, 100% Fresh);
 - 17m @ 1.18 g/t Au from 12m in BF_06 (RC, 6% Oxide / 94% Trans);
 - 2m @ 8.94 g/t Au from 20m in AC1032 (AC, 100% Oxide);
 - 4m @ 2.94 g/t Au from 90m in FRC801 (RC, 100% Fresh);
 - 7m @ 1.66 g/t Au from 19m in FRC799 (RC, 100% Oxide);
 - 20m @ 0.60 g/t Au from 12m in AC995 (AC, 100% Oxide); and
 - 4m @ 2.86 g/t Au from 9m in BF_03 (RC, 100% Trans).

- - Kapoguan, Kongoroba & Noumousso Properties (significant intersections ≥ 5 gram.m/t(7) from 11600m RC, 200m DDH)
 - - 3m @ 4.37g/t Au from 39m in BRC15-042 (RC, material type unknown); and
 - 3m @ 1.73g/t Au from 68m in BRC15-047 (RC, material type unknown).

Much of the Banfora East Shear Zone lacks coverage by base-level, detailed soil geochemistry surveys, and significant areas of the anomalous gold-in-soil trends identified remain untested by reconnaissance drilling. Sarama believes the Project contains several important geological features, the prospectivities of which are enhanced by encouraging results from historical exploration activities. Fieldwork will focus on gaps in the base-level data, in conjunction with ongoing compilation and verification of historical data and desktop targeting.

Sarama is encouraged that its new litho-structural interpretation for the eastern margin of the Banfora Belt, and the recognition that the Banfora East Shear Zone is intimately associated with a corridor of gold-soil anomalism, will lead to the discovery of a new gold belt and new gold discoveries. Sarama is well placed to consolidate its position and build its geological understanding of the region.

Commercial Terms of Transactions

A binding agreement in respect of the Dabokuy Property ("Dabokuy") was entered into with [Semafo Inc.](#) ("Semafo") on January 31, 2018 (the "Dabokuy Agreement"). The Dabokuy Agreement, subject to novation of a historical agreement, permit transfers and payment of certain government fees and taxes by Sarama, provides for Sarama to acquire a 100% interest in Dabokuy. Semafo will retain a net smelter return royalty of 1.5% in respect of gold produced from Dabokuy in excess of 100koz Au and will have a one-off right to elect to purchase back an interest up to a maximum of 20% in Dabokuy (the "Back-In Right"). In the event Semafo elects to exercise its Back-In Right, Semafo will make a cash payment to Sarama equal to 3 times the exploration expenditures incurred by Sarama on Dabokuy on a pro-rata basis. Semafo's Back-In Right will expire the earlier of: (i) 90 days following the filing of a technical report by Sarama that details combined measured and indicated mineral resources on Dabokuy greater than 1Moz Au; and (ii) 45 days after the declaration by Sarama of its intention to commence commercial mining operations at Dabokuy. In the event that Semafo elects to exercise its Back-In Right, Semafo's right to a net smelter return royalty will be extinguished.

Binding agreements in respect of the Noumousso, Kapoguan and Kongoroba Properties were entered into with two Burkina Faso-based parties on December 15, 2018. The agreements are structured as option agreements and give Sarama the right to acquire a 100% interest in each of the 3 properties subject to Sarama making certain cash instalment payments at various time-based milestones. In the event that Sarama makes these instalments in full, the respective underlying exploration permits will be transferred to Sarama and the respective vendors will receive a net smelter return royalty of 1% in respect of gold production from the properties. Sarama has a right to buy out any or all of the royalties in full by making cash payments of US\$1M for each of the royalties.

For further information on the Company's activities, please contact:

Andrew Dinning or Paul Schmiede

e: info@saramaresources.com

t: +61 (0) 8 9363 7600

[Click Image To View Full Size](#)

Figure 1 - Koumandara Project Location

Click Image To View Full Size

Figure 2 - Koumandara Project - Regional Geology Plan and Sarama's Project Position

ABOUT SARAMA RESOURCES LTD

[Sarama Resources Ltd.](#) (TSX-V: SWA) is a West African focused gold explorer with substantial landholdings in Burkina Faso. Sarama is focused on consolidating under-explored landholdings in Burkina Faso and other established mining jurisdictions.

Sarama's flagship properties are situated within the Company's South Hounde Project area in south-west Burkina Faso. Located within the prolific Hounde Greenstone Belt, Sarama's exploration programs have built on significant early success to deliver an inferred mineral resource estimate of 2.1 Moz gold(2). Acacia Mining plc is earning up to a 70% interest in the South Hounde Project by satisfying certain conditions, including funding earn-in expenditures of up to US\$14 million, over a 4-year earn-in period and may acquire an additional 5% interest, for an aggregate 75% interest in the Project, upon declaration of a minimum mineral reserve of 1.6 million ounces of gold. Acacia has satisfied certain milestones and currently holds a 50% interest in the South Hounde Project and is continuing to sole fund exploration activities.

Sarama holds a 31% participating interest in the Karankasso Project Joint Venture ("JV") which is situated adjacent to the Company's South Hounde Project in Burkina Faso and is a JV between Sarama and [Savary Gold Corp.](#) ("Savary"). Savary is the operator of the JV and in October 2015, declared a maiden inferred mineral resource estimate of 671,000 ounces of contained gold(3) at the Karankasso Project JV.

Sarama also has a 100% interest in the Bondi Deposit which has a historical estimate of mineral resources of 0.3Moz Au (measured and indicated) and 0.1Moz Au (inferred)(1).

Together, the South Hounde Project, Bondi Deposit and the Karankasso Project form a cluster of advanced gold deposits, within trucking distance of one another, which potentially offers a development option for a multi-source fed central processing facility in the southern Hounde Belt region of Burkina Faso.

Sarama had recently established a new 600km² exploration position in the highly prospective Banfora Belt in south-western Burkina Faso. The Koumandara Project hosts several regional-scale structural features and trends of gold-in-soil anomalism extending for over 40km along strike.

Incorporated in 2010, the Company's Board and management team have a proven track record in Africa and a strong history in the discovery and development of large-scale gold deposits. Sarama is well positioned to build on its current success with a sound exploration strategy across its property portfolio.

FOOTNOTES

1. 1. Bondi Deposit - 4.1Mt @ 2.1g/t Au for 282,000 oz Au (measured and indicated) and 2.5Mt @ 1.8g/t Au for 149,700 oz Au (inferred), reported at a 0.5 g/t Au cut-off.

1. i. The historical estimate of the Bondi Deposit reflects a mineral resource estimate compiled by [Orezone Gold Corp.](#) ("Orezone") which has an effective date of February 20, 2009. The historical estimate is contained in a technical report titled "Technical Report on the Mineral Resource of the Bondigui Gold Project", dated date of February 20, 2009 (the "Bondi Technical Report") and is available under the profile of Orezone on SEDAR at www.sedar.com.

2.
 - ii. Sarama believes that the historical estimate is relevant to investors' understanding of the property, as it reflects the most recent technical work undertaken in respect of the Bondi Deposit.
 3.
 - iii. The historical estimate was informed by 886 drillholes, assayed for gold by cyanidation methods, were used to interpret mineralised envelopes and geological zones over the area of the historical estimate. Gold grade interpolation was undertaken using ID? methodology based on input parameters derived from geostatistical and geological analyses assessments. Field measurements and geological logging of drillholes were used to determine weathering boundaries and bulk densities for modelled blocks.
 4.
 - iv. The historical estimate uses the mineral resource reporting categories required under National Instrument 43-101.
 5.
 - v. No more recent estimates of the mineral resource or other data are available.
 6.
 - vi. Sarama is currently undertaking the necessary verification work in the field and on the desktop that may support the future reclassification of the historical estimate to a mineral resource.
 7.
 - vii. A qualified person engaged by Sarama has not undertaken sufficient work to verify the historical estimate as a current mineral resource and Sarama is therefore not treating the historical estimate as a current mineral resource.
-
1.
 2. South Hounde Project - 43.0 Mt @ 1.5 g/t Au (reported above cut-off grades ranging 0.3-2.2 g/t Au, reflecting the mining methods and processing flowsheets assumed to assess the likelihood of the inferred mineral resources having reasonable prospects for eventual economic extraction). The effective date of the Company's inferred mineral resource estimate is February 4, 2016. For further information regarding the mineral resource estimate please refer to the technical report titled "NI 43-101 Independent Technical Report South Hounde Project Update, Bougouriba and Ioba Provinces, Burkina Faso", dated March 31, 2016. The technical report is available under [Sarama Resources Ltd.](#)'s profile on SEDAR at www.sedar.com.
 2.
 3. Karankasso Project - 9.2 Mt @ 2.3 g/t Au (at a 0.5 g/t Au cut-off). The effective date of the Karankasso Project JV mineral resource estimate is October 7, 2015. For further information regarding the mineral resource estimate please refer to the technical report titled "Technical Report and Resource Estimate on the Karankasso Project, Burkina Faso", dated October 7, 2015. The technical report is available under [Savary Gold Corp.](#)'s profile on SEDAR at www.sedar.com. Sarama has not independently verified Savary's mineral resource estimate and takes no responsibility for its accuracy. Savary is the operator of the Karankasso Project JV and Sarama is relying on their Qualified Persons' assurance of the validity of the mineral resource estimate.
 3.
 4. Sarama has, or is entitled to have a 100% interest in the Djarkadougou, Botoro, Bamako and Bouni Properties which comprise the ThreeBee Project.
 4.
 5. Refer to Section of this News Release 'Commercial Terms of Transactions'.
 5.
 6. Western Trend broadly defined by +5ppb Au (66th percentile of survey population) gold-in-soil anomalism - samples collected manually. Central Trend broadly defined by a combination of +17ppb Au (90th percentile of survey population) for manually collected samples and +18ppb Au (95th percentile of survey population) for auger drilled samples. Eastern Trend broadly defined by a combination of +50ppb Au for auger drilled samples and +12ppb Au for manually collected samples.
 6.
 7. Measurement unit of gram.m/t refers to intersection grade in grams/tonne multiplied by intersection length.

CAUTION REGARDING FORWARD LOOKING STATEMENTS

Information in this news release that is not a statement of historical fact constitutes forward-looking information. Such forward-looking information includes statements regarding the Company's plans for further exploration at the Koumandara Project, the potential for mineralization of significance to be discovered at the Koumandara Project, the ability of the Company to secure the issuance of the necessary exploration permits from the Government of Burkina Faso, the Earn-In Agreement with Acacia, including the amounts that may be spent on exploration and interests in the South Hounde Project that may be earned by Acacia upon

making certain expenditures and estimating a minimum reserve and future exploration plans. There has been insufficient exploration conducted to define a mineral resource on these properties and there can be no assurance that further exploration will delineate a mineral resource.

Actual results, performance or achievements of the Company may vary from the results suggested by such forward-looking statements due to known and unknown risks, uncertainties and other factors. Such factors include, among others, that the business of exploration for gold and other precious minerals involves a high degree of risk and is highly speculative in nature; Mineral Resources are not Mineral Reserves, they do not have demonstrated economic viability, and there is no certainty that they can be upgraded to Mineral Reserves through continued exploration; few properties that are explored are ultimately developed into producing mines; geological factors; the actual results of current and future exploration; changes in project parameters as plans continue to be evaluated, as well as those factors disclosed in the Company's publicly filed documents. There can be no assurance that any mineralisation that is discovered will be proven to be economic, or that future required regulatory licensing or approvals will be obtained. However, the Company believes that the assumptions and expectations reflected in the forward-looking information are reasonable. Assumptions have been made regarding, among other things, Acacia's continued funding of exploration activities, the Company's ability to carry on its exploration activities, the sufficiency of funding, the timely receipt of required approvals, the price of gold and other precious metals, that the Company will not be affected by adverse political events, the ability of the Company to operate in a safe, efficient and effective manner and the ability of the Company to obtain further financing as and when required and on reasonable terms. Readers should not place undue reliance on forward-looking information.

Sarama does not undertake to update any forward-looking information, except as required by applicable laws.

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

NOTES -DRILLING

Drilling results are quoted as downhole intersections. True widths and orientation of mineralisation intersected by the drilling are not yet well understood.

The reported composites for the drilling were determined using a cut-off grade of 0.30g/t Au to select significant and anomalous intersections, with a maximum of 2m internal dilution being incorporated into the composite where appropriate. No top-cuts were applied to assay grades. Isolated mineralised intersections less than 2m in length have not been reported.

Gold assays for the drilling on the Nya-Nou Property were undertaken by the ALS and SGS laboratories in Ouagadougou, Burkina Faso and the SGS laboratory in Morila, Mali. Assays are determined by fire assay methods using a 50 gram charge, lead collection and an AAS finish with lower detection limits of 0.01g/t Au.

The drilling was generally designed according to program aims, expected mineralization orientation and was of variable length. Holes were spaced at various intervals according to targeting intent.

Aircore and RC holes on the Nya-Nou Property were logged and sampled at regular 1m downhole intervals, with assays for AC holes conducted on 2m composites. Logging interval information for RAB drilling on the Nya-Nou Property is not available, however assaying was conducted on 4m downhole composites. RC drilling on the Noumousso, Kapoguan and Kongoroba Properties was logged and sampled at regular 1m downhole intervals.

Intersection oxidation state classification is based on visual logging of the drillholes.

Drilling and geological sampling and assaying undertaken by Sarama on the Nya-Nou Property is conducted in accordance with its quality assurance/quality control program which includes the use of certified reference materials as well as field duplicates. For further information regarding the Company's QAQC protocols please refer to the technical report titled "NI 43-101 Independent Technical Report, South Hounde Project

Update, Bougouriba and Ioba Provinces, Burkina Faso", dated March 31, 2016. The technical report is available under the Company's profile on SEDAR at www.sedar.com.

Quality assurance/quality control programs used by previous operators on the Nya-Nou, Noumousso, Kapoguan and Kongoroba Properties are not known to Sarama and results have not been verified by Sarama.

QUALIFIED PERSONS' STATEMENT

Scientific or technical information in this news release that relates to the Company's exploration activities in Burkina Faso is based on information compiled or approved by Guy Scherrer. Guy Scherrer is an employee of [Sarama Resources Ltd.](#) and is a member in good standing of the Ordre des Geologues du Quebec and has sufficient experience which is relevant to the commodity, style of mineralisation under consideration and activity which he is undertaking to qualify as a Qualified Person under National Instrument 43-101. Guy Scherrer consents to the inclusion in this report of the information, in the form and context in which it appears.

Scientific or technical information in this news release that relates to the preparation of the South Hounde Project's mineral resource estimate is based on information compiled or approved by Adrian Shepherd. Adrian Shepherd is an employee of Cube Consulting Pty Ltd and is considered to be independent of [Sarama Resources Ltd.](#) Adrian Shepherd is a Chartered Professional Member in good standing of the Australasian Institute of Mining and Metallurgy and has sufficient experience which is relevant to the commodity, style of mineralisation under consideration and activity which he is undertaking to qualify as a Qualified Person under National Instrument 43-101. Adrian Shepherd consents to the inclusion in this news release of the information, in the form and context in which it appears.

Scientific or technical information in this news release, in respect of the Bondi Deposit relating to mineral resource and exploration information drawn from the Technical Report prepared for Orezone on that deposit has been approved by Guy Scherrer. Guy Scherrer is an employee of [Sarama Resources Ltd.](#) and is a member in good standing of the Ordre des Geologues du Quebec and has sufficient experience which is relevant to the commodity, style of mineralisation under consideration and activity which he is undertaking to qualify as a Qualified Person under National Instrument 43-101. Guy Scherrer consents to the inclusion in this report of the information, in the form and context in which it appears.

Scientific or technical information in this news release that relates to the preparation of the Karankasso Project's mineral resource estimate is based on information compiled or approved by Eugene Puritch and Antoine Yassa. Eugene Puritch and Antoine Yassa are employees of P&E Mining Consultants Inc. and are considered to be independent of [Savary Gold Corp.](#) and [Sarama Resources Ltd.](#) Antoine Yassa is a member in good standing of the Ordre des Geologues du Quebec and Eugene Puritch is a member in good standing of Professional Engineers Ontario. Eugene Puritch and Antoine Yassa have sufficient experience which is relevant to the commodity, style of mineralisation under consideration and activity which they are undertaking to qualify as a Qualified Person under National Instrument 43-101. Eugene Puritch and Antoine Yassa consent to the inclusion in this news release of the information, in the form and context in which it appears. Sarama has not independently verified the mineral resource estimate for the Karankasso Project using a Qualified Person because Savary is the operator of the Karankasso Project JV and Sarama is relying on their Qualified Persons' assurance of the validity of the mineral resource estimate compiled by Savary.

APPENDIX A - LISTING OF HISTORICAL DRILLING

Location (Property)	Hole ID	Hole Type	Downhole Intersection	Intersection Material Type	Depth From	Depth To
					(m)	(m)
NYA-NOU	AC1000	AC	no significant intersections	0	50	
NYA-NOU	AC1001	AC	no significant intersections	0	50	

NYA-NOU	AC1002	AC	2m @ 0.83 g/t Au	100% Oxide	34	36
		AC	2m @ 0.50 g/t Au	100% Oxide	40	42
		AC	2m @ 0.38 g/t Au	100% Oxide	46	48
NYA-NOU	AC1003	AC	2m @ 0.33 g/t Au	100% Oxide	12	14
		AC	4m @ 0.39 g/t Au	100% Oxide	30	34
		AC	2m @ 0.89 g/t Au	100% Oxide	42	44
NYA-NOU	AC1004	AC	6m @ 0.39 g/t Au	100% Oxide	8	14
NYA-NOU	AC1005	AC	2m @ 0.52 g/t Au	100% Oxide	38	40
NYA-NOU	AC1006	AC	2m @ 0.38 g/t Au	100% Oxide	44	46
NYA-NOU	AC1007	AC	2m @ 0.58 g/t Au	100% Oxide	20	22
NYA-NOU	AC1008	AC	2m @ 0.68 g/t Au	100% Oxide	18	20
		AC	2m @ 0.88 g/t Au	100% Oxide	46	48
NYA-NOU	AC1009	AC	2m @ 1.93 g/t Au	100% Oxide	34	36
NYA-NOU	AC1010	AC	2m @ 0.46 g/t Au	100% Oxide	22	24
		AC	2m @ 0.30 g/t Au	100% Oxide	28	30
NYA-NOU	AC1011	AC	2m @ 0.32 g/t Au	100% Oxide	12	14
NYA-NOU	AC1012	AC	2m @ 0.49 g/t Au	100% Oxide	2	4
		AC	4m @ 0.67 g/t Au	100% Oxide	38	42
NYA-NOU	AC1013	AC	2m @ 0.39 g/t Au	100% Oxide	36	38
NYA-NOU	AC1014	AC	2m @ 1.64 g/t Au	100% Oxide	28	30
NYA-NOU	AC1015	AC	2m @ 0.53 g/t Au	100% Oxide	10	12
		AC	4m @ 0.39 g/t Au	100% Oxide	28	32
NYA-NOU	AC1016	AC	no significant intersections		0	19
NYA-NOU	AC1017	AC	no significant intersections		0	47
NYA-NOU	AC1018	AC	2m @ 0.35 g/t Au	100% Oxide	26	28
NYA-NOU	AC1019	AC	2m @ 1.52 g/t Au	100% Oxide	30	32
NYA-NOU	AC1020	AC	no significant intersections		0	41
NYA-NOU	AC1021	AC	no significant intersections		0	48
NYA-NOU	AC1022	AC	no significant intersections		0	50
NYA-NOU						

AC1023

AC

no significant intersections

NYA-NOU	AC1024	AC	no significant intersections	0	50
NYA-NOU	AC1025	AC	no significant intersections	0	45
NYA-NOU	AC1026	AC	no significant intersections	0	50
NYA-NOU	AC1027	AC	2m @ 0.38 g/t Au 100% Oxide	32	34
NYA-NOU	AC1028	AC	no significant intersections	0	33
NYA-NOU	AC1029	AC	no significant intersections	0	50
NYA-NOU	AC1030	AC	no significant intersections	0	50
NYA-NOU	AC1031	AC	no significant intersections	0	26
NYA-NOU	AC1032	AC	2m @ 8.94 g/t Au 100% Oxide	20	22
			4m @ 0.80 g/t Au 100% Oxide	32	36
NYA-NOU	AC1033	AC	no significant intersections	0	50
NYA-NOU	AC1034	AC	no significant intersections	0	50
NYA-NOU	AC1035	AC	no significant intersections	0	30
NYA-NOU	AC1036	AC	no significant intersections	0	50
NYA-NOU	AC1037	AC	no significant intersections	0	50
NYA-NOU	AC1038	AC	no significant intersections	0	50
NYA-NOU	AC1039	AC	no significant intersections	0	50
NYA-NOU	AC1040	AC	no significant intersections	0	48
NYA-NOU	AC1041	AC	no significant intersections	0	50
NYA-NOU	AC1042	AC	no significant intersections	0	50
NYA-NOU	AC1043	AC	no significant intersections	0	50
NYA-NOU	AC1044	AC	no significant intersections	0	40
NYA-NOU	AC1045	AC	no significant intersections	0	50
NYA-NOU	AC1046	AC	no significant intersections	0	50
NYA-NOU	AC1047	AC	2m @ 0.35 g/t Au 100% Oxide	20	22
NYA-NOU	AC1048	AC	no significant intersections	0	50
NYA-NOU	AC1049	AC	no significant intersections	0	49
NYA-NOU	AC1050	AC	no significant intersections	0	50
NYA-NOU	AC1051	AC	no significant intersections	0	50
NYA-NOU					

AC1052

AC

no significant intersections

NYA-NOU	AC1053	AC	no significant intersections	0	11
NYA-NOU	AC1054	AC	no significant intersections	0	20
NYA-NOU	AC1055	AC	no significant intersections	0	14
NYA-NOU	AC1056	AC	no significant intersections	0	15
NYA-NOU	AC1057	AC	no significant intersections	0	10
NYA-NOU	AC1058	AC	no significant intersections	0	7
NYA-NOU	AC1059	AC	no significant intersections	0	17
NYA-NOU	AC1060	AC	no significant intersections	0	19
NYA-NOU	AC1061	AC	no significant intersections	0	22
NYA-NOU	AC1062	AC	no significant intersections	0	20
NYA-NOU	AC1063	AC	no significant intersections	0	17
NYA-NOU	AC1064	AC	no significant intersections	0	50
NYA-NOU	AC1065	AC	no significant intersections	0	38
NYA-NOU	AC1066	AC	no significant intersections	0	40
NYA-NOU	AC1067	AC	no significant intersections	0	38
NYA-NOU	AC1068	AC	no significant intersections	0	41
NYA-NOU	AC1069	AC	no significant intersections	0	40
NYA-NOU	AC1070	AC	no significant intersections	0	36
NYA-NOU	AC1071	AC	no significant intersections	0	29
NYA-NOU	AC1072	AC	no significant intersections	0	35
NYA-NOU	AC1073	AC	no significant intersections	0	33
NYA-NOU	AC1074	AC	no significant intersections	0	33
NYA-NOU	AC1075	AC	no significant intersections	0	30
NYA-NOU	AC1076	AC	2m @ 0.95 g/t Au 100% Oxide	0	2
			2m @ 3.84 g/t Au 100% Oxide	46	48
NYA-NOU	AC1077	AC	2m @ 0.35 g/t Au 100% Oxide	6	8
			2m @ 0.67 g/t Au 100% Oxide	30	32
			2m @ 1.19 g/t Au 100% Oxide	36	38
NYA-NOU	AC1078	AC	no significant intersections	0	47
NYA-NOU					

AC1079

AC

no significant intersections

NYA-NOU	AC1080	AC	4m @ 0.63 g/t Au	100% Oxide	2	6
			4m @ 0.60 g/t Au	100% Oxide	10	14
NYA-NOU	AC1081	AC	no significant intersections		0	39
NYA-NOU	AC1082	AC	no significant intersections		0	36
NYA-NOU	AC1083	AC	2m @ 0.54 g/t Au	100% Oxide	0	2
NYA-NOU	AC1084	AC	no significant intersections		0	24
NYA-NOU	AC1085	AC	2m @ 2.14 g/t Au	100% Oxide	24	26
NYA-NOU	AC1086	AC	2m @ 0.54 g/t Au	100% Oxide	12	14
NYA-NOU	AC1087	AC	no significant intersections		0	30
NYA-NOU	AC1088	AC	no significant intersections		0	43
NYA-NOU	AC1089	AC	no significant intersections		0	43
NYA-NOU	AC1090	AC	no significant intersections		0	37
NYA-NOU	AC1091	AC	no significant intersections		0	28
NYA-NOU	AC1092	AC	no significant intersections		0	18
NYA-NOU	AC1093	AC	no significant intersections		0	27
NYA-NOU	AC1094	AC	no significant intersections		0	32
NYA-NOU	AC1095	AC	2m @ 0.34 g/t Au	100% Oxide	0	2
NYA-NOU	AC1096	AC	no significant intersections		0	39
NYA-NOU	AC1097	AC	no significant intersections		0	36
NYA-NOU	AC1098	AC	no significant intersections		0	31
NYA-NOU	AC1099	AC	no significant intersections		0	42
NYA-NOU	AC1100	AC	no significant intersections		0	42
NYA-NOU	AC1101	AC	no significant intersections		0	39
NYA-NOU	AC1102	AC	2m @ 0.59 g/t Au	100% Oxide	20	22
NYA-NOU	AC1103	AC	no significant intersections		0	36
NYA-NOU	AC1104	AC	2m @ 1.06 g/t Au	100% Oxide	34	36
NYA-NOU	AC1105	AC	no significant intersections		0	50
NYA-NOU	AC1106	AC	no significant intersections		0	45
NYA-NOU	AC1107	AC	no significant intersections		0	39
NYA-NOU						

AC1108

AC

2m @ 0.39 g/t Au

100% Oxide

NYA-NOU	AC1109	AC	no significant intersections	0	41
NYA-NOU	AC1110	AC	no significant intersections	0	48
NYA-NOU	AC1111	AC	no significant intersections	0	47
NYA-NOU	AC1112	AC	no significant intersections	0	27
NYA-NOU	AC1113	AC	no significant intersections	0	50
NYA-NOU	AC1114	AC	no significant intersections	0	47
NYA-NOU	AC1115	AC	no significant intersections	0	42
NYA-NOU	AC1116	AC	no significant intersections	0	47
NYA-NOU	AC1117	AC	2m @ 0.66 g/t Au 100% Oxide	0	2
NYA-NOU	AC1118	AC	no significant intersections	0	50
NYA-NOU	AC1119	AC	no significant intersections	0	50
NYA-NOU	AC1120	AC	no significant intersections	0	42
NYA-NOU	AC1121	AC	no significant intersections	0	41
NYA-NOU	AC1122	AC	no significant intersections	0	39
NYA-NOU	AC1123	AC	no significant intersections	0	39
NYA-NOU	AC1124	AC	no significant intersections	0	41
NYA-NOU	AC1125	AC	no significant intersections	0	47
NYA-NOU	AC1126	AC	no significant intersections	0	44
NYA-NOU	AC1127	AC	no significant intersections	0	34
NYA-NOU	AC1128	AC	no significant intersections	0	10
NYA-NOU	AC1129	AC	no significant intersections	0	33
NYA-NOU	AC1130	AC	no significant intersections	0	30
NYA-NOU	AC1131	AC	no significant intersections	0	48
NYA-NOU	AC1132	AC	no significant intersections	0	48
NYA-NOU	AC1133	AC	no significant intersections	0	50
NYA-NOU	AC1134	AC	no significant intersections	0	50
NYA-NOU	AC1135	AC	no significant intersections	0	46
NYA-NOU	AC1136	AC	no significant intersections	0	40
NYA-NOU	AC1137	AC	no significant intersections	0	49
NYA-NOU					

AC1138

AC

no significant intersections

NYA-NOU	AC1139	AC	no significant intersections		0	48
NYA-NOU	AC1140	AC	no significant intersections		0	48
NYA-NOU	AC1141	AC	no significant intersections		0	50
NYA-NOU	AC1142	AC	no significant intersections		0	27
NYA-NOU	AC1143	AC	no significant intersections		0	32
NYA-NOU	AC1144	AC	no significant intersections		0	50
NYA-NOU	AC1145	AC	2m @ 1.81 g/t Au	100% Oxide	22	24
NYA-NOU	AC1146	AC	no significant intersections		0	50
NYA-NOU	AC1147	AC	no significant intersections		0	50
NYA-NOU	AC1148	AC	no significant intersections		0	50
NYA-NOU	AC1149	AC	no significant intersections		0	50
NYA-NOU	AC1150	AC	no significant intersections		0	47
NYA-NOU	AC990	AC	no significant intersections		0	50
NYA-NOU	AC991	AC	no significant intersections		0	50
NYA-NOU	AC992	AC	2m @ 0.53 g/t Au	100% Oxide	10	12
			2m @ 0.30 g/t Au	100% Oxide	20	22
NYA-NOU	AC993	AC	10m @ 0.44 g/t Au	100% Oxide	4	14
NYA-NOU	AC994	AC	2m @ 0.71 g/t Au	100% Oxide	8	10
			2m @ 0.38 g/t Au	100% Oxide	20	22
			2m @ 0.35 g/t Au	100% Oxide	40	42
			2m @ 0.30 g/t Au	100% Oxide	46	48
NYA-NOU	AC995	AC	20m @ 0.60 g/t Au	100% Oxide	12	32
NYA-NOU	AC996	AC	no significant intersections		0	48
NYA-NOU	AC997	AC	no significant intersections		0	50
NYA-NOU	AC998	AC	no significant intersections		0	50
NYA-NOU	AC999	AC	2m @ 0.73 g/t Au	100% Oxide	28	30
NYA-NOU	NORAB01	RAB	no significant intersections		0	40
NYA-NOU	NORAB02	RAB	no significant intersections		0	42
NYA-NOU	NORAB03	RAB	no significant intersections		0	47
NYA-NOU						

NORAB04

RAB

no significant intersections

NYA-NOU	NORAB05	RAB	no significant intersections	0	36
NYA-NOU	NORAB06	RAB	no significant intersections	0	42
NYA-NOU	NORAB07	RAB	no significant intersections	0	38
NYA-NOU	NORAB08	RAB	no significant intersections	0	16
NYA-NOU	NORAB09	RAB	no significant intersections	0	33
NYA-NOU	NORAB10	RAB	4m @ 1.04 g/t Au	16	20
NYA-NOU	NORAB11	RAB	4m @ 0.51 g/t Au	4	8
NYA-NOU	NORAB12	RAB	no significant intersections	0	29
NYA-NOU	NORAB13	RAB	4m @ 0.32 g/t Au	12	16
NYA-NOU	NORAB14	RAB	no significant intersections	0	36
NYA-NOU	NORAB15	RAB	no significant intersections	0	43
NYA-NOU	NORAB16	RAB	no significant intersections	0	36
NYA-NOU	NORAB17	RAB	no significant intersections	0	36
NYA-NOU	NORAB18	RAB	no significant intersections	0	33
NYA-NOU	NORAB19	RAB	no significant intersections	0	33
NYA-NOU	NORAB20	RAB	3m @ 0.60 g/t Au	6	9
NYA-NOU	NORAB21	RAB	no significant intersections	0	33
NYA-NOU	NORAB22	RAB	no significant intersections	0	26
NYA-NOU	NORAB23	RAB	no significant intersections	0	36
NYA-NOU	NORAB24	RAB	no significant intersections	0	36
NYA-NOU	NORAB25	RAB	no significant intersections	0	34
NYA-NOU	NORAB26	RAB	no significant intersections	0	30
NYA-NOU	NORAB27	RAB	no significant intersections	0	34
NYA-NOU	NORAB28	RAB	no significant intersections	0	30
NYA-NOU	NORAB29	RAB	no significant intersections	0	32
NYA-NOU	NORAB30	RAB	no significant intersections	0	34
NYA-NOU	NORAB31	RAB	no significant intersections	0	42
NYA-NOU	NORAB32	RAB	no significant intersections	0	35
NYA-NOU	NORAB33	RAB	no significant intersections	0	42
NYA-NOU					

NORAB34

RAB

no significant intersections

NYA-NOU	NORAB35	RAB	no significant intersections	0	52
NYA-NOU	NORAB36	RAB	no significant intersections	0	51
NYA-NOU	NORAB37	RAB	no significant intersections	0	44
NYA-NOU	NORAB38	RAB	no significant intersections	0	65
NYA-NOU	NORAB39	RAB	no significant intersections	0	52
NYA-NOU	NORAB40	RAB	no significant intersections	0	53
NYA-NOU	NORAB41	RAB	no significant intersections	0	48
NYA-NOU	NORAB42	RAB	no significant intersections	0	40
NYA-NOU	NORAB43	RAB	no significant intersections	0	54
NYA-NOU	NORAB44	RAB	no significant intersections	0	15
NYA-NOU	NORAB45	RAB	no significant intersections	0	20
NYA-NOU	NORAB46	RAB	no significant intersections	0	57
NYA-NOU	NORAB47	RAB	no significant intersections	0	57
NYA-NOU	NORAB48	RAB	no significant intersections	0	60
NYA-NOU	NORAB49	RAB	no significant intersections	0	36
NYA-NOU	NORAB50	RAB	no significant intersections	0	40
NYA-NOU	NORAB51	RAB	no significant intersections	0	36
NYA-NOU	NORAB52	RAB	no significant intersections	0	40
NYA-NOU	NORAB53	RAB	no significant intersections	0	69
NYA-NOU	NORAB54	RAB	no significant intersections	0	46
NYA-NOU	NORAB55	RAB	no significant intersections	0	66
NYA-NOU	NORAB56	RAB	no significant intersections	0	49
NYA-NOU	NORAB57	RAB	no significant intersections	0	52
NYA-NOU	NORAB58	RAB	no significant intersections	0	34
NYA-NOU	NORAB59	RAB	4m @ 0.33 g/t Au	0	4
NYA-NOU	NORAB60	RAB	no significant intersections	0	43
NYA-NOU	NORAB61	RAB	no significant intersections	0	32
NYA-NOU	NORAB62	RAB	no significant intersections	0	40
NYA-NOU	NORAB63	RAB	no significant intersections	0	40
NYA-NOU					

NORAB64

RAB

no significant intersections

NYA-NOU	NORAB65	RAB	no significant intersections	0	26
NYA-NOU	NORAB66	RAB	no significant intersections	0	25
NYA-NOU	NORAB67	RAB	no significant intersections	0	33
NYA-NOU	NORAB68	RAB	no significant intersections	0	35
NYA-NOU	NORAB69	RAB	no significant intersections	0	28
NYA-NOU	NORAB70	RAB	no significant intersections	0	34
NYA-NOU	NORAB71	RAB	no significant intersections	0	40
NYA-NOU	NORAB72	RAB	no significant intersections	0	48
NYA-NOU	NORAB73	RAB	no significant intersections	0	37
NYA-NOU	NORAB74	RAB	no significant intersections	0	38
NYA-NOU	NORAB75	RAB	no significant intersections	0	27
NYA-NOU	NORAB76	RAB	no significant intersections	0	34
NYA-NOU	NORAB77	RAB	no significant intersections	0	32
NYA-NOU	NORAB78	RAB	no significant intersections	0	37
NYA-NOU	NORAB79	RAB	no significant intersections	0	26
NYA-NOU	NORAB80	RAB	no significant intersections	0	27
NYA-NOU	NORAB81	RAB	no significant intersections	0	30
NYA-NOU	NORAB82	RAB	no significant intersections	0	37
NYA-NOU	NORAB83	RAB	no significant intersections	0	36
NYA-NOU	NORAB84	RAB	no significant intersections	0	30
NYA-NOU	NYRAB01	RAB	4m @ 0.77 g/t Au	32	36
NYA-NOU	NYRAB02	RAB	no significant intersections	0	44
NYA-NOU	NYRAB03	RAB	no significant intersections	0	67
NYA-NOU	NYRAB04	RAB	no significant intersections	0	30
NYA-NOU	NYRAB05	RAB	no significant intersections	0	24
NYA-NOU	NYRAB06	RAB	no significant intersections	0	24
NYA-NOU	NYRAB07	RAB	no significant intersections	0	36
NYA-NOU	NYRAB08	RAB	no significant intersections	0	37
NYA-NOU	NYRAB09	RAB	no significant intersections	0	28
NYA-NOU					

NYRAB10

RAB

no significant intersections

NYA-NOU	NYRAB11	RAB	no significant intersections		0	48
NYA-NOU	NYRAB12	RAB	no significant intersections		0	43
NYA-NOU	NYRAB13	RAB	no significant intersections		0	52
NYA-NOU	NYRAB14	RAB	no significant intersections		0	37
NYA-NOU	NYRAB15	RAB	no significant intersections		0	70
NYA-NOU	NYRAB16	RAB	4m @ 0.35 g/t Au		44	48
NYA-NOU	NYRAB16	RAB	4m @ 0.32 g/t Au		52	56
NYA-NOU	NYRAB17	RAB	5m @ 1.85 g/t Au		1	6
NYA-NOU	NYRAB18	RAB	no significant intersections		0	51
NYA-NOU	NYRAB19	RAB	no significant intersections		0	54
NYA-NOU	NYRAB20	RAB	no significant intersections		0	30
NYA-NOU	NYRAB21	RAB	no significant intersections		0	50
NYA-NOU	NYRAB22	RAB	5m @ 1.73 g/t Au		30	35
NYA-NOU	NYRAB23	RAB	no significant intersections		0	52
NYA-NOU	NYRAB24	RAB	no significant intersections		0	39
NYA-NOU	NYRAB25	RAB	4m @ 0.93 g/t Au		0	4
NYA-NOU	NYRAB26	RAB	no significant intersections		0	33
NYA-NOU	BF_01	RC	no significant intersections		0	126
NYA-NOU	BF_02	RC	no significant intersections		0	120
NYA-NOU	BF_03	RC	4m @ 2.86 g/t Au	100% Trans	9	13
			6m @ 1.35 g/t Au	100% Trans	24	30
			7m @ 0.62 g/t Au	86% Trans / 14% Fresh	41	48
NYA-NOU	BF_04	RC	no significant intersections		0	120
NYA-NOU	BF_05	RC	2m @ 0.54 g/t Au	100% Fresh	103	105
NYA-NOU	BF_06	RC	17m @ 1.18 g/t Au	6% Oxide / 94% Trans	12	29
			7m @ 0.41 g/t Au	100% Fresh	55	62
NYA-NOU	BF_07	RC	6m @ 1.08 g/t Au	100% Fresh	82	88
NYA-NOU	BF_08	RC	13m @ 2.87 g/t Au	100% Trans	10	23
			4m @ 10.59 g/t Au	25% Trans / 75% Fresh	30	34
NYA-NOU						

BF_09

RC

no significant intersections

NYA-NOU	BF_10	RC	no significant intersections		0	120
NYA-NOU	BF_11	RC	no significant intersections		0	72
NYA-NOU	BF_12	RC	5m @ 1.61 g/t Au	100% Fresh	65	70
NYA-NOU	BF_13	RC	no significant intersections		0	126
NYA-NOU	BF_14	RC	no significant intersections		0	150
NYA-NOU	BF_15	RC	6m @ 1.17 g/t Au	100% Oxide	10	16
			2m @ 0.41 g/t Au	100% Oxide	20	22
NYA-NOU	BF_16	RC	no significant intersections		0	120
NYA-NOU	BF_17	RC	2m @ 0.42 g/t Au	100% Fresh	99	101
NYA-NOU	BF_18	RC	7m @ 6.86 g/t Au	100% Fresh	53	60
			2m @ 0.62 g/t Au	100% Fresh	78	80
NYA-NOU	BF_19	RC	no significant intersections		0	66
NYA-NOU	FRC778	RC	no significant intersections		0	100
NYA-NOU	FRC779	RC	no significant intersections		0	100
NYA-NOU	FRC780	RC	no significant intersections		0	100
NYA-NOU	FRC781	RC	no significant intersections		0	100
NYA-NOU	FRC782	RC	2m @ 0.87 g/t Au	100% Fresh	59	61
NYA-NOU	FRC783	RC	no significant intersections		0	100
NYA-NOU	FRC784	RC	2m @ 0.43 g/t Au	100% Fresh	85	87
NYA-NOU	FRC785	RC	2m @ 1.75 g/t Au	100% Oxide	31	33
NYA-NOU	FRC786	RC	no significant intersections		0	100
NYA-NOU	FRC787	RC	no significant intersections		0	100
NYA-NOU	FRC788	RC	no significant intersections		0	100
NYA-NOU	FRC789	RC	7m @ 0.46 g/t Au	100% Oxide	44	51
			4m @ 1.20 g/t Au	100% Fresh	83	87
NYA-NOU	FRC790	RC	no significant intersections		0	100
NYA-NOU	FRC791	RC	5m @ 0.82 g/t Au	100% Oxide	13	18
			2m @ 0.95 g/t Au	100% Oxide	30	32
NYA-NOU	FRC791	RC	11m @ 0.73 g/t Au	45% Oxide / 55% Trans	41	52
NYA-NOU						

FRC792

RC

no significant intersections

NYA-NOU	FRC793	RC	no significant intersections		0	100
NYA-NOU	FRC794	RC	no significant intersections		0	100
NYA-NOU	FRC795	RC	2m @ 1.20 g/t Au	100% Oxide	17	19
NYA-NOU	FRC795	RC	3m @ 1.35 g/t Au	100% Oxide	31	34
NYA-NOU	FRC796	RC	no significant intersections		0	102
NYA-NOU	FRC797	RC	no significant intersections		0	100
NYA-NOU	FRC798	RC	2m @ 0.56 g/t Au	100% Fresh	90	92
NYA-NOU	FRC799	RC	7m @ 1.66 g/t Au	100% Oxide	19	26
			15m @ 1.80 g/t Au	100% Fresh	85	100
NYA-NOU	FRC800	RC	no significant intersections		0	105
NYA-NOU	FRC801	RC	4m @ 2.94 g/t Au	100% Fresh	90	94
NYA-NOU	FRC802	RC	3m @ 8.94 g/t Au	100% Fresh	105	108
KAPOGOUAN	BDC15-001	DDH	no significant intersections		0	180
KAPOGOUAN	BRC15-035	RC	no significant intersections		0	150
KAPOGOUAN	BRC15-036	RC	no significant intersections		0	150
KAPOGOUAN	BRC15-037	RC	no significant intersections		0	150
KAPOGOUAN	BRC15-038	RC	no significant intersections		0	150
KAPOGOUAN	BRC15-039	RC	no significant intersections		0	150
KAPOGOUAN	BRC15-040	RC	no significant intersections		0	150
KAPOGOUAN	BRC15-041	RC	no significant intersections		0	150
KAPOGOUAN	BRC15-042	RC	3m @ 4.37 g/t Au	100% Fresh	39	42
KAPOGOUAN	BRC15-043	RC	no significant intersections		0	150
KAPOGOUAN	BRC15-044	RC	no significant intersections		0	150
KAPOGOUAN	BRC15-045	RC	no significant intersections		0	150
KAPOGOUAN	BRC15-046	RC	3m @ 1.01 g/t Au	100% Fresh	148	151
KAPOGOUAN	BRC15-047	RC	3m @ 1.73 g/t Au	100% Fresh	68	71
KAPOGOUAN	BRC15-049	RC	no significant intersections		0	159
KAPOGOUAN	BRC15-050	RC	no significant intersections		0	150
KAPOGOUAN	BRC15-051	RC	no significant intersections		0	150
KAPOGOUAN						

BRC15-052

RC

no significant intersections

KAPOGOUAN	BRC15-053 RC	3m @ 0.6 g/t Au	100% Fresh	50	53
		4m @ 0.36 g/t Au	100% Fresh	95	99
KAPOGOUAN	BRC15-054 RC	4m @ 0.23 g/t Au	100% Fresh	139	143
KAPOGOUAN	BRC15-055 RC	no significant intersections		0	150
KAPOGOUAN	BRC15-056 RC	no significant intersections		0	153
KAPOGOUAN	BRC15-057 RC	no significant intersections		0	150
KAPOGOUAN	BRC15-058 RC	no significant intersections		0	150
KAPOGOUAN	BRC15-059 RC	no significant intersections		0	150
KAPOGOUAN	BRC15-060 RC	no significant intersections		0	150
KAPOGOUAN	BRC15-061 RC	3m @ 0.29 g/t Au	100% Fresh	123	126
KAPOGOUAN	BRC15-062 RC	3m @ 0.41 g/t Au	100% Trans	24	27
KAPOGOUAN	BRC15-063 RC	no significant intersections		0	150
KAPOGOUAN	BRC15-064 RC	3m @ 0.53 g/t Au	100% Oxide	5	8
KAPOGOUAN	BRC15-065 RC	no significant intersections		0	150
KAPOGOUAN	BRC15-066 RC	no significant intersections		0	150
KAPOGOUAN	BRC15-067 RC	no significant intersections		0	150
KAPOGOUAN	BRC15-068 RC	no significant intersections		0	150
KAPOGOUAN	BRC15-069 RC	no significant intersections		0	150
KAPOGOUAN	BRC15-070 RC	no significant intersections		0	150
KAPOGOUAN	BRC15-173 RC	no significant intersections		0	150
KAPOGOUAN	BRC15-174 RC	no significant intersections		0	150
KAPOGOUAN	BRC15-175 RC	7m @ 0.33 g/t Au	100% Fresh	84	91
KAPOGOUAN	BRC15-176 RC	no significant intersections		0	150
KAPOGOUAN	BRC15-177 RC	no significant intersections		0	150
KAPOGOUAN	BRC15-178 RC	no significant intersections		0	150
KONGOROBA	BRC15-098 RC	no significant intersections		0	150
KONGOROBA	BRC15-099 RC	no significant intersections		0	150
KONGOROBA	BRC15-100 RC	no significant intersections		0	150
KONGOROBA	BRC15-101 RC	no significant intersections		0	150
KONGOROBA					

BRC15-102

RC

no significant intersections

KONGOROBA	BRC15-103 RC	no significant intersections	0	150
KONGOROBA	BRC15-104 RC	no significant intersections	0	150
KONGOROBA	BRC15-105 RC	no significant intersections	0	150
KONGOROBA	BRC15-106 RC	no significant intersections	0	150
KONGOROBA	BRC15-107 RC	no significant intersections	0	150
KONGOROBA	BRC15-108 RC	no significant intersections	0	150
KONGOROBA	BRC15-109 RC	no significant intersections	0	150
KONGOROBA	BRC15-110 RC	3m @ 0.35 g/t Au 100% Fresh	60	63
KONGOROBA	BRC15-111 RC	no significant intersections	0	175
KONGOROBA	BRC15-112 RC	no significant intersections	0	150
KONGOROBA	BRC15-113 RC	no significant intersections	0	150
KONGOROBA	BRC15-114 RC	no significant intersections	0	150
KONGOROBA	BRC15-115 RC	no significant intersections	0	150
KONGOROBA	BRC15-116 RC	no significant intersections	0	150
KONGOROBA	BRC15-117 RC	no significant intersections	0	150
KONGOROBA	BRC15-118 RC	no significant intersections	0	150
KONGOROBA	BRC15-119 RC	no significant intersections	0	150
KONGOROBA	BRC15-120 RC	no significant intersections	0	150
NOUMOUSSO	BRC15-179 RC	no significant intersections	0	150
NOUMOUSSO	BRC15-180 RC	no significant intersections	0	153
NOUMOUSSO	BRC15-181 RC	no significant intersections	0	179
NOUMOUSSO	BRC15-182 RC	no significant intersections	0	153
NOUMOUSSO	BRC15-183 RC	no significant intersections	0	150
NOUMOUSSO	BRC15-184 RC	no significant intersections	0	150
NOUMOUSSO	BRC15-185 RC	no significant intersections	0	150
NOUMOUSSO	BRC15-186 RC	no significant intersections	0	150
NOUMOUSSO	BRC15-187 RC	no significant intersections	0	150
NOUMOUSSO	BRC15-188 RC	no significant intersections	0	150
NOUMOUSSO	BRC15-189 RC	no significant intersections	0	150
NOUMOUSSO				

BRC15-190

RC

no significant intersections

NOUMOUSSO BRC15-191 RC 3m @ 0.87 g/t Au 100% Oxide 5 8

Copyright (c) 2018 TheNewswire - All rights reserved.

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/289685--Sarama-Resources-Establishes-New-100Prozent-Owned-600KM2-Exploration-Position-at-its-Koumandara-Project>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).