## OceanaGold reports additional high-grade drill results at Waihi in New Zealand

30.10.2018 | CNW

MELBOURNE, Oct. 30, 2018 - OceanaGold Corp. (TSX: OGC) (ASX: OGC) (the "Company") is pleased to announce updated exploration results highlighting continued high-grade gold intersections from the Martha Project (the "Project") at the Company's Waihi Gold Mine ("Waihi") located in New Zealand.

Selection of Significant Drill Results (true width)

- 10.7 m @ 36.01 g/t Au Empire vein
- 13.6m @ 5.98 g/t Au Martha vein
- 3.4 m @ 22.71 g/t Au Martha F/W vein
- 2.7 m @ 28.43 g/t Au Rex vein
- 10.2 m @ 7.22 g/t Au Martha vein
- 4.2 m @ 15.99 g/t Au Empire vein
- 6.4 m @ 10.49 g/t Au Dreadnought vein
- 4.1 m @ 13.45 g/t Au Empire F/W vein
- 6.4 m @ 7.77 g/t Au Empire vein
- 4.4 m @ 10.59 g/t Au Martha H/W vein
- 4.8 m @ 8.16 g/t Au Dreadnought vein

Mick Wilkes, President and CEO of OceanaGold said, "These latest drilling results from the Martha Underground continue to increase our confidence in the potential resource at Waihi, and further continues to identify areas of high-grade mineralisation that sit deeper and laterally to our exploration targets."

He added, "These recent drill results will be included into the Martha Underground resource model scheduled as part of the annual Resource and Reserve update. In August, we increased the Indicated and Inferred Resource significantly and with further exploration drilling, we are confident of defining a sizeable resource that will further support the extension of the mine life at Waihi."

"The Waihi operation has delivered significant value to shareholders for a number of years. It has also contributed significant socio-economic benefits to the town of Waihi and to New Zealand. OceanaGold is very proud of its track record for operating to the highest of environmental and social standards with a long, successful and rich history of sustainable development in New Zealand and in other jurisdictions around the world."

Following the significant increase in Mineral Resources reported in August 2018 for the Martha Project at Waihi, underground drilling has continued at multiple drill points along the two underground drill drives. Since August 2018, approximately 10,000 metres have been drilled at Waihi with a focus on identifying and defining mineralisation along sections of the Martha, Royal, Empire, Dreadnought and Rex veins.

In total, these veins along with the Edward vein have a combined strike length of approximately 3.2 kilometres with a maximum dip extent of approximately 500 metres (Figure 1 and 2). Recent drilling has intersected significant gold mineralisation both deeper in the central Martha area and eastward towards the current mining fronts approximately 200 metres away on the Empire Vein.

Drilling from surface and underground is in progress on the Rex Vein where a significant intersection of 2.7 metres (true width) at 28.4 g/t gold supports earlier intersections on the Rex Vein of up to 2.9 metres (true width) at 32.3 g/t gold.

In addition, the drill drives which support the underground drill program are advancing well with the 920-drill drive now complete, while the 800-drill drive is advancing ahead of schedule being over 60% complete with a

22.11.2025 Seite 1/5

targeted completion at the end of the first quarter of 2019.

The continuing intersection of high-grade mineralisation supports the outlined exploration target reported in August with a potential volume of between 5 million and 8 million tonnes at a grade of between 4.0 g/t and 6.0 g/t gold. This exploration target is based on the assessment of surface and underground drilling data collected by the Company in addition to the significant amount of historical and archived geological and mining data from over a century of mining activity at Waihi. Exploration targets are conceptual in nature; there has been insufficient exploration to define a mineral resource of the potential volume and grade stated and that it is uncertain if further exploration will result in the target being delineated as a mineral resource of this size and grade.

Table 1 – Significant Intersections from the Waihi Martha UG Resource Drilling

22.11.2025 Seite 2/5

Hole ID	East#	North#	Collar RI	∟Az#	Dip	From	То	True	Gold	Silver	Vein
	(m)	(m)	(m)			(m)	(m)	width	Grade	Grade	
								(m)	(g/t)	(g/t)	
800SP1MN1203	3 395966.	9 643096.9	6778.67	276.32	² <b>-</b> 29.10	282.70	300.50	13.60	5.98	14.00	Martha
800SP1MN1203	3 395966.	9 643096.9	6778.67	276.32	²-29.10	345.00	349.20	2.70	6.20	9.10	Loop No.1
800SP1MN1208	3 395967.	5 643097.7	8 778.84	300.02	<u>2-27.5</u> 0	180.40	185.30	4.80	8.16	11.50	Dreadnought
800SP1MN1208	3 395967.	5 643097.7	8 778.84	300.02	<u>2-27.5</u> 0	194.10	197.10	2.60	9.49	17.50	Martha
800SP1MN1211	I 395967.	1 643097.2	8 778.93	284.36	3-25.00	266.30	285.60	10.20	7.22	12.70	Martha
800SP1MN1211	I 395967.	1 643097.2	8 778.93	284.36	3-25.00	183.45	187.15	2.70	7.26	10.90	Dreadnought South
800SP3MN1209	395991.°	7 643115.1	6779.41	15.62	-23.50	235.60	240.50	4.10	13.45	15.00	Empire FW
920DDCRN120	7 395885.:	2 642962.6	2 921.64	188.12	222.00	3.60	6.10	1.50	13.14	1180.90	) Unknown
920SP3MR1206	396038	643057.8	5 921.53	328.72	· -8.40	350.20	353.35	3.00	5.61	17.80	Martha HW
920SP3MR1206	396038	643057.8	5 921.53	328.72	2-8.40	377.50	379.60	2.00	6.43	9.70	Mary
800SP1MR1214	4 395967.:	2 643097.5	3778.74	290.72	? <b>-</b> 33.60	180.70	191.40	6.90	5.05	6.50	Dreadnought
800SP1MR1214	1 395967.:	2 643097.5	3778.74	290.72	2 <b>-</b> 33.60	234.80	239.90	4.40	10.59	73.10	Martha HW
800SP1MR1219	395967.:	2 643097.4	4779.42	289.12	2-8.10	177.80	179.30	1.00	17.91	15.10	Empire
800SP1MR1219	395967.:	2 643097.4	4779.42	289.12	2-8.10	215.00	221.20	3.60	6.22	19.90	Harry
800SP1MR1224	1 395967.:	2 643097.5	1 779.72	290.62	1.20	123.70	132.80	6.40	10.49	13.80	Dreadnought
800SP1MR1224	1 395967.:	2 643097.5	1 779.72	290.62	1.20	159.40	163.75	4.20	15.99	37.70	Empire
800SP1MR1224	4 395967.:	2 643097.5	1 779.72	290.62	1.20	206.10	218.50	10.70	36.01	221.80	Empire
800SP1MR1224	1 395967.:	2 643097.5	1 779.72	290.62	1.20	268.90	273.90	4.70	6.32	49.30	Martha
800SP3MN1218	3 395989.	8 643115.2°	7779.39	341.12	<b>≀-18.0</b> 0	150.90	153.40	2.00	8.07	13.90	Empire
800SP3MR1227	7 395990.	8 643115.3	2779.71	6.22	-8.10	183.00	187.65	3.70	6.95	11.50	Empire
800SP3MR1227	7 395990.	8 643115.3	2779.71	6.22	-8.10	196.00	197.10	0.90	28.90	33.30	Empire
920SP3MR1210	396038.	2 643057.9	5 921.36	333.72	²-15.5C	293.20	296.50	3.20	5.71	145.30	Martha FW
920SP5MN1205	5 395810.	5 642983.2	8 919.46	333.52	2-0.60	292.10	296.50	3.40	22.71	32.90	Martha FW
920SP5MN1205	5 395810.	5 642983.2	8 919.46	333.52	2-0.60	298.30	303.10	3.40	9.34	9.70	Martha FW
920SP8GT1238	395480.	7 642862.4	9 925.78	341.72	<u>2</u> 4.80	127.10	135.10	6.40	7.77	61.20	Empire
UW671	395749.	8 642846.8	1 1117.02	167.22	<b>≀-</b> 36.90	203.70	205.00	0.80	24.90	158.00	Rex HW
UW671	395749.	8 642846.8	1 1117.02	167.22	2 <b>-</b> 36.90	214.90	217.70	2.70	28.43	79.00	Rex
م م م م م م الناس	ala4:a.a.4a.4	the Weihi D		ha faur	الم مم الم	o Com	0001/01	wahait	to ot		

All drill data in relation to the Waihi Project can be found on the Company's website at http://www.oceanagold.com/investor-centre/filings/. In line with ASX listing requirements, OceanaGold has

22.11.2025 Seite 3/5

appended the information required by JORC Table 1 for Waihi Exploration Results to its ASX announcement. JORC Table 1 is not required under National Instrument 43-101. Readers are referred to the ASX website at www.asx.com.au or the OceanaGold website at www.oceanagold.com to view JORC Table 1.

## About OceanaGold

OceanaGold Corp. is a mid-tier, high-margin, multinational gold producer with assets located in the Philippines, New Zealand and the United States. The Company's assets encompass the Didipio Gold-Copper Mine located on the island of Luzon in the Philippines. On the North Island of New Zealand, the Company operates the high-grade Waihi Gold Mine while on the South Island of New Zealand, the Company operates the largest gold mine in the country at the Macraes Goldfield which is made up of a series of open pit mines and the Frasers underground mine. In the United States, the Company operates the Haile Gold Mine, a top-tier, long-life, high-margin asset located in South Carolina. OceanaGold also has a significant pipeline of organic growth and exploration opportunities in the Americas and Asia-Pacific regions.

OceanaGold has operated sustainably since 1990 with a proven track-record for environmental management and community and social engagement. The Company has a strong social license to operate and works collaboratively with its valued stakeholders to identify and invest in social programs that are designed to build capacity and not dependency.

The Company has recently increased its 2018 gold production guidance for a second time this year and now expects to produce 515,000 to 545,000 ounces of gold and 15,000 to 16,000 tonnes of copper with All-In Sustaining Costs that range from \$725 to \$775 per ounce sold.

## Competent/Qualified Person's Statement

The exploration results were prepared in accordance with the standards set out in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves' ("JORC Code") and in accordance with National Instrument 43-101 – Standards of Disclosure for Mineral Projects of the Canadian Securities Administrators ("NI 43-101"). The JORC Code is the accepted reporting standard for the Australian Stock Exchange Limited ("ASX").

Information relating to Waihi exploration results in this document has been verified by Lorrance Torckler, a Fellow of the Australian Institute of Mining and Metallurgy and an employee of OceanaGold. Mr Torckler has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the JORC Code and is a Qualified Person for the purposes of the NI 43-101. Mr Torckler consents to the inclusion in this public report of the matters based on their information in the form and context in which it appears.

/NOT FOR DISSEMINATION OR DISTRIBUTION IN THE UNITED STATES AND NOT FOR DISTRIBUTION TO US NEWSWIRE SERVICES./

SOURCE OceanaGold Corp.

## Contact

Investor Relations: Sam Pazuki, Tel: +1 416 915 3123; Jeffrey Sansom, Tel: +61 3 9656 5300; Media Relations: Melissa Bowerman, Tel: +61 459 900 099; ir@oceanagold.com; info@oceanagold.com; www.oceanagold.com; Twitter: @OceanaGold

22.11.2025 Seite 4/5

Dieser Artikel stammt von Rohstoff-Welt.de
Die URL für diesen Artikel lautet:
https://www.rohstoff-welt.de/news/311854--OceanaGold-reports-additional-high-grade-drill-results-at-Waihi-in-New-Zealand.html

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere <a href="AGB/Disclaimer">AGB/Disclaimer</a>!

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt! Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere <u>AGB</u> und <u>Datenschutzrichtlinen</u>.

22.11.2025 Seite 5/5