

Cow Mountain Drilling Extends High Grade Gold Mineralization Down Dip to 400 Meters

06.11.2018 | [CNW](#)

HIGH-GRADE INTERCEPTS INCLUDE 11.84 G/T GOLD OVER 7.50 METERS, 104 G/T GOLD OVER 0.50 M, 200 G/T GOLD OVER 0.50 M, 101.5 G/T GOLD OVER 0.95 M and 346 G/T GOLD OVER 0.50 METERS

TORONTO, Nov. 6, 2018 - Barkerville Gold Mines Ltd. (TSXV: BGM) (the "Company" or "Barkerville") is pleased to announce drilling results from the ongoing 2018 Cow Mountain exploration and category conversion program at the Company's flagship Cariboo Gold Project. The drilling results demonstrate continuity of high grade gold mineralization within vein corridors and extensions down dip and down plunge. The Company is currently exploring and delineating high grade vein corridors with four diamond drills on Cow Mountain.

Mineralized vein corridors on Cow Mountain are modelled to an average depth of 250 meters and recent exploration extends high grade intercepts continuous to vertical depths of 400 meters. Recent highlights include 7.06 g/t Au over 16.90 meters in hole CM-18-057, at approximately 50 meters vertical depth. CM-18-071 intersected 11.84 g/t Au over 7.50 meters, extending mineralization approximately 60 meters down dip from an existing modelled vein corridor. CM-18-071 included higher grade intercepts of 98.30 g/t Au over 0.50 meters, and 30.30 g/t Au over 0.80 meters. CM-18-101 intersected 29.10 g/t Au over 0.50 meters at a depth of 400 meters from surface.

Selected Drilling Highlights:

- CM-18-054: 25.09 g/t Au over 2.70 meters
- CM-18-057: 7.06 g/t Au over 16.90 meters
- CM-18-062: 104.00 g/t Au over 0.50 meter
- CM-18-070: 28.08 g/t Au over 2.10 meters
- CM-18-071: 11.84 g/t Au over 7.50 meters
- CM-18-079: 200.00 g/t Au over 0.50 meter
- CM-18-084: 20.41 g/t Au over 6.65 meters
- CM-18-085: 101.50 g/t Au over 0.95 meter
- CM-18-091: 346 g/t Au over 0.50 meters
- CM-18-095: 10.48 g/t Au over 6.60 meters
- CM-18-096: 7.45 g/t Au over 7.60 meters
- CM-18-103: 42.88 g/t Au over 2.7 meters
- CM-18-107: 49.40 g/t Au over 1.7 meters

A drill hole location plan map and longitudinal section are presented below. Detailed drilling results are presented at the end of this release. The Cow Mountain 3D deposit model with assay highlights is located on the Company's website:

[Barkerville Gold Mines Ltd. 3D Deposit Model](#)

The ongoing drill program at Cow Mountain is designed to infill and expand high-grade gold-mineralized vein corridors modelled in the May 2018 Cow Mountain resource estimate. Vein corridors are defined as a high-density network of mineralized quartz veins within the sandstones. Mineralized quartz veins on the Cariboo Gold Project are overall sub-vertical dip and northeast strike. These corridors have been defined from surface to a vertical depth of up to 300 meters and remain open for expansion at depth and down plunge. Gold grades are intimately associated with vein-hosted pyrite as well as pyritic, intensely silicified wall rock haloes in close proximity to the veins.

Qualified Persons

Exploration activities at the Cariboo Gold Project are administered on site by the Company's Project Geologists, Kyle Orr and Felipe Castaneda. As per National Instrument 43-101 Standards of Disclosure for Mineral Projects, Maggie Layman, P.Geo. Vice President Exploration, is the Qualified Person for the Company and has prepared, validated and approved the technical and scientific content of this news release. The Company strictly adheres to CIM Best Practices Guidelines in conducting, documenting, and reporting its exploration activities on the Cariboo Gold Project.

Quality Assurance & Quality Control

Once received from the drill and processed, all drill core samples are sawn in half, labelled and bagged. The remaining drill core is subsequently stored on site at the Company's secure facility in Wells, BC. Numbered security tags are applied to lab shipments for chain of custody requirements. The Company inserts quality control (QC) samples at regular intervals in the sample stream, including blanks and reference materials with all sample shipments to monitor laboratory performance. The QAQC program was designed and approved by Lynda Bloom, P.Geo. of Analytical Solutions Ltd., and is overseen by the Company's Qualified Person, Maggie Layman, P.Geo, Vice President Exploration.

Drill core samples are submitted to ALS Geochemistry's analytical facility in North Vancouver, British Columbia for preparation and analysis. The ALS facility is accredited to the ISO/IEC 17025 standard for gold assays and all analytical methods include quality control materials at set frequencies with established data acceptance criteria. The entire sample is crushed, and 250 grams is pulverized. Analysis for gold is by 50g fire assay fusion with atomic absorption (AAS) finish with a lower limit of 0.01 ppm and upper limit of 100 ppm. Samples with gold assays greater than 100 ppm are re-analyzed using a 1,000g screen metallic fire assay. A selected number of samples are also analyzed using a 48 multi-elemental geochemical package by a 4-acid digestion, followed by Inductively Coupled Plasma Atomic Emission Spectroscopy (ICP-AES) and Inductively Coupled Plasma Mass Spectroscopy (ICP-MS).

About Barkerville Gold Mines Ltd.

The Company is focused on developing its extensive mineral rights package located in the historical Cariboo Mining District of central British Columbia. Barkerville's Cariboo Gold Project mineral tenures cover 1,950 square kilometres; along a strike length of 67 kilometres which includes several past producing placer and hard rock mines, making it one of the most well-endowed land packages in British Columbia. Since the management change in mid-2015, the Company has unlocked the fundamental structural controls of gold mineralization. The Company's Brownfield's exploration team is focused on developing and delineating a mineable resource within the 7 kilometers of principle project area located near the town of Wells, British Columbia. The Company's Greenfield's team is developing quality exploration assets throughout the remaining land package through systematic, scientific, exploration. The operation's team is focused on developing and mining the Bonanza Ledge and BC Vein deposits on Barkerville Mountain. This operation allows the company to generate near term cash flow, train a local work force, keeps the present mining permit active, and de-risk's the project through staged production growth. Processing of material from these deposits is processed at the QR mill. QR is a fully owned, permitted mill and tailings facility, located approximately 110 kilometres away from Wells, and can be accessed by an all-season road.

Cautionary Statement on Forward -Looking Information

Neither the TSX Venture Exchange ('TSXV') nor its Regulation Services Provider (as that term is defined in the policies of the TSXV) accepts responsibility for the adequacy or accuracy of this release. No stock exchange, securities commission or other regulatory authority has approved or disapproved the information contained herein. This news release contains forward-looking information which is not comprised of historical facts. Forward-looking information involves risks, uncertainties and other factors that could cause actual events, results, performance, prospects and opportunities to differ materially from those expressed or implied by such forward-looking information. Forward looking information in this news release includes, but is not limited to, the Company's objectives, goals or future plans, statements regarding exploration results and exploration plans. Factors that could cause actual results to differ materially from such forward-looking information include, but are not limited to, capital and operating costs varying significantly from estimates, the preliminary nature of metallurgical test results, delays in obtaining or failures to obtain required governmental, environmental or other project approvals, uncertainties relating to the availability and costs of financing needed in the future, changes in equity markets, inflation, fluctuations in commodity prices, delays in the development of projects and the other risks involved in the mineral exploration and development industry, and those risks set out in the Company's public documents filed on SEDAR. Although the Company believes that the assumptions and factors used in preparing the forward-looking information in this news release are reasonable, undue reliance should not be placed on such information, which only applies as of the date of this news release, and no assurance can be given that such events will occur in the disclosed time frames or at all. The Company disclaims any intention or obligation to update or revise any forward-looking information, whether as a result of new information, future events or otherwise, other than as required by law.

Table 1: Length Weighted Gold Composites from Cow Mountain

HOLE ID	FROM	TO	CORE LENGTH (M)	AU (G/T)	
CM-18-051	107.40	108.15	0.75	5.19	
	123.00	123.50	0.50	6.43	
	239.40	240.00	0.60	8.24	
	242.05	245.40	3.35	9.06	
	Including	242.05	243.45	1.40	15.15
	274.50	277.50	3.00	5.61	
	Including	275.40	276.00	0.60	19.75
CM-18-052	35.80	37.55	1.75	22.69	
	Including	35.80	36.30	0.50	51.80
	And	37.05	37.55	0.50	26.00
	102.50	104.00	1.50	3.26	
	110.10	110.85	0.75	3.66	
	115.50	116.00	0.50	6.26	
	132.00	135.85	3.85	8.29	
	Including	132.00	132.95	0.95	9.43
	And	135.00	135.85	0.85	27.00
	204.50	205.00	0.50	7.46	
	237.50	238.00	0.50	26.80	
	241.80	242.45	0.65	6.23	
	271.00	271.50	0.50	6.99	
	CM-18-053	180.10	181.40	1.30	8.43
	Including	180.10	180.80	0.70	14.10
	257.70	258.20	0.50	5.11	
CM-18-054	94.80	97.50	2.70	25.09	
Including	95.80	96.30	0.50	7.48	
And	96.80	97.50	0.70	89.80	
	157.95	159.00	1.05	4.57	
CM-18-055 No Significant Assays					
CM-18-056	165.15	166.30	1.15	4.90	
	171.50				

172.10

		239.05	239.60	0.55	14.15
CM-18-057		6.00	8.40	2.40	4.28
	Including	7.75	8.40	0.65	12.65
		54.30	71.20	16.90	7.06
	Including	57.00	57.85	0.85	12.90
	And	58.85	59.55	0.70	38.50
	And	63.60	64.65	1.05	11.95
	And	64.65	66.00	1.35	42.30
		84.00	84.60	0.60	5.84
		107.50	108.15	0.65	58.80
		127.30	128.40	1.10	3.93
		130.70	131.30	0.60	24.70
		154.20	157.30	3.10	7.36
	Including	154.20	154.70	0.50	12.95
	And	156.70	157.30	0.60	26.50
		182.00	182.50	0.50	10.65
CM-18-058		43.50	44.00	0.50	5.97
		132.00	134.00	2.00	17.98
	Including	132.50	133.50	1.00	34.70
		234.50	235.00	0.50	5.02
		250.00	251.00	1.00	4.75
CM-18-059		256.75	257.40	0.65	5.49
		315.40	315.90	0.50	7.03
CM-18-060		78.75	79.40	0.65	9.29
		109.60	110.10	0.50	53.00
CM-18-061		68.00	69.00	1.00	16.35
		75.15	75.75	0.60	5.21
		108.50	109.45	0.95	11.70
CM-18-062		168.00	168.70	0.70	7.20
		171.90	173.00	1.10	3.71
		182.25	183.70	1.45	5.23
	Including				

182.25

183.15

		202.90	203.40	0.50	4.26
		256.00	258.00	2.00	27.43
	Including	256.00	256.50	0.50	104.00
CM-18-063		9.00	12.00	3.00	5.06
	Including	9.00	9.50	0.50	15.85
		44.20	44.80	0.60	72.90
		60.00	60.50	0.50	3.71
		109.00	110.50	1.50	4.75
	Including	109.70	110.50	0.80	7.29
		115.15	115.70	0.55	21.10
		127.00	127.55	0.55	7.39
CM-18-064		11.20	16.00	4.80	7.27
	Including	14.50	16.00	1.50	20.40
		81.00	82.00	1.00	22.30
		191.25	192.00	0.75	5.36
		271.20	271.80	0.60	5.87
CM-18-065		46.35	47.00	0.65	43.20
		172.75	173.25	0.50	5.71
CM-18-066		26.10	26.60	0.50	18.70
		91.40	92.00	0.60	6.53
		114.00	115.00	1.00	5.95
		119.40	120.00	0.60	10.35
		134.50	135.00	0.50	23.40
CM-18-067		10.30	10.80	0.50	32.60
		47.30	49.60	2.30	7.23
	Including	47.30	47.80	0.50	23.50
	And	48.90	49.60	0.70	6.44
		57.48	58.00	0.52	10.60
		89.00	90.30	1.30	28.91
	Including	89.75	90.30	0.55	65.40
		116.00	116.55	0.55	11.20
		123.00			

123.80

CM-18-068		179.90	180.50	0.60	9.02
		215.00	215.50	0.50	6.31
		250.10	251.00	0.90	4.51
		270.50	271.00	0.50	5.38
		320.50	321.00	0.50	6.02
		321.60	322.10	0.50	5.50
CM-18-069		177.70	178.20	0.50	4.35
		180.50	181.00	0.50	6.22
		233.60	234.50	0.90	17.45
		246.80	247.30	0.50	17.45
		248.80	250.80	2.00	4.40
	Including	248.80	249.30	0.50	10.10
	And	249.80	250.30	0.50	5.56
CM-18-070		6.95	10.00	3.05	12.91
	Including	6.95	7.50	0.55	33.00
	And	9.50	10.00	0.50	40.70
		25.35	26.45	1.10	4.16
		48.20	49.00	0.80	5.40
		61.00	63.60	2.60	4.73
		102.00	102.50	0.50	12.65
		105.30	105.80	0.50	18.45
		107.90	110.00	2.10	28.08
	Including	107.90	108.40	0.50	107.50
		121.00	122.65	1.65	5.99
	Including	121.70	122.65	0.95	9.62
		129.90	133.60	3.70	5.14
	Including	129.90	130.40	0.50	14.65
	And	132.50	133.10	0.60	7.48
	And	133.10	133.60	0.50	9.51
CM-18-071		87.00	90.50	3.50	5.55
	Including	87.00	88.00	1.00	8.09
		105.15			

105.75

12.85

		146.30	147.00	0.70	12.35
		191.50	192.20	0.70	6.27
		205.50	213.00	7.50	11.84
	Including	205.50	206.00	0.50	98.30
	And	206.00	206.50	0.50	14.85
	And	206.50	207.30	0.80	30.30
	And	212.00	213.00	1.00	5.06
		224.70	225.20	0.50	18.15
		232.10	233.85	1.75	8.00
	Including	232.80	233.85	1.05	10.85
		251.20	251.80	0.60	7.73
CM-18-072		184.50	185.70	1.20	11.30
		190.90	191.40	0.50	12.30
		200.40	204.00	3.60	8.37
	Including	200.40	200.90	0.50	15.40
	And	201.85	203.00	1.15	16.30
		224.00	225.50	1.50	4.73
		421.25	423.25	2.00	10.04
	Including	422.40	423.25	0.85	19.40
CM-18-073		152.00	152.70	0.70	13.25
		190.25	190.75	0.50	4.34
CM-18-074		7.50	11.90	4.40	6.55
	Including	8.00	8.50	0.50	12.40
	And	10.40	11.10	0.70	20.90
	And	11.10	11.90	0.80	7.66
		91.30	93.70	2.40	6.18
	Including	91.30	91.80	0.50	18.10
	And	93.00	93.70	0.70	8.15
		113.80	115.70	1.90	10.53
	Including	113.80	114.80	1.00	17.45
		158.95	159.50	0.55	12.40
CM-18-075					

25.50

26.00

		37.40	37.90	0.50	24.80
		96.85	97.40	0.55	6.73
		104.30	104.80	0.50	12.10
CM-18-076		119.50	120.00	0.50	13.00
		190.10	195.00	4.90	6.64
	Including	193.00	193.80	0.80	34.10
		204.00	204.50	0.50	4.25
CM-18-077		226.00	226.50	0.50	21.80
		251.00	252.50	1.50	7.10
		266.50	267.00	0.50	5.04
		293.10	294.10	1.00	6.30
	Including	293.10	293.60	0.50	9.01
		313.60	314.30	0.70	6.36
CM-18-078		11.00	11.50	0.50	34.20
		56.10	57.00	0.90	35.60
		74.90	75.50	0.60	5.19
		83.90	84.40	0.50	68.00
CM-18-079		22.75	23.25	0.50	200.00
		182.20	183.25	1.05	7.26
		193.35	193.85	0.50	12.60
		219.00	220.05	1.05	5.82
CM-18-080		18.95	19.50	0.55	23.40
		25.50	26.50	1.00	5.11
		44.15	48.00	3.85	10.92
	Including	44.15	44.65	0.50	17.70
	And	44.65	45.40	0.75	31.50
	And	47.50	48.00	0.50	12.65
		93.75	94.60	0.85	12.20
CM-18-081		31.50	32.00	0.50	17.35
		44.55	45.10	0.55	15.55
CM-18-082		160.30	161.30	1.00	20.61
	Including				

160.30

160.80

39.00

		202.90	204.60	1.70	16.37
		208.00	211.00	3.00	3.97
	Including	208.00	208.70	0.70	14.30
		253.60	254.15	0.55	9.91
CM-18-083		75.60	76.15	0.55	4.05
		144.00	147.45	3.45	7.76
	Including	146.70	147.45	0.75	27.80
		170.45	171.10	0.65	4.33
		211.90	213.00	1.10	8.12
	Including	211.90	212.50	0.60	13.30
		256.50	258.70	2.20	6.96
	Including	256.50	257.10	0.60	8.74
	And	257.70	258.20	0.50	16.45
		269.00	269.50	0.50	4.87
		397.60	400.70	3.10	7.18
	Including	397.60	398.10	0.50	9.21
	And	398.70	399.20	0.50	22.40
CM-18-084		36.90	37.40	0.50	8.11
		58.50	65.15	6.65	20.41
	Including	58.50	59.00	0.50	15.15
	And	62.00	62.50	0.50	45.70
	And	63.70	65.15	1.45	71.00
		79.30	80.10	0.80	13.00
CM-18-085		15.50	16.15	0.65	5.37
		21.50	22.25	0.75	39.90
		27.00	27.95	0.95	101.50
		62.20	65.00	2.80	6.42
	Including	64.00	64.50	0.50	5.64
	And	64.50	65.00	0.50	27.80
		202.50	203.00	0.50	7.00
		237.00	237.50	0.50	4.94
CM-18-086					

209.50

211.00

	302.00	303.00	1.00	5.19
	358.25	358.75	0.50	5.33
	361.35	361.85	0.50	6.46
CM-18-087 No Significant Assays				
CM-18-088	168.55	169.35	0.80	36.00
	173.70	175.35	1.65	7.51
CM-18-089	49.50	50.00	0.50	7.72
	97.10	97.60	0.50	27.00
	132.00	132.50	0.50	4.36
CM-18-090	21.50	23.10	1.60	5.16
Including	22.00	22.50	0.50	7.07
	45.00	45.50	0.50	6.04
CM-18-091	243.55	244.20	0.65	4.71
	248.30	248.80	0.50	346.00
	252.00	253.50	1.50	6.03
	309.90	310.80	0.90	6.91
	313.90	316.05	2.15	9.98
Including	313.90	315.25	1.35	14.05
	344.60	345.50	0.90	7.14
CM-18-092	127.00	127.50	0.50	5.84
	129.60	130.35	0.75	5.49
	171.35	172.20	0.85	5.92
	189.95	190.70	0.75	14.35
CM-18-093 No Significant Assays				
CM-18-094 No Significant Assays				
CM-18-095	151.00	152.90	1.90	5.50
	164.50	165.50	1.00	6.82
	255.65	256.65	1.00	7.58
	268.80	275.40	6.60	10.48
Including	268.80	269.30	0.50	77.80
And	269.80	270.35	0.55	14.25
And				

270.35

271.00

0.65

	And	274.90	275.40	0.50	12.20
		290.85	291.65	0.80	4.41
		448.50	450.80	2.30	7.32
	Including	448.50	449.30	0.80	8.99
	And	449.85	450.80	0.95	9.71
CM-18-096		190.45	191.60	1.15	3.80
		221.95	222.65	0.70	6.08
		236.65	239.20	2.55	3.83
	Including	236.65	237.50	0.85	8.30
	And	238.70	239.20	0.50	5.15
		241.00	242.50	1.50	7.89
		244.40	245.00	0.60	5.87
		254.00	261.60	7.60	7.45
	Including	254.00	255.50	1.50	26.20
	And	260.55	261.60	1.05	30.20
		310.40	311.70	1.30	25.00
		327.25	327.75	0.50	7.20
CM-18-097		81.90	82.40	0.50	13.55
		106.60	107.10	0.50	4.68
		145.40	145.90	0.50	17.45
		164.00	165.10	1.10	7.98
	Including	164.50	165.10	0.60	12.75
		177.90	178.60	0.70	5.30
CM-18-098		106.30	106.90	0.60	7.41
		305.55	307.55	2.00	10.04
	Including	306.40	307.55	1.15	12.95
CM-18-099		135.95	138.60	2.65	8.50
	Including	137.40	138.00	0.60	21.70
	And	138.00	138.60	0.60	13.80
		140.45	140.95	0.50	7.09
		145.10	147.10	2.00	7.04
	Including				

145.10

145.60

	And	146.10	147.10	1.00	9.05
		253.40	256.00	2.60	5.32
	Including	254.05	254.60	0.55	23.30
		296.60	297.00	0.40	16.15
		300.00	300.85	0.85	7.49
		311.00	311.65	0.65	10.80
CM-18-100		212.50	214.00	1.50	4.04
		247.00	247.50	0.50	14.05
		254.80	255.50	0.70	5.45
CM-18-101		345.08	345.70	0.62	15.10
		421.25	421.75	0.50	29.10
		481.25	482.00	0.75	4.72
CM-18-102		262.85	263.35	0.50	28.50
		268.40	269.00	0.60	9.32
		277.05	278.35	1.30	5.41
		287.00	287.55	0.55	4.90
		312.80	313.30	0.50	8.45
CM-18-103		42.15	44.85	2.70	42.88
		58.20	58.70	0.50	32.40
		140.80	141.80	1.00	7.40
CM-18-104		126.40	126.90	0.50	7.36
		135.00	136.00	1.00	5.33
		234.40	237.50	3.10	3.99
	Including	234.40	234.90	0.50	19.45
	And	237.00	237.50	0.50	4.10
CM-18-105		31.35	31.85	0.50	18.95
		53.40	53.90	0.50	7.87
		116.10	116.80	0.70	4.12
CM-18-106		236.00	243.50	7.50	4.07
	Including	238.50	239.30	0.80	7.05
	And	239.30	240.15	0.85	9.00
	And				

242.00

243.50

		282.60	286.20	3.60	4.83
	Including	282.60	283.40	0.80	16.80
		317.00	317.50	0.50	29.50
		383.85	385.00	1.15	11.00
CM-18-107		29.85	31.20	1.35	7.37
		35.40	37.90	2.50	19.44
	Including	35.40	36.00	0.60	30.40
	And	36.00	36.50	0.50	16.00
	And	37.00	37.90	0.90	23.20
		60.00	60.85	0.85	26.40
		87.30	89.00	1.70	49.40
CM-18-108		39.50	40.00	0.50	4.45
		67.50	68.75	1.25	18.15
		144.00	144.50	0.50	4.51
CM-18-109		200.50	204.10	3.60	5.44

True widths including 200.50 201.75 3.60 5.44
 intervals not recovered by drilling were assigned zero grade. Top cuts have not been applied to high grade assays.

CM-18-110 No Significant Assays

Table 2: Drillhole Collar Orientations:

Hole ID	Azimuth	Dip
CM-18-051	127	-53
CM-18-052	133	-56
CM-18-053	138	-52
CM-18-054	323	-62
CM-18-055	130	-63
CM-18-056	119	-65
CM-18-057	122	-49
CM-18-058	136	-54
CM-18-059	145	-56
CM-18-060	114	-48
CM-18-061	290	-50
CM-18-062	131	-41
CM-18-063	151	-46
CM-18-064	110	-63
CM-18-065	137	-44
CM-18-066	145	-63
CM-18-067	148	-55
CM-18-068	142	-50
CM-18-069	137	-42
CM-18-070	137	-46
CM-18-071	118	-59
CM-18-072	131	-52
CM-18-073	139	-57
CM-18-074	133	-59
CM-18-075	133	-47
CM-18-076	120	-66
CM-18-077	127	-50
CM-18-078	156	-60
CM-18-079		

CM-18-080	145	-50
CM-18-081	117	-50
CM-18-082	140	-45
CM-18-083	130	-45
CM-18-084	128	-66
CM-18-085	126	-45
CM-18-086	230	-45
CM-18-087	145	-44
CM-18-088	125	-60
CM-18-089	127	-56
CM-18-090	117	-64
CM-18-091	230	-45
CM-18-092	112	-45
CM-18-093	130	-66
CM-18-094	122	-51
CM-18-095	128	-53
CM-18-096	105	-47
CM-18-097	118	-45
CM-18-098	130	-66
CM-18-099	139	-47
CM-18-100	120	-48
CM-18-101	230	-65
CM-18-102	115	-53
CM-18-103	230	-60
CM-18-104	140	-51
CM-18-105	139	-45
CM-18-106	112	-50
CM-18-107	146	-65
CM-18-108	128	-51
CM-18-109		

CM-18-110	313	-67
-----------	-----	-----

SOURCE [Barkerville Gold Mines Ltd.](#)

Contact

on [Barkerville Gold Mines Ltd.](#) please contact: Chris Lodder, President & Chief Executive Officer, 155 University Avenue, Suite 1440, Toronto, Ontario, Canada, clodder@barkervillegold.com

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/312556--Cow-Mountain-Drilling-Extends-High-Grade-Gold-Mineralization-Down-Dip-to-400-Meters.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).