

Spruce Ridge Intersects 9.97 Metres of 7.45% Copper at Great Burnt Project South-Central Newfoundland

30.01.2019 | [ACCESS Newswire](#)

PUSLINCH, January 30, 2019 - [Spruce Ridge Resources Ltd.](#) (TSX-V: SHL) is pleased to announce that it has received the results of the last five diamond drill holes in a 10-hole program on its wholly-owned Great Burnt Copper-Gold Project in Newfoundland. The drilling was targeted at the Great Burnt Main Zone, with a view to filling gaps between previous drill holes, testing for possible extensions of the Main Zone, testing a newly identified target from a 2007 airborne EM survey, and retrieving samples for future metallurgical study prior to a planned Preliminary Economic Assessment (PEA). Results include 9.97 metres of 7.45% copper (Cu), including a 5.03 metre section grading 11.42 % Cu in drill hole GB18-06. The massive to semi-massive sulphide mineralization also carries low values in gold, silver, zinc and cobalt. The following table summarizes the results for all ten holes of the 2018 program. Location of 2018 diamond drilling and historical drilling can be found at the end of this news release.

Hole No.	From (metres)	To (metres)	Core Length	Cu (%)	Zn (%)	Co (%)	Au (g/t)	Ag (g/t)
GB18-01 Includes And	5.33	14.54	9.21	1.34	0.02	0.009	0.011	0.4
	7.00	10.00	3.00	2.24	0.03	0.016	0.015	0.9
	24.58	26.87	2.29	1.37	0.08	0.028	0.028	0.7
GB18-02	No significant mineralization							
GB18-03 And Includes	84.17	88.96	4.79	0.68	0.03	0.009	0.016	0.3
	97.54	106.17	8.63	1.81	0.03	0.016	0.015	0.6
	103.11	106.17	3.06	3.44	0.04	0.007	0.033	1.3
GB18-04	47.80	51.80	4.00	4.42	0.33	0.030	0.06	2.8
GB18-05 Includes	95.76	116.70	20.94	6.21	0.54	0.040	0.09	7.0
	100.35	107.33	6.98	10.71	0.90	0.060	0.14	11.8
GB18-06 Includes	104.56	114.53	9.97	7.45	0.43	0.034	0.081	4.5
	106.80	111.83	5.03	11.42	0.57	0.042	0.094	6.2
GB18-07	No significant mineralization							
GB18-08	No significant mineralization							
GB18-09 And	39.26	57.26	18.00	0.23	0.01	0.005	0.016	0.4
	73.70	81.85	8.15	0.19	0.01	0.006	0.021	0.2
GB18-10	31.00	33.40	2.40	0.19	0.06	0.003	0.084	1.0

Much of the previous drilling on the Great Burnt Main Zone was carried out on sections with a regular 61-metre (200 feet) spacing. Like drill holes GB18-03, -04 and -05 (see press release 2018-01 of January 23, 2019), GB18-06 was drilled to test the zone between two sections where there had been no previous infill drilling. GB18-07 and 18-08 were drilled to test possible down-dip extensions of the Lower Zone. GB18-09 and -10 were drilled to test for a possible extension of the low-grade Stringer Zone to the south and down-dip. Both holes cut disseminated to locally stringery mineralization with lower grades than the Stringer Zone average.

"The results of GB18-05 and GB18-06, combined with the other holes drilled into the Great Burnt Main Zone in 2016 and 2018, lead us to suspect that a recalculation of the mineral resource could possibly lead to a

significant increase in the copper grade" stated John A. Ryan, CEO of Spruce Ridge.

The road-accessible Great Burnt copper-gold deposit comprises three separate zones of volcanogenic massive sulphide (VMS) mineralization: The Main, Lower and Stringer Zones. A 2015 NI43-101 technical report by P&E Mining Consultants identified Indicated Mineral Resources in the Main and Lower Zones of 382,000 tonnes with an average grade of 2.68% Cu, plus Inferred Mineral Resources of 663,000 tonnes averaging 2.31% Cu. A "starter pit" outlined by P&E includes an Indicated Mineral Resource of 237,000 tonnes at 2.51% Cu.

The majority of the drilling that outlined the Great Burnt deposit was carried out by Asarco between 1950 and 1971, and core was not assayed for gold. Additional drilling by Celtic Minerals in 2001-2002 did include assaying for gold and zinc. Four holes drilled into the Main Zone by Spruce Ridge in 2016 yielded intercepts including (in hole GB16-09) 5.75 metres of 6.68% Cu, 0.94% Zn, 0.871 g/t Au and 6.20 g/t Ag and (in hole GB16-08) 7.50 metres of 9.45% Cu, 0.73% Zn, 0.364 g/t Au and 8.50 g/t Ag. There is however insufficient information to estimate average grades for metals other than copper.

In addition to the Great Burnt copper-gold deposit, the 3,700-hectare property covers the South Pond "A" Zone, 15 kilometres to the north, with an Indicated Mineral Resource of 47,000 tonnes at 1.38% Cu, plus an Inferred Mineral Resource of 166,000 tonnes of 1.30% Cu. Re-analysis of core in 1987 indicated potentially significant grades of gold in the South Pond "A" zone; again the data are insufficient to include a gold grade in resource estimates. The South Pond "B" Zone has been drill tested over a 1.2 kilometre length, with results including a 28.00 metre core length of 1.16 g/t Au and a 4.33 metre core length of 4.75 g/t Au.

The 2018 diamond drilling program at Great Burnt was carried out under the supervision of Brian Willett, P.Geo. The NQ-size core was quartered with a diamond saw; one quarter was sent for analysis, one quarter was retained as a witness, and half core was placed in vacuum-sealed bags to preserve its freshness for future metallurgical testing. Analyses were performed by Eastern Analytical of Springdale, NL. Gold was determined by fire assay on 30-gram splits; all other elements were analysed by ICP after aqua regia digestion, and overlimit analyses (i.e. over 1% Cu, 0.22% Zn, 0.055% Co and 6 g/t Ag) were repeated using assay procedures. Eastern Analytical is certified to ISO/IEC 17025 with accreditation to the assay methods used.

Acknowledgments

Spruce Ridge would like to thank the Government of Newfoundland and Labrador for approving the Great Burnt Program for 2018 JEA funding.

About Spruce Ridge Resources Ltd.

Spruce Ridge holds a 100% interest in the Great Burnt Copper/Gold Property in Central Newfoundland which covers a series of copper ± gold rich VMS deposits. In 2015, Spruce Ridge optioned its Viking/Kramer gold properties in Western Newfoundland to [Anaconda Mining Inc.](#) The Company also has a 50% joint venture with [Americas Silver Corp.](#) on property that contains tailings with low grade gold and silver from the Drumlummon Mine in Montana. Spruce Ridge and its joint venture partner, a private investor group, are currently drilling magnetic and EM anomalies in a complex of ultramafic and mafic intrusive rocks that have been interpreted as prospective for nickel mineralization, on the optioned Crawford property 45 kilometres north of Timmins, Ontario.

Colin Bowdidge, Ph.D, P.Geo., a "Qualified Person" as defined in National Instrument 43-101, and a director of the Company, has prepared and/or reviewed the technical contents of this press release.

For further information please contact:

John Ryan, President and CEO
[Spruce Ridge Resources Ltd.](#)
Phone: 519-822-5904
Email: spruceridgeresources@gmail.com

Cautionary Statement

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release. No stock exchange, securities commission or other regulatory authority has approved or disapproved the information contained herein.

The foregoing information may contain forward-looking statements relating to the future performance of [Spruce Ridge Resources Ltd.](#) Forward-looking statements, specifically those concerning future performance, are subject to certain risks and uncertainties, and actual results may differ materially from the Company's plans and expectations. These plans, expectations, risks and uncertainties are detailed herein and from time to time in the filings made by the Company with the TSX Venture Exchange and securities regulators. [Spruce Ridge Resources Ltd.](#) does not assume any obligation to update or revise its forward-looking statements, whether as a result of new information, future events or otherwise.

Image: <https://www.accesswire.com/users/newswire/images/534003/spruceridgeIMAGE.png>

SOURCE: [Spruce Ridge Resources Ltd.](#)

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/318134--Spruce-Ridge-Intersects-9.97-Metres-of-7.45Prozent-Copper-at-Great-Burnt-Project-South-Central-Newfoundland.>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinen](#).