

K92 Receives More High-Grade Kora Drill Results From Kora North Extension

06.05.2019 | [GlobeNewswire](#)

- Drill Hole KMDD0128 records multiple intersections including 2.05 m at 363.91 g/t Au, 17 g/t Ag and 0.08% Cu (364.25 g/t AuEq) plus 11.45 m at 7.61 g/t Au, 22 g/t Ag and 1.26% Cu (9.83 g/t AuEq)
- Drill Hole KMDD0142 records multiple intersections including 10.25 m at 26.02 g/t Au, 30 g/t Ag and 0.80% Cu (27.63.19 g/t Au Eq) plus 7.96 m at 49.82 g/t Au, 4 g/t Ag and 0.34% Cu (50.38 g/t AuEq)
- Drill Hole KMDD0140 records 3.55 m at 14.71 g/t Au, 6 g/t Ag and 0.61% Cu (15.72 g/t AuEq) plus 16.80 m at 7.65 g/t Au, 32 g/t Ag and 1.74% Cu (10.72 g/t AuEq)
- Drill Hole KMDD0115A records a K2 intersection of 7.20 m at 2.57 g/t Au, 27 g/t Ag and 0.40% Cu (3.51 g/t AuEq) over 300 metres vertically below the current operating level, extending the known depth extent of the K2 Lode 200 metres below the current resource
- Drill rigs at Kora/Kora North increased to four to further accelerate expansion and exploration drilling

VANCOUVER, May 06, 2019 - K92 Mining Inc. ("K92" or the "Company") (TSX-V: KNT; OTCQX: KNTNF) is pleased to announce results from the continuing diamond drilling of the Kora North Extension of the Kainantu gold mine in Papua New Guinea.

Kora North Drilling

Kora North Drilling

The results for the latest 8 diamond drill holes completed from diamond drill cuddly 3 and the new drill cuddly 5 (DDC3 and DDC5) into the Kora North deposit are summarized in Table 1 below. Hole KMDD0115 was abandoned, having recorded a complete intersection of 8.30 metres of K1 at 2.2 g/t Au, 46 g/t Ag and 1.07% Cu (4.42 g/t AuEq) over 100 metres below the known K1 resource. A daughter hole, KMDD0115A was wedged off this hole and recorded an intersection of 7.20 m at 2.57 g/t Au, 27 g/t Ag and 0.40% Cu (3.51 g/t AuEq) over 300 metres vertically below the current operating level, extending the known depth extent of the K2 Lode 200 metres below the current resource. The results continue to delineate and extend both the K1, K2 lodes as well as the KL structure between the lodes. Long sections showing all holes drilled to date in both K1 and K2 are provided below. Table 2 provides details of collar location and hole orientation.

John Lewins, K92 Chief Executive Officer and Director, stated, "These latest results have not only continued to confirm the remarkable continuity of the high-grade K1 and K2 vein systems within the Kora deposit, but through hole KMDD0115/115A extended the known depth of the K1 Lode by over 100 metres and the K2 Lode by 200 metres. This obviously has major positive implications for the current drilling program which is targeting an expansion of the Kora/Kora North Resource."

Given these results, in order to allow the underground rigs to focus more on the potential depth extensions of the Kora/Kora North deposit, we have taken the decision to mobilize a surface diamond drill rig to drill out the area above the current Kora North resource. While it had been originally planned to drill this area exclusively from underground, it can be efficiently drilled from surface with similar length holes. We are currently preparing surface drill pads and expect to mobilize the surface rig within the next few weeks. The addition of the surface rig will increase the number of diamond rigs drilling at Kora/Kora North to four.

Table 1 - Kainantu Gold Mine – Significant Intercepts from Diamond Drill Cuddies 3 & 6

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	AuEq (1) g/t	Comment
KMDD0115	295.50	303.80	8.30	6.64	2.20	46	1.07	4.42	K1
<i>Including</i>	295.50	296.14	0.64	0.51	0.88	39	1.50	3.67	
<i>Including</i>	296.14	296.90	0.76	0.61	5.53	199	5.95	17.16	
<i>Including</i>	296.90	297.60	0.70	0.56	5.36	129	2.29	10.50	
<i>Including</i>	297.60	298.30	0.70	0.56	4.21	86	1.32	7.32	
<i>Including</i>	298.30	299.20	0.90	0.72	1.72	28	0.33	2.58	
<i>Including</i>	299.20	299.90	0.70	0.56	1.81	11	0.11	2.12	
<i>Including</i>	299.90	300.60	0.70	0.56	1.40	10	0.05	1.60	
<i>Including</i>	300.60	301.30	0.70	0.56	0.10	6	0.27	0.59	
<i>Including</i>	301.30	302.10	0.80	0.64	0.17	9	0.16	0.52	
<i>Including</i>	302.10	302.90	0.80	0.64	0.09	2	0.09	0.26	
<i>Including</i>	302.90	303.80	0.90	0.72	3.01	6	0.07	3.20	
KMDD0115	307.87	315.50	7.63	6.10	0.40	3	0.35	0.98	
<i>Including</i>	307.87	309.00	1.13	0.90	0.46	2	0.42	1.12	
<i>Including</i>	309.00	310.00	1.00	0.80	0.36	1	0.07	0.48	
<i>Including</i>	310.00	311.00	1.00	0.80	0.11	3	0.07	0.25	
<i>Including</i>	311.00	312.30	1.30	1.04	0.09	3	0.31	0.60	
<i>Including</i>	312.30	313.72	1.42	1.14	0.40	2	0.09	0.57	
<i>Including</i>	313.72	314.50	0.78	0.62	0.84	4	0.68	1.94	
<i>Including</i>	314.50	315.50	1.00	0.80	0.72	5	1.02	2.35	
KMDD0115	321.00	321.90	0.90	0.72	6.51	6	0.11	6.76	Hole abandoned at start of K2
KMDD0115A	301.60	304.40	2.80	1.49	3.50	13	0.10	3.82	KMDD0115 daughter hole
<i>Including</i>	301.60	302.10	0.50	0.27	8.70	20	0.24	9.32	
<i>Including</i>	302.10	303.00	0.90	0.48	5.70	11	0.05	5.92	
<i>Including</i>	303.00	303.63	0.63	0.34	0.20	5	0.02	0.29	
<i>Including</i>	303.63	304.40	0.77	0.41	0.25	17	0.15	0.70	
KMDD0115A	306.40	319.25	12.85	6.59	0.53	5	0.19	0.88	
<i>Including</i>	306.40	307.00	0.60	0.32	6.22	20	0.24	6.84	
<i>Including</i>	307.00	308.00	1.00	0.53	0.09	3	0.02	0.16	
<i>Including</i>	308.00	309.00	1.00	0.53	0.21	3	0.01	0.26	
<i>Including</i>	309.00	310.00	1.00	0.53	0.03	2	0.03	0.11	
<i>Including</i>	310.00	311.00	1.00	0.53	0.15	4	0.26	0.60	
<i>Including</i>	311.00	312.00	1.00	0.53	0.33	4	0.23	0.74	
<i>Including</i>	312.00	313.00	1.00	0.53	0.16	4	0.21	0.53	
<i>Including</i>	313.00	314.00	1.00	0.53	0.12	4	0.22	0.51	
<i>Including</i>	314.50	314.50	0.00	0.00	0.41	5	0.10	0.62	
<i>Including</i>	314.50	314.90	0.40	0.21	0.19	5	0.31	0.72	
<i>Including</i>	314.90	316.15	1.25	0.67	0.09	5	0.03	0.20	
<i>Including</i>	316.15	316.75	0.60	0.32	0.11	4	0.01	0.18	
<i>Including</i>	316.75	317.65	0.90	0.48	0.11	5	0.10	0.32	
<i>Including</i>	317.65	318.50	0.85	0.45	0.07	4	0.18	0.40	
<i>Including</i>	318.50	319.25	0.75	0.40	1.69	8	1.13	3.52	
KMDD0115A	342.15	346.60	4.45	2.87	0.40	14	2.07	3.75	
<i>Including</i>	342.15	342.70	0.55	0.35	0.21	14	2.05	3.52	
<i>Including</i>	342.70	343.60	0.90	0.58	0.54	23	4.12	7.14	
<i>Including</i>	343.60	343.85	0.25	0.16	0.03	4	0.18	0.36	
<i>Including</i>	343.85	344.56	0.71	0.46	1.40	32	5.66	10.47	
<i>Including</i>	344.56	345.56	1.00	0.64	0.04	3	0.02	0.11	
<i>Including</i>	345.56	346.32	0.76	0.49	0.05	3	0.04	0.15	
<i>Including</i>	346.32	346.60	0.28	0.18	0.38	10	1.00	2.04	

KMDD0115A	360.80	363.30	2.50	1.61	0.47	19	2.15	4.00	
<i>Including</i>	360.80	361.55	0.75	0.48	0.82	5	0.27	1.30	
<i>Including</i>	361.55	362.20	0.65	0.42	0.20	2	0.04	0.29	
<i>Including</i>	362.20	363.30	1.10	0.71	0.39	39	4.67	8.03	
KMDD0115A	376.99	379.30	2.31	1.49	0.36	7	0.86	1.78	
<i>Including</i>	376.99	377.10	0.11	0.07	1.63	24	1.61	4.39	
<i>Including</i>	377.10	377.52	0.42	0.27	0.18	2	0.06	0.30	
<i>Including</i>	377.52	378.00	0.48	0.31	0.40	7	1.13	2.22	
<i>Including</i>	378.00	378.20	0.20	0.13	0.17	2	0.02	0.23	
<i>Including</i>	378.20	379.30	1.10	0.71	0.32	9	1.13	2.17	
KMDD0115A	432.80	440.00	7.20	4.64	2.57	27	0.40	3.51	K2
<i>Including</i>	432.80	433.90	1.10	0.71	12.16	51	0.54	13.64	
<i>Including</i>	433.90	435.00	1.10	0.71	0.35	10	0.24	0.85	
<i>Including</i>	435.00	436.00	1.00	0.64	0.95	22	0.39	1.82	
<i>Including</i>	436.00	437.00	1.00	0.64	1.02	40	0.65	2.52	
<i>Including</i>	437.00	438.00	1.00	0.64	0.16	6	0.11	0.40	
<i>Including</i>	438.00	439.00	1.00	0.64	0.23	6	0.05	0.39	
<i>Including</i>	439.00	440.00	1.00	0.64	2.36	50	0.81	4.23	
KMDD0117	281.42	283.32	1.90	0.89	1.09	2	0.12	1.30	
<i>Including</i>	281.42	281.56	0.14	0.07	2.48	1	0.09	2.63	
<i>Including</i>	281.56	282.18	0.62	0.29	0.36	1	0.16	0.62	
<i>Including</i>	282.18	282.83	0.65	0.31	1.71	3	0.11	1.91	
<i>Including</i>	282.83	282.94	0.11	0.05	0.04	1	0.31	0.53	
<i>Including</i>	282.94	283.20	0.26	0.12	0.34	1	0.02	0.37	
<i>Including</i>	283.20	283.32	0.12	0.06	2.41	2	0.14	2.64	
KMDD0117	292.90	300.00	7.10	3.34	4.39	11	0.25	4.91	K1
<i>Including</i>	292.90	293.76	0.86	0.40	19.83	1	0.12	20.02	
<i>Including</i>	293.76	294.10	0.34	0.16	2.49	1	0.07	2.61	
<i>Including</i>	294.10	295.10	1.00	0.47	2.66	4	0.48	3.44	
<i>Including</i>	295.10	296.70	1.60	0.75	0.40	3	0.16	0.69	
<i>Including</i>	296.70	298.10	1.40	0.66	1.63	18	0.31	2.33	
<i>Including</i>	298.10	300.00	1.90	0.89	4.04	21	0.26	4.71	
KMDD0117	312.24	313.43	1.19	0.56	24.09	11	0.14	24.44	
KMDD0117	335.54	339.00	3.46	1.82	1.46	39	0.83	3.23	
<i>Including</i>	335.54	336.80	1.26	0.66	0.78	26	0.47	1.83	
<i>Including</i>	336.80	338.00	1.20	0.63	0.69	46	1.51	3.58	
<i>Including</i>	338.00	339.00	1.00	0.53	3.24	48	0.47	4.57	
KMDD0117	358.00	364.20	6.20	3.26	2.43	28	0.91	4.17	K2
<i>Including</i>	358.00	359.70	1.70	0.89	0.99	37	1.44	3.67	
<i>Including</i>	359.70	361.60	1.90	1.00	5.42	44	0.47	6.70	
<i>Including</i>	361.60	362.30	0.70	0.37	1.02	11	0.97	2.64	
<i>Including</i>	362.30	364.20	1.90	1.00	1.26	9	0.84	2.66	
KMDD0128	68.80	70.85	2.05	1.44	363.91	17	0.08	364.25	K1
<i>Including</i>	68.80	70.00	1.20	0.84	621.30	25	0.10	621.77	
<i>Including</i>	70.00	70.85	0.85	0.59	0.53	5	0.06	0.69	
KMDD0128	75.95	79.90	3.95	2.93	2.55	6	0.46	3.32	
<i>Including</i>	75.95	77.00	1.05	0.78	1.02	4	0.35	1.60	
<i>Including</i>	77.00	78.00	1.00	0.74	1.88	5	0.26	2.34	
<i>Including</i>	78.00	79.00	1.00	0.74	5.23	6	0.73	6.42	
<i>Including</i>	79.00	79.90	0.90	0.67	2.11	8	0.51	2.99	
KMDD0128	86.55	98.00	11.45	7.98	7.61	22	1.26	9.83	K2
<i>Including</i>	86.55	87.20	0.65	0.45	1.63	52	1.86	5.14	

<i>Including</i>	87.20	88.00	0.80	0.56	10.20	40	2.54	14.59		
<i>Including</i>	88.00	89.00	1.00	0.70	2.44	11	0.70	3.66		
<i>Including</i>	89.00	89.50	0.50	0.35	1.19	5	0.12	1.43		
<i>Including</i>	89.50	90.10	0.60	0.42	2.85	3	0.05	2.96		
<i>Including</i>	90.10	90.50	0.40	0.28	5.29	9	0.37	5.98		
<i>Including</i>	90.50	90.80	0.30	0.21	20.00	20	0.65	21.25		
<i>Including</i>	90.80	91.30	0.50	0.35	39.30	26	0.62	40.57		
<i>Including</i>	91.30	92.35	1.05	0.73	2.49	14	0.56	3.53		
<i>Including</i>	92.35	92.75	0.40	0.28	53.50	272	21.20	89.39		
<i>Including</i>	92.75	93.20	0.45	0.31	1.70	8	0.24	2.17		
<i>Including</i>	93.20	94.10	0.90	0.63	0.81	3	0.04	0.92		
<i>Including</i>	94.10	95.13	1.03	0.72	0.25	1	0.01	0.28		
<i>Including</i>	95.13	96.20	1.07	0.75	0.18	2	0.02	0.23		
<i>Including</i>	96.20	96.70	0.50	0.35	7.29	7	0.16	7.62		
<i>Including</i>	96.70	97.00	0.30	0.21	14.40	13	0.39	15.16		
<i>Including</i>	97.00	98.00	1.00	0.70	11.50	11	0.32	12.14		
KMDD0130	67.19	72.70	5.51	3.70	7.53	6	0.16	7.85	K1	
<i>Including</i>	67.19	68.00	0.81	0.54	9.00	5	0.31	9.53		
<i>Including</i>	68.00	69.00	1.00	0.67	6.45	3	0.14	6.71		
<i>Including</i>	69.00	69.58	0.58	0.39	5.01	7	0.19	5.40		
<i>Including</i>	69.58	70.50	0.92	0.62	1.29	3	0.16	1.58		
<i>Including</i>	70.50	71.50	1.00	0.67	15.42	13	0.11	15.75		
<i>Including</i>	71.50	72.70	1.20	0.81	6.86	4	0.12	7.09		
KMDD0130	75.70	83.00	7.30	5.42	0.40	6	0.56	1.33		
<i>Including</i>	75.70	76.30	0.60	0.45	1.36	10	1.15	3.25		
<i>Including</i>	76.30	77.10	0.80	0.59	0.23	6	0.61	1.24		
<i>Including</i>	77.10	77.70	0.60	0.45	0.51	5	0.26	0.98		
<i>Including</i>	77.70	78.70	1.00	0.74	0.64	9	0.55	1.59		
<i>Including</i>	78.70	80.10	1.40	1.04	0.38	6	0.74	1.59		
<i>Including</i>	80.10	81.20	1.10	0.82	0.18	4	0.46	0.93		
<i>Including</i>	81.20	82.10	0.90	0.67	0.12	4	0.32	0.65		
<i>Including</i>	82.10	83.00	0.90	0.67	0.16	3	0.43	0.86		
KMDD0130	94.00	95.00	1.00	0.62	1.35	23	1.74	4.30		
KMDD0130	96.00	103.30	7.30	4.52	7.35	31	1.48	10.00	K2	
<i>Including</i>	96.00	97.00	0.62	0.62	0.73	8	0.11	1.01		
<i>Including</i>	97.00	97.70	0.43	0.43	7.52	25	0.45	8.53		
<i>Including</i>	97.70	98.50	0.50	0.50	25.60	75	0.57	27.43		
<i>Including</i>	98.50	99.30	0.50	0.50	30.10	93	6.83	41.73		
<i>Including</i>	99.30	100.20	0.56	0.56	1.42	19	0.50	2.43		
<i>Including</i>	100.20	101.00	0.50	0.50	0.89	18	0.42	1.76		
<i>Including</i>	101.00	102.40	0.87	0.87	0.40	6	0.31	0.96		
<i>Including</i>	102.40	103.30	0.56	0.56	0.59	29	3.57	6.42		
KMDD0130	106.90	108.00	1.10	0.68	1.84	3	0.01	1.90		
KMDD0132	94.00	95.00	1.00	0.62	1.35	23	1.74	4.30	Geotech Hole West of K2	
KMDD0132	96.00	103.30	7.30	4.52	7.35	31	1.48	10.00	Geotech Hole West of K2 - K2HW?	
<i>Including</i>	96.00	97.00	0.62	0.62	0.73	8	0.11	1.01		
<i>Including</i>	97.00	97.70	0.43	0.43	7.52	25	0.45	8.53		
<i>Including</i>	97.70	98.50	0.50	0.50	25.60	75	0.57	27.43		
<i>Including</i>	98.50	99.30	0.50	0.50	30.10	93	6.83	41.73		
<i>Including</i>	99.30	100.20	0.56	0.56	1.42	19	0.50	2.43		
<i>Including</i>	100.20	101.00	0.50	0.50	0.89	18	0.42	1.76		
<i>Including</i>	101.00	102.40	0.87	0.87	0.40	6	0.31	0.96		

<i>Including</i>	102.40	103.30	0.56	0.56	0.59	29	3.57	6.42	
KMDD0132	106.90	108.00	1.10	0.68	1.84	3	0.01	1.90	Geotech Hole West of K2
KMDD0134									Vent Hole
KMDD0136									Not Yet Drilled
KMDD0138									Not Yet Drilled
KMDD0140	72.86	76.41	3.55	2.19	14.71	6	0.61	15.72	K1
<i>Including</i>	72.86	73.48	0.62	0.38	0.20	7	1.13	2.01	
<i>Including</i>	73.48	74.00	0.52	0.32	0.11	2	0.11	0.31	
<i>Including</i>	74.00	74.45	0.45	0.28	80.38	9	1.12	82.21	
<i>Including</i>	74.45	74.86	0.41	0.25	23.83	7	0.70	24.98	
<i>Including</i>	74.86	75.52	0.66	0.41	7.71	5	0.16	8.02	
<i>Including</i>	75.52	76.06	0.54	0.33	0.26	2	0.17	0.55	
<i>Including</i>	76.06	76.41	0.35	0.22	2.49	10	1.24	4.51	
KMDD0140	78.76	91.64	12.88	7.95	2.57	4	0.28	3.05	
<i>Including</i>	78.76	79.63	0.87	0.54	6.40	1	0.03	6.46	
<i>Including</i>	79.63	80.84	1.21	0.75	0.33	1	0.15	0.57	
<i>Including</i>	80.84	81.43	0.59	0.36	11.02	4	0.07	11.17	
<i>Including</i>	81.43	82.28	0.85	0.52	2.21	1	0.06	2.32	
<i>Including</i>	82.28	83.28	1.00	0.62	0.13	2	0.00	0.16	
<i>Including</i>	83.28	84.26	0.98	0.60	0.10	1	0.06	0.20	
<i>Including</i>	84.26	85.00	0.74	0.46	0.50	9	0.65	1.60	
<i>Including</i>	85.00	86.00	1.00	0.62	1.28	9	0.77	2.57	
<i>Including</i>	86.00	87.00	1.00	0.62	0.48	4	0.23	0.89	
<i>Including</i>	87.00	88.04	1.04	0.64	0.26	3	0.39	0.89	
<i>Including</i>	88.04	89.03	0.99	0.61	0.21	2	0.23	0.58	
<i>Including</i>	89.03	90.10	1.07	0.66	13.66	6	0.32	14.23	
<i>Including</i>	90.10	90.71	0.61	0.38	0.37	7	0.32	0.95	
<i>Including</i>	90.71	91.64	0.93	0.57	1.22	6	0.63	2.26	
KMDD0140	95.30	96.70	1.40	0.86	1.57	1	0.01	1.60	
KMDD0140	100.60	117.40	16.80	9.93	7.65	32	1.74	10.72	K2
<i>Including</i>	100.60	101.20	0.60	0.37	6.21	5	0.15	6.50	
<i>Including</i>	102.10	103.10	1.00	0.62	3.75	19	0.90	5.37	
<i>Including</i>	103.10	104.40	1.30	0.81	5.06	48	0.63	6.63	
<i>Including</i>	104.40	104.70	0.30	0.19	2.32	10	0.07	2.56	
<i>Including</i>	104.70	106.12	1.42	0.89	3.38	21	1.29	5.61	
<i>Including</i>	106.12	107.00	0.88	0.55	2.92	20	1.17	4.96	
<i>Including</i>	107.00	107.36	0.36	0.22	0.32	0	0.05	0.40	
<i>Including</i>	107.36	108.22	0.86	0.54	24.68	8	2.85	29.14	
<i>Including</i>	108.22	108.56	0.34	0.21	20.74	17	3.25	25.93	
<i>Including</i>	108.56	109.16	0.60	0.37	25.88	163	17.20	54.26	
<i>Including</i>	109.16	110.10	0.94	0.59	36.67	88	3.18	42.65	
<i>Including</i>	110.10	111.10	1.00	0.62	2.02	15	0.54	3.04	
<i>Including</i>	111.10	112.00	0.90	0.56	1.73	24	1.02	3.60	
<i>Including</i>	112.00	112.80	0.80	0.50	8.50	36	3.52	14.34	
<i>Including</i>	112.80	113.70	0.90	0.56	0.87	8	0.23	1.32	
<i>Including</i>	113.70	114.40	0.70	0.44	4.89	61	0.78	6.86	
<i>Including</i>	114.40	115.50	1.10	0.69	2.05	18	0.22	2.62	
<i>Including</i>	115.50	117.40	1.90	1.19	2.24	23	0.47	3.24	
KMDD0142	45.83	46.17	0.34	0.28	2.65	17	3.81	8.70	
KMDD0142	47.65	57.9	10.25	8.30	26.02	30	0.80	27.63	K1
<i>Including</i>	47.65	48	0.35	0.28	0.41	1	0.54	1.25	
<i>Including</i>	48	48.3	0.3	0.24	3.78	3	1.23	5.70	

<i>Including</i>	48.3	49	0.7	0.57	0.15	1	0.50	0.93	
<i>Including</i>	49	49.13	0.13	0.11	53.55	7	1.02	55.20	
<i>Including</i>	49.13	49.4	0.27	0.22	12.42	1	0.41	13.06	
<i>Including</i>	49.4	49.95	0.55	0.45	374.70	25	0.98	376.52	
<i>Including</i>	49.95	50.37	0.42	0.34	1.65	7	0.34	2.26	
<i>Including</i>	50.37	51	0.63	0.51	2.81	8	1.33	4.94	
<i>Including</i>	51	51.21	0.21	0.17	65.50	71	7.55	77.95	
<i>Including</i>	51.21	51.58	0.37	0.30	1.28	19	1.45	3.74	
<i>Including</i>	51.58	52.1	0.52	0.42	0.31	1	0.12	0.51	
<i>Including</i>	52.1	52.7	0.6	0.49	0.47	1	0.02	0.52	
<i>Including</i>	52.7	53.34	0.64	0.52	5.97	1	0.11	6.14	
<i>Including</i>	53.34	54.2	0.86	0.70	11.32	67	0.29	12.61	
<i>Including</i>	54.2	54.4	0.2	0.16	11.27	960	10.03	38.80	
<i>Including</i>	54.4	54.53	0.13	0.11	49.10	6	0.39	49.77	
<i>Including</i>	54.53	54.8	0.27	0.22	15.50	2	0.15	15.76	
<i>Including</i>	54.8	55.04	0.24	0.19	0.39	1	0.20	0.71	
<i>Including</i>	55.04	55.4	0.36	0.29	5.68	2	0.04	5.76	
<i>Including</i>	55.4	55.8	0.4	0.32	0.58	1	0.03	0.64	
<i>Including</i>	55.8	56.04	0.24	0.19	2.01	1	0.07	2.13	
<i>Including</i>	56.04	56.5	0.46	0.37	0.30	1	0.07	0.41	
<i>Including</i>	56.5	56.8	0.3	0.24	5.37	1	0.86	6.70	
<i>Including</i>	56.8	57.02	0.22	0.18	0.20	1	0.61	1.15	
<i>Including</i>	57.02	57.75	0.73	0.59	0.21	1	0.59	1.13	
<i>Including</i>	57.75	57.9	0.15	0.12	4.23	1	0.00	4.24	
KMDD0142	64.9	65.5	0.6	0.49	2.99	2	0.26	3.41	
KMDD0142	66.94	74.9	7.96	7.28	49.82	4	0.34	50.38	K2
<i>Including</i>	66.94	67.5	0.56	0.51	3.93	1	0.38	4.52	
<i>Including</i>	67.5	68.3	0.8	0.73	3.08	3	0.13	3.31	
<i>Including</i>	68.3	69.06	0.76	0.69	92.10	2	0.19	92.42	
<i>Including</i>	69.06	69.7	0.64	0.59	8.96	1	0.06	9.06	
<i>Including</i>	69.7	70.65	0.95	0.87	323.80	17	0.18	324.29	
<i>Including</i>	70.65	70.9	0.25	0.23	1.09	1	0.08	1.23	
<i>Including</i>	70.9	71.1	0.2	0.18	2.23	1	0.12	2.42	
<i>Including</i>	71.1	71.5	0.4	0.37	0.57	1	0.20	0.89	
<i>Including</i>	71.5	71.8	0.3	0.91	0.50	1	0.04	0.57	
<i>Including</i>	71.8	72.2	0.4	0.91	2.27	1	0.05	2.36	
<i>Including</i>	72.2	72.6	0.4	0.91	6.37	1	0.11	6.55	
<i>Including</i>	72.6	73.4	0.8	0.91	2.53	1	0.69	3.60	
<i>Including</i>	73.4	73.75	0.35	0.91	0.56	1	0.19	0.87	
<i>Including</i>	73.75	73.96	0.21	0.91	4.94	20	3.96	11.25	
<i>Including</i>	73.96	74.3	0.34	0.91	1.80	1	0.19	2.11	
<i>Including</i>	74.3	74.9	0.6	0.91	0.22	2	0.52	1.03	
KMDD0142	74.9	75.5	0.6	0.91	1.24	2	0.08	1.39	
KMDD0142	76.25	76.92	0.67	0.91	2.07	28	0.23	2.78	
KMDD0142	78	79	1	0.91	1.94	3	0.27	2.40	
KMDD0142	79	79.7	0.7	0.91	0.12	1	0.01	0.15	
KMDD0144	58.4	71.35	12.95	8.13	2.62	4	0.27	3.08	K1
<i>Including</i>	58.4	58.8	0.4	0.25	13.3	3	0.73	14.45	
<i>Including</i>	58.8	59.3	0.5	0.31	0.34	1	0.28	0.77	
<i>Including</i>	59.3	60.3	1	0.63	1.09	2	0.16	1.36	
<i>Including</i>	60.3	61.15	0.85	0.53	3.08	5	1.00	4.67	
<i>Including</i>	61.15	62.15	1	0.63	0.22	2	0.58	1.13	

<i>Including</i>	62.15	63.15	1	0.63	0.3	1	0.21	0.63
<i>Including</i>	63.15	64	0.85	0.53	3.16	3	0.08	3.33
<i>Including</i>	64	65	1	0.63	0.05	1	0.04	0.13
<i>Including</i>	65	66	1	0.63	1.82	1	0.04	1.89
<i>Including</i>	66	66.43	0.43	0.27	0.27	1	0.01	0.30
<i>Including</i>	66.43	67.43	1	0.63	0.63	4	0.36	1.24
<i>Including</i>	67.43	68.17	0.74	0.46	1.87	2	0.11	2.07
<i>Including</i>	68.17	69.17	1	0.63	4.62	3	0.09	4.79
<i>Including</i>	69.17	70.17	1	0.63	9.75	2	0.13	9.98
<i>Including</i>	70.17	71.35	1.18	0.74	2.67	25	0.34	3.51
KMDD0144	73.35	74.35	1	0.63	1.5	11	0.18	1.91
KMDD0144	76.1	89.3	13.2	8.29	2.44	13	0.37	3.17
<i>Including</i>	76.1	76.9	0.8	0.50	9.72	92	3.34	16.00
<i>Including</i>	76.9	77.6	0.7	0.44	0.35	5	0.17	0.68
<i>Including</i>	77.6	78.5	0.9	0.56	2.15	23	0.26	2.83
<i>Including</i>	78.5	79.5	1	0.63	0.19	1	0.02	0.23
<i>Including</i>	79.5	80.4	0.9	0.56	0.12	1	0.01	0.16
<i>Including</i>	80.4	80.9	0.5	0.31	0.03	1	0.01	0.06
<i>Including</i>	80.9	81.8	0.9	0.56	0.71	7	0.19	1.09
<i>Including</i>	81.8	82.8	1	0.63	0.57	2	0.32	1.09
<i>Including</i>	82.8	83.8	1	0.63	0.11	3	0.17	0.41
<i>Including</i>	83.8	84.8	1	0.63	0.15	2	0.20	0.49
<i>Including</i>	84.8	85.8	1	0.63	0.8	2	0.11	0.99
<i>Including</i>	85.8	86.4	0.6	0.38	1.75	4	0.26	2.20
<i>Including</i>	86.4	86.9	0.5	0.31	21.7	30	0.11	22.25
<i>Including</i>	86.9	87.6	0.7	0.44	2.99	5	0.07	3.17
<i>Including</i>	87.6	88.6	1	0.63	3.83	16	0.44	4.70
<i>Including</i>	88.6	89.3	0.7	0.44	2.57	36	0.17	3.28
KMDD0144	96.9	99.8	2.9	1.71	22.26	20	0.60	23.43
<i>Including</i>	96.9	97.4	0.5	0.29	3.15	4	0.46	3.90
<i>Including</i>	97.4	98.17	0.77	0.45	78.3	31	1.27	80.63
<i>Including</i>	98.17	99.17	1	0.59	2.13	23	0.24	2.79
<i>Including</i>	99.17	99.8	0.63	0.37	0.88	15	0.45	1.76

(1) Gold Equivalent uses copper price of US\$2.90/lb; silver price of US\$16.5/oz and gold price of US\$1,300/oz

Table 2 - Kainantu Gold Mine &ndash; Collar Locations for Kora Underground Diamond Drilling

Hole_id	Collar location			Collar orientation		EOH depth (m)	Lode
	Local north	Local East	mRL	Dip	Local azimuth		
KMDD0115	59038.22	29951.71	1194.79	-53.5	219.9	318.4	Kora North
KMDD0115A	59038.22	29951.71	1194.79	-53.5	219.9	700.6	Kora North
KMDD0117	59037.81	29951.73	1195.47	-27.4	212.2	395.2	Kora North
KMDD0128	58900.43	29868.54	1190.52	-4.1	229.6	98.55	Kora North
KMDD0130	58900.75	29868.72	1189.82	-18.4	231.4	112.4	Kora North
KMDD0132	59070.85	29805.01	1175.53	4.4	269.7	50.5	Kora North
KMDD0140	58900.72	29868.87	1189.66	-30.3	230.6	136.6	Kora North
KMDD0142	58901.23	29868.64	1192.15	33.5	245.5	92.3	Kora North
KMDD0144	58901.13	29868.67	1189.69	-33.4	243.5	135.7	Kora North

The mineral resource estimate (shown in Table 3 and Table 4) for the Kora, Kora North and Irumafimpa

deposits is based on the technical report prepared in accordance with National Instrument 43-101 – *Standards of Disclosure for Mineral Projects* (“NI 43-101”), and titled, “Independent Technical Report, Mineral Resources Estimate Update and Preliminary Economic Assessment of Kora North and Kora Gold Deposits, Kainantu Project, Papua New Guinea” with an effective date of September 30, 2018 (the “Technical Report”) prepared by Anthony Woodward BSc (Hons.), M.Sc., MAIG, Simon Tear BSc (Hons), EurGeol, PGeo IGI, EurGeol, Christopher Desoe BE (Min)(Hons), FAusIMM, RPEQ, MMICA, Lisa J. Park, BEng (Chem), GAICD, FAusIMM. Refer to the Company’s news release dated January 8, 2018 for a summary of the results of the PEA.

Table 3 - Kora North Mineral Resource Estimate

Global Mineral Resources Kora North Gold-Copper Mine - October 2018

Category	Tonnes	Gold	Silver	Copper	AuEq				
	Mt	g/t	Mozs	g/t	Mozs	%	Mlbs	g/t	Mozs
Measured	0.15	18.7	0.09	8.9	0.04	0.5	1.6	19.6	0.09
Indicated	0.69	11.6	0.26	14.1	0.31	0.8	11.8	12.9	0.29
Total M & I	0.85	12.9	0.35	13.1	0.36	0.7	13.3	14.1	0.39
Inferred Total	1.92	10.7	0.66	13.3	0.82	0.7	29.5	11.9	0.74

M in table is millions.

Key Assumptions and Parameters

Mineralization comprises two parallel, steeply west dipping, N-S striking quartz-sulphide vein systems, K1 & K2, within an encompassing dilatant structural zone hosted by phyllite. An additional structure, the Kora Link, has also been defined and provides a possible link between the two main vein systems.

Underground drilling consists of diamond core for a range of core sizes depending on length of hole and expected ground conditions. Sampling is sawn half core under geological control and generally ranges between 0.5m and 1m. Underground face sampling is completed for every fired round and is to industry standard.

QAQC data indicated no significant issues with the accuracy of the on-site analysis.

Core recovery of the mineral zone was initially 90%, this has improved to >95%. There is no relationship between core recovery and gold grade.

Geological logging is consistent and is based on a full set of logging codes covering lithology, alteration and mineralization.

The geological interpretation of the vein systems is represented as 3D wireframe solids snapped to a combination of diamond drillhole data and underground face sampling. Definition of the wireframes is based on identified gold mineralisation in drillcore nominally at a 0.2g/t Au cut off in conjunction with geological control/sense and current mining widths.

Gold equivalent (AuEq) g/t was calculated using the formula Au g/t +(Cu% x 1.53) + Ag g/t x 0.0127. (No account of metal recoveries through the plant have been used in calculating the metal equivalent grade. However, production is currently achieving 93% metal recovery for both gold and copper and gold is currently providing 95% and copper 5% of the total revenue of the mine).

Gold price US\$1,300/oz; silver US\$16.5/oz; copper US\$2.90/lb.

Table 4 &ndash; Irumafimpa and Kora/Eutompi Resource Estimates

Resource by Deposit and Category

Deposit	Resource Category	Tonnes Mt	Gold g/t	Silver Moz g/t	Copper %	Gold Equivalent Mlb g/t	Moz
---------	-------------------	-----------	----------	----------------	----------	-------------------------	-----

Irumafimpa	Indicated	0.56	12.8	0.23	9	0.16	0.28	37	13.4	0.24
	Inferred	0.53	10.9	0.19	9	0.16	0.27	74	11.5	0.20
Kora/Eutompi	Inferred	4.36	7.3	1.02	35	4.9	2.23	215	11.2	1.57
Total Indicated		0.56	12.8	0.23	9	0.16	0.3	4.0	13.4	0.24
Total Inferred		4.89	7.7	1.21	32	5.06	2.0	288	11.2	1.76

Notes:

- *M* in table is millions.

- *Reported tonnage and grade figures are rounded from raw estimates to reflect the order of accuracy of the estimate. Minor variations may occur during the addition of rounded numbers. Gold equivalents are calculated as AuEq = Au g/t + Cu%*1.52+ Ag g/t*0.0141.*

K92 Mine Geology Manager and Mine Exploration Manager, Mr. Andrew Kohler, PGeo, a qualified person under the meaning of NI 43-101, has reviewed and is responsible for the technical content of this news release. Data verification by Mr. Kohler includes significant time onsite reviewing drill core, face sampling, underground workings and discussing work programs and results with geology and mining personnel.

ON BEHALF OF THE COMPANY,

John Lewins, Chief Executive Officer and Director

For further information, please contact Investor Relations at +1-604-687-7130.

NEITHER TSX VENTURE EXCHANGE NOR ITS REGULATION SERVICES PROVIDER (AS THAT TERM IS DEFINED IN POLICIES OF THE TSX VENTURE EXCHANGE) ACCEPTS RESPONSIBILITY FOR THE ADEQUACY OR ACCURACY OF THIS RELEASE.

CAUTIONARY STATEMENT REGARDING FORWARD-LOOKING INFORMATION:

This news release includes certain “forward-looking statements” under applicable Canadian securities legislation. Forward-looking statements are necessarily based upon a number of estimates and assumptions that, while considered reasonable, are subject to known and unknown risks, uncertainties, and other factors which may cause the actual results and future events to differ materially from those expressed or implied by such forward-looking statements. All statements that address future plans, activities, events, or developments that the Company believes, expects or anticipates will or may occur are forward-looking information, including statements regarding the realization of the preliminary economic analysis for the Project, expectations of future cash flows, the proposed plant expansion, potential expansion of resources and the generation of further drilling results which may or may not occur. Forward-looking statements and information contained herein are based on certain factors and assumptions regarding, among other things, the market price of the Company’s securities, metal prices, exchange rates, taxation, the estimation, timing and amount of future exploration and development, capital and operating costs, the availability of financing, the receipt of regulatory approvals, environmental risks, title disputes, failure of plant, equipment or processes to operate as anticipated, accidents, labour disputes, claims and limitations on insurance coverage and other risks of the mining industry, changes in national and local government regulation of mining operations, and regulations and other matters.. There can be no assurance that such statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. Accordingly, readers should not place undue reliance on forward-looking statements. The Company disclaims any intention or obligation to update or revise any forward-looking statements, whether as a result of new information, future events or otherwise, except as required by law.

Photos accompanying this announcement are available at:

<http://www.globenewswire.com/NewsRoom/AttachmentNg/2ae040ae-b5e7-493b-9220-1da45e404d20>

<http://www.globenewswire.com/NewsRoom/AttachmentNg/d6778096-3fc5-428a-843c-0556ac3887d5>

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/325341--K92-Receives-More-High-Grade-Kora-Drill-Results-From-Kora-North-Extension.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer](#)!

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinen](#).