

IAMGOLD Intersects 56.46 g/t Au Over 6 Metres Including 1.5 Metre Grading 224 g/t Au on Nelligan

30.05.2019 | [GlobeNewswire](#)

LA PRAIRIE, May 30, 2019 - The management of [Vanstar Mining Resources Inc.](#) (VSR-TSX-V) is very pleased to announce the first results from the 2019 winter drilling campaign carried out by its strategic partner IAMGOLD Corporation. This program, with a total of 17,654 meters of drilling in 50 holes, was aimed at 1) delimit the northern limit of the Renard deposit 2) complete in the definition of a geological model in order to calculate a first gold resource in place and 3) check its extension towards west. These three goals have all been achieved.

The following table shows the main significant results from drill holes NE-19-100 to NE-19-121. The results from the 28 other drill holes will be published as soon as available.

• RENARD ZONE :

- Hole NE-19-102: 37.09 metres grading 1.81 g/t Au
Including 9.81 metres grading 2.73 g/t Au
- Hole NE-19-103: 23.80 metres grading 2.20 g/t Au
Including 3.75 metres grading 5.92 g/t Au
Including 5.30 metres grading 3.92 g/t Au
Including 2.00 metres grading 8.20 g/t Au
- Hole NE-19-105: 26.15 metres grading 1.69 g/t Au
Including 9.15 metres grading 3.68 g/t Au
Including 1.35 metres grading 10.85 g/t Au
And 41.60 metres grading 1.18 g/t Au
Including 15.10 metres grading 2.12 g/t Au
- Hole NE-19-108: 37.43 metres grading 1.32 g/t Au
Including 11.01 metres grading 2.40 g/t Au
And 11.00 metres grading 2.56 g/t Au
And 73.00 metres grading 1.09 g/t Au
- Hole NE-19-113: 11.20 metres grading 3.39 g/t Au
Including 3.60 metres grading 7.65 g/t Au
And 6.00 metres grading 56.49 g/t Au (7.99 g/t Au capped @ 30 gt)
Including 1.50 metres grading 224 g/t Au
- Hole NE-19-114: 16.70 metres grading 4.04 g/t Au (3.53 g/t Au capped @ 30 gt)
Including 7.73 metres grading 7.02 g/t Au
Including 1.00 metre grading 38.50 g/t Au
And 28.42 metres grading 2.11 g/t Au
Including 5.00 metres grading 7.05 g/t Au
And 45.85 metres grading 1.04 g/t Au
Including 3.67 metres grading 3.85 g/t Au
And 9.00 metres grading 1.55 g/t Au
And 22.50 metres grading 1.04 g/t Au
- Hole NE-19-116: 5.55 metres grading 14.95 g/t Au (8.06 g/t Au capped @ 30 gt)
Including 1.30 metres grading 59.40 g/t Au
- Hole NE-19-118: 46.80 metres grading 1.59 g/t Au
Including 6.67 metres grading 5.96 g/t Au

And	26.90 metres grading 1.16 g/t Au
And	25.73 metres grading 1.08 g/t Au
• Hole NE-19-120:	10.50 metres grading 2.11 g/t Au
Including	4.00 metres grading 3.94 g/t Au
And	11.75 metres grading 1.99 g/t Au
Including	6.00 metres grading 2.70 g/t Au

(See the diamond drill location map in annexe)

« We are totally satisfied with these news results. These show a consistent auriferous presence in the extensive Renard hydrothermal system and it is also encouraging to see that it remains open in its western extension. Hole NE-19-120 demonstrates this well » commented the CEO and President of the Company, Mr. Guy Morissette

In a separate press release on the recent results Craig MacDougall, Senior Vice President, Exploration for IAMGOLD, stated: "The 2019 drilling program has successfully confirmed wide zones of mineralization extending to surface, which will help complete our deposit model in support of a mineral resource estimate planned for completion in the second half of the year. It is important to note that the mineralized zones remain open and are therefore believed to have favourable potential to continue to expand with additional drilling. I commend the efforts of our exploration team and contractors, who continued to advance this grassroots discovery successfully and - most importantly - safely in the difficult winter conditions of this region of Quebec."

The 2019 diamond drilling program was designed to infill and further test continuity of the mineralized zones of the Renard mineralized system, located immediately north of the previously known Liam and Dan zones. It specifically targeted the shallower part of this wide mineralized corridor to confirm and define its limit closer to the surface. Most of the holes intersected the expected zones of hydrothermal alteration characterized by variable carbonatization, sericite, phlogopite and pervasive silicification affecting the hosting meta-sedimentary sequence. Associated mineralization consists of widespread disseminated pyrite, varying from 1% to locally 15%. Trace molybdenite and occasionally fine grains of visible gold are also observed.

Next Steps

Assay results from the remaining 28 drill holes totaling 10,680 metres will be reported once they are received, validated and compiled. Once in hand, the data from the 2019 drilling program, coupled with ongoing geological, geochemical and structural studies, will be integrated to support the development and refinement of a deposit model with the objective of completing an initial NI 43-101 compliant resource estimate in 2019 and will support the planning of future drilling programs.

About the Nelligan Project

The Nelligan project is underlain by a portion of the Caopatina segment belonging to the North Volcanic Zone of the Abitibi Belt of the Superior Province. The property is centered on the E-W Druillette synclinal with sediments of the Caopatina Formation bounded to the north and to the south by volcanic rocks of the Obatogamau Formation. The North and South portions of the property are occupied by granodioritic to tonalitic intrusions. The project is transected by numerous regional and local structures and deformation zones which can be important in the localization of gold mineralization.

Gold showings of the area can be grouped according to their style of mineralization: Quartz-sulphide vein type mineralization and disseminated pyrite mineralization. On the local scale, the Nelligan project contains several interesting gold showings, including the Liam and Dan Zones discovered by drilling in 2013 and 2014, and the historical Lake Eu showing. Significant alteration and associated gold mineralization was intersected over wide intervals to the north of the known gold showings over a strike length of more than 1.0 kilometre, to a depth of over 350 vertical metres (Zones 36 and Renard). These prospective showings appear to fall within a structural corridor with a potential strike length of several kilometres associated to the Guercheville Deformed Corridor located 5 kilometres north of the property.

The Nelligan Project is held under an earn-in option to joint venture agreement with Vanstar. The Company

holds an undivided 51% interest in the property, and holds an option to earn a further 24% undivided interest in exchange for cash payments totaling C\$2,750,000 to Vanstar and the delivery of an NI 43-101 compliant Resource Estimate and Technical Report before March 2022. Once vested to an undivided 75% interest, IAMGOLD will have a further option to acquire an additional interest of 5%, to hold an 80% interest in the Nelligan project by completing and delivering a Feasibility Study. Vanstar would then retain a 20% undivided non-contributory carried interest until the commencement of commercial production, after which: (1) the 20% undivided interest becomes participating; and (2) Vanstar will pay its attributable portion of the total development and construction costs to the commencement of commercial production from 80% of its share of any ongoing distributions from the Joint Venture. Vanstar will also retain a 1% NSR royalty on selected claims of the project.

Table 1 Nelligan Project Drilling Results - 2019 Drilling program

Hole No.	UTM NAD83 Zone18			AZ	DIP	EOH	from	To	Interval	True Width
	Easting	Northing	Elevation (°)	(°)	(m)	(m)	(m)	(m)	(m)	(m)
NE-19-100	522592.86	5473859.92	375.68	330.00	-50.00	447.00	98.76	109.50	10.74	8.80
							115.50	132.20	16.70	14.46
							156.95	176.25	19.30	15.81
							281.50	287.10	5.60	4.59
NE-19-101	523165.25	5474067.60	371.18	330.00	-50.00	300.00	129.00	155.90	26.90	17.29
<i>Including (3)</i>							149.00	149.98	0.98	0.63
NE-19-102	522631.36	5473897.09	375.11	330.00	-47.00	375.00	87.12	96.31	9.19	8.64
<i>Including (3)</i>							87.12	91.50	4.38	4.12
							116.42	153.51	37.09	30.38
<i>Including (3)</i>							116.42	123.17	6.75	5.85
<i>Including (3)</i>							126.91	129.92	3.01	2.47
<i>Including (3)</i>							141.69	151.50	9.81	8.04
							164.83	179.46	14.63	9.40
							192.30	200.20	7.90	6.47
							223.40	232.00	8.60	6.59
NE-19-103	522657.68	5473952.98	372.48	330.00	-50.00	280.00	31.50	55.30	23.80	19.50
<i>Including (3)</i>							31.50	35.25	3.75	2.87
<i>Including (3)</i>							50.00	55.30	5.30	4.06
<i>Including (3)</i>							52.30	54.30	2.00	1.73
							74.89	99.43	24.54	21.25
							149.00	155.62	6.62	5.42
NE-19-104	523112.39	5474053.92	375.25	330.00	-50.00	330.00	125.88	128.88	3.00	2.30
							249.00	256.50	7.50	5.75
NE-19-105	522706.88	5473971.67	373.47	330.00	-50.00	252.00	34.55	60.70	26.15	20.03
<i>Including (3)</i>							39.00	48.15	9.15	7.01
<i>Including (3)</i>							39.00	40.35	1.35	1.03
							84.85	126.45	41.60	29.42
<i>Including (3)</i>							84.85	99.95	15.10	11.57
NE-19-106	522677.57	5474033.47	372.02	330.00	-50.00	225.00	50.75	83.10	32.35	24.78
NE-19-107	523048.22	5474068.97	379.72	330.00	-50.00	285.00	No significant results			
NE-19-108	522783.82	5473927.48	378.41	330.00	-47.00	330.00	55.07	92.50	37.43	32.42
<i>Including (3)</i>							78.35	89.36	11.01	8.18
							98.50	109.50	11.00	9.53
<i>Including (3)</i>							104.50	105.09	0.59	0.51
							120.50	193.50	73.00	63.22
NE-19-109	522722.43	5474048.83	372.84	330.00	-45.00	177.00	No significant results			
NE-19-110	523080.28	5474115.31	378.87	330.00	-50.00	222.00	45.00	67.50	22.50	15.91
NE-19-111	522826.15	5474066.66	379.35	330.00	-50.00	168.00	No significant results			
NE-19-112	522972.95	5474110.40	381.63	330.00	-50.00	174.00	52.50	60.00	7.50	4.82
NE-19-113	522820.17	5473971.36	377.87	330.00	-50.00	312.00	38.95	50.15	11.20	9.70

<i>Including (3)</i>					40.00		43.60	3.60	3.12	
					56.20		63.14	6.94	6.01	
					106.00		149.00	43.00	35.22	
<i>Including (3)</i>					106.00		118.68	12.68	10.39	
<i>Including (3)</i>					124.00		129.00	5.00	4.10	
<i>Including (3)</i>					134.00		149.00	15.00	11.49	
					164.00		170.00	6.00	4.24	
					182.00		188.00	6.00	4.24	
<i>Including (3)</i>					185.00		186.50	1.50	1.06	
NE-19-114	523109.04	5473743.37	372.87	330.00	-49.00	552.00	128.64	143.55	14.91	12.91
							238.00	254.70	16.70	14.46
<i>Including (3)</i>					246.00		253.73	7.73	6.69	
<i>Including (3)</i>					247.00		248.00	1.00	0.87	
					281.25		309.67	28.42	24.61	
<i>Including (3)</i>					302.80		307.80	5.00	4.33	
					326.15		372.00	45.85	41.55	
<i>Including (3)</i>					332.53		336.20	3.67	3.18	
					427.50		436.50	9.00	7.79	
					507.70		530.20	22.50	19.49	
NE-19-115	522857.82	5474007.58	381.27	330.00	-50.00	279.00	87.00	127.28	40.28	28.48
NE-19-116	522900.21	5474027.23	383.17	330.00	-50.00	255.00	61.40	65.60	4.20	3.22
							80.50	86.05	5.55	4.25
<i>Including (3)</i>					81.80		83.10	1.30	1.00	
					91.90		105.80	13.90	10.65	
					114.00		131.35	17.35	13.29	
					174.00		193.00	19.00	13.44	
NE-19-117	523106.60	5473956.03	372.61	330.00	-50.00	402.00	65.25	69.50	4.25	3.85
							105.50	114.50	9.00	5.79
							187.55	196.50	8.95	7.75
							202.30	211.13	8.83	6.76
							230.00	237.30	7.30	5.59
NE-19-118	522965.30	5473908.54	379.44	330.00	-50.00	372.00	57.00	59.10	2.10	1.82
							120.00	166.80	46.80	40.53
<i>Including (3)</i>					138.83		145.50	6.67	5.78	
					202.00		228.90	26.90	23.30	
<i>Including (3)</i>					208.62		215.00	6.38	5.53	
					268.77		294.50	25.73	22.28	
<i>Including (3)</i>					291.50		294.50	3.00	2.60	
					306.50		308.00	1.50	1.30	
NE-19-119	523031.45	5473994.43	377.61	330.00	-50.00	381.00	175.50	180.72	5.22	4.28
							230.34	234.50	4.16	3.60
NE-19-120	522341.5	5473691.7	370.0	330.00	-50.00	552.00	243.00	253.50	10.50	6.75
<i>Including (3)</i>					245.00		249.00	4.00	2.57	
					342.75		354.50	11.75	9.00	
					347.00		353.00	6.00	4.60	
					365.00		384.50	19.50	14.94	
					408.53		454.75	46.22	35.41	
NE-19-121	522970.64	5474004.50	383.17	330.00	-48.00	300.00	123.80	145.12	21.32	16.33
							168.43	177.06	8.63	6.61

Notes:

1. True widths are estimated at 70 to 94% of the core interval.

2. Drill hole intercepts are calculated with a lower cut of 0.50 g/t Au and may contain lower grade interval of up to 5 metres in length. They are generally reported with a minimum g*m (or Metal factor) of 5.
3. Assays intervals are reported uncapped and capped at 30 g/t Au and high grade sub-intervals are highlighted.

Gilles Laverdière is considered a "Qualified Person" for the purposes of National Instrument 43-101 with respect to the technical information being reported on.

The TSX Venture Exchange and its Regulation Services Provider (as that term is defined in the TSX Venture Exchange Policies) do not accept any responsibility for the truth or accuracy of its content.

Source :

Guy Morissette

CEO [Vanstar Mining Resources Inc.](#)

gmvanstar@gmail.com

819-763-5096

www.vanstarmining.com

To view the Diamond drill location map, please visit the following link:

<https://www.globenewswire.com/NewsRoom/AttachmentNg/e6338c14-405c-4126-83d8-5d4a7d290c5f>

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/327245--IAMGOLD-Intersects-56.46-g-t-Au-Over-6-Metres-Including-1.5-Metre-Grading-224-g-t-Au-on-Nelligan.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).