

Garibaldi Drills 18 Meters of Massive Sulphide Within 86-Meter Interval at Nickel Mountain Discovery

09.08.2019 | [CNW](#)

TSXV: GGI
OTC: GGIFF
Frankfurt: RQM

VANCOUVER, Aug. 9, 2019 - Garibaldi Resources (TSXV: GGI) (the "Company" or "Garibaldi") is pleased to provide the update as two drill rigs continue to aggressively build out Northwest British Columbia's first magmatic nickel-copper-rich sulphide discovery in the heart of the Eskay Camp near the past producing Eskay Creek mine.

Highlights:

- The first hole of the 2019 season, EL-19-47, has intersected 6.1% nickel and 2.8% copper (plus cobalt, platinum, gold and silver) over 9.32 meters within a broader near-surface interval of 50.57 meters (estimated true width is 44.4 meters) containing 1.50% nickel and 0.94% copper, extending the Lower Discovery Zone (LDZ) to the southeast. The main sulphide intercept in EL-19-47 is approximately 64 meters southeast of the EL-17-14 massive sulphide intercept;
- Drill hole EL-19-53 (assays pending) has cut the widest massive sulphide intersection to date - 18 meters featuring characteristic Nickel Mountain "leopard print texture" within 86 meters (estimated true width is 68.8 meters) of nickel-copper-rich mineralization from 67 meters to 153 meters. EL-19-53 thickens and extends the robust LDZ at a shallow western plunge on the south flank of the E&L Intrusion;
- In addition to successful step outs beyond the five known mineralized zones, objectives of early 2019 drilling are to test the presence of an olivine gabbro chamber beneath the LDZ while also linking the Northwest Zone with the Crevasse Zone. The Company is confident in terms of achieving these objectives and eagerly awaits more assay results.

Jeremy Hanson, VP Exploration for Garibaldi, commented: "2019 drilling is off to a highly successful start as we test for mineralized structures. Our understanding of the structural controls on mineralization continues to improve, allowing for productive targeting for infill and step out drilling."

"Lab efficiencies are speeding up delivery of assays compared to 2018 and 2017," Hanson added. "Beginning with these results from our first hole, we expect they will be able to sustain better turnaround times this month for completed holes like EL-19-53. The E&L system remains open in multiple directions after 14 holes (3,400 meters) drilled to date this summer."

Drill Hole EL-19-53

EL-19-53 is the most extraordinary hole drilled so far at Nickel Mountain given 18 meters of massive sulphide, 4.5 meters net-textured to semi-massive sulphide, 7 meters of sediments containing semi-massive sulphide, and 56.5 meters of massive sulphide orbicular gabbro (moderate to strongly disseminated) in a thick continuous 86-meter intersection with increasing sulphide percentage downhole (vs. 16.75m of massive sulphide within a 40.4m core length interval in discovery hole EL-17-14 - see 2017 news release).

The "leopard print" massive sulphides in EL-19-53 feature large loop textured pyrrhotite-pentlandite-chalcopyrite with gabbroic textures, with pyrrhotite reaching up to 4.5 cm in diameter. The hole has also provided important information that the main axis of the mineralized system may be controlled by SW-NE trending domains which guides future drilling and geologic models.

Drill Hole EL-19-47

Dr. Peter Lightfoot, Garibaldi Technical Adviser, commented: "EL-17-47 extends the Lower Discovery Zone along the south flank of the E&L Intrusion to the east of previous massive sulphide intervals. The mineralization continues to exhibit a very similar combination of pyrrhotite, pentlandite and chalcopyrite with a very high nickel tenor over the massive sulphide interval. The system remains open along a shallow plunge to the east with more holes planned to establish continuity with previous intersections to the south."

Drill Hole Table – EL-19-47 (First Hole of 2019 Season)

Hole (#)	Interval width (from - to)		Ni (%)	Cu (%)	Co (%)	Pt (g/t)	Pd (g/t)	Au (g/t)	Ag (g/t)	Ni+Cu (>1%) (g/t)
EL-19-47	over 50.57m (72.16 – 123.13m)	1.50	0.94	0.05	0.23	0.47	0.17	3.20	2.44	
including	over 34.17 m (72.16 – 106.73m)	0.54	0.62	0.03	0.14	0.45	0.13	3.10	1.16	
*including	over 3.05m (96.73 – 99.78m)	1.02	0.59	0.08	0.05	0.24	0.04	1.20	1.61	
and	over 9.32m (113.81 – 123.13m)	6.11	2.79	0.16	0.73	0.89	0.45	5.60	9.26	
**including	over 6.60m (115.05 121.65m)	7.64	3.18	0.20	0.68	0.85	0.42	6.10	10.82	

Notes:

**Massive sulphides (≥10%);
semi-massive sulphides (50%)
(nickel-copper 15%)
are estimated threshold for 80%
comparative analysis reported
composites.

Drill Hole Coordinates Table – Holes EL-19-47 and EL-19-53

Hole	Zone	Easting*	Northing*	Elevation	Azimuth	Dip	Length (m)
EL-19-47	Lower Discovery	396240.7	6271502.0	1860.0	168	-60	533
EL-19-53	Lower Discovery	396238.6	6271503.2	1860.1	244	-56.5	171

*UTM
zone
9N
WGS
84

CEO Comment

Steve Regoci, President and CEO, stated: "This season's drill program is our best start yet at Nickel Mountain at a time when nickel prices are hitting new multi-year highs. We are fully funded to complete our most extensive program ever at Nickel Mountain."

Corporate Update

Garibaldi is pleased to report that warrant exercises last month and in June added \$2,635,000 to the Company's treasury.

Updated Drill Hole Maps

To view updated cross-section and plan view maps, please visit the home page of the Garibaldi web site (GaribaldiResources.com) where new maps will be posted in the projects section.

Quality Assurance/Quality Control (QA/QC)

Garibaldi Resources has applied a rigorous quality assurance/quality control program at the E&L Nickel Mountain Project using best industry practice. All core was logged by a geoscientist and selected intervals were sampled. HQ and NQ drill core was sawn in half and each sample half was placed in a marked sample bag with a corresponding sample tag then sealed. The remaining half core is retained in core boxes that are stored at a secure facility in Smithers, British Columbia. Chain of custody of samples was recorded and maintained for all samples from the drill to the laboratory.

All diamond drilling sample batches included 5% QA/QC samples consisting of certified blanks, standards and field duplicates. Multiple certified ore assay laboratory standards and one blank standard were used in the process. Samples were submitted to SGS Canada Inc. in Vancouver, British Columbia, an ISO 9001: 2008 certified lab, for base metal, sulphur and precious metal analysis using Inductivity Coupled Plasma (ICP), Fire Assay (FA) and Leco methods.

Samples were prepared by crushing the entire sample to 75% passing 2mm, riffle splitting 250g and pulverizing the split to better than 85% passing 75 microns. Gold, platinum and palladium were analyzed using a 30 gram fire assay and ICP-AES. Total sulphur and total carbon were analyzed using a Leco method. Nickel, copper, cobalt, silver and base metals were analyzed by sodium peroxide fusion and ICP-MS.

The performance on the blind standards, blanks and duplicates achieved high levels of accuracy and reproducibility and has been verified by Jeremy Hanson, a qualified person as defined by NI-43-101.

Qualified Person & Data Verification

Jeremy Hanson, P.Geo., VP Exploration Canada for the Company, and a qualified person as defined by NI-43-101, has supervised the preparation of and reviewed and approved of the disclosure of information in this news release. Mr. Hanson has verified the data, including drilling, sampling, test and recovery data, by supervising all of such procedures. There are no known factors that could materially affect the reliability of data collected and verified under his supervision. No quality assurance/quality control issues have been identified to date.

About Garibaldi

[Garibaldi Resources Corp.](#) is an active Canadian-based junior exploration company focused on creating shareholder value through discoveries and strategic development of its assets in some of the most prolific mining regions in British Columbia and Mexico.

We seek safe harbor.

GARIBALDI RESOURCES CORP.

Per: "Steve Regoci"

Steve Regoci, President

Neither the TSX Venture Exchange nor its Regulation Services Provider accepts responsibility for the adequacy or the accuracy of this release.

[View original content to download](#)

multimedia:<http://www.prnewswire.com/news-releases/garibaldi-drills-18-meters-of-massive-sulphide-within-86-meter-interval-300481111.html>

SOURCE [Garibaldi Resources Corp.](#)

Contact

1150 - 409 Granville Street Vancouver, BC V6C 1T2, Telephone: (604) 488-8851, Website: GaribaldiResources.com

Dieser Artikel stammt von Rohstoff-Welt.de

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/332137--Garibaldi-Drills-18-Meters-of-Massive-Sulphide-Within-86-Meter-Interval-at-Nickel-Mountain-Discovery.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).