Gatling Drills High-Grade, Near Surface Gold at Cheminis Deposit Including 12.3 g/t Au over 5.0 meters

21.08.2019 | CNW

VANCOUVER, Aug. 21, 2019 - Gatling Exploration Inc. (TSXV: GTR, OTC: GATGF) (the "Company" or "Gatling") is preport new drill results from its initial program at the Cheminis deposit. The second drill rig has intersected high-grade, gold assays containing intervals of 12.3 g/t Au over 5.0 meters including 18.1 g/t over 3.0 meters. The drill results are a west of the Bear Deposit, where drilling continues to probe down plunge and strike extensions. The Cheminis mine has historical levels and these new drill results establish up dip continuity to the main workings, which exhibit superior grade widths

Highlights and Observations

- Cheminis Underground Infrastructure. The Cheminis mine has over 3,000 meters of development with 6 main lev stopes and a shaft. Our new drill program at Cheminis has extended the up-dip continuity of zone A. Further drilli this mineralized horizon as well as down dip extensions of all 4 zones.
- Near Surface Mineralization, 100% Hit Rate. All three holes drilled at the Cheminis deposit to date have intersected mineralization within the upper 50 meters. The gold bearing units can be traced on surface for over 400 meters all within the historical Cheminis mine site.
- Cheminis Deposit Dimensions and Continuity. The South Flow Zones A and C combined occupy over 550 meters
 The continuity has been illustrated with the current drill program and historical drilling at the Cheminis deposit. Th
 plunge extension of the South Flow zone D will be explored this winter and has a current depth component over 5
 below the deepest underground workings (Figure 1 & 2).
- GTR-19-008 intersected the South Flow zone with 12.3 g/t Au over 5.0 meters including 18.1 g/t Au over 3.0 meters.
 & 4).

Nav Dhaliwal, CEO stated, "Our first results from the Cheminis area, located over 2 km west of ongoing drilling at the E have been extremely successful on a number of fronts. We have demonstrated excellent widths and grades very close and have projected the "A" zone upwards from older partially developed levels at Cheminis. We look forward to followithese results and continuing to find wide, high grade results near surface."

Technical Summary

GTR-19-008

The South Flow zone displays aphanitic texture, zones of quartz-carbonate fracture filling, 7-10% disseminated fine-graph pyrite and associated with increased silica alteration. The Ultramafic zone displays strong talc-chlorite alteration and so texture. The North zone displays weak fuchsite-carbonate-chlorite alteration, late-stage quartz-carbonate flooding, brectexture and minor (<0.5%) blebby pyrite.

GTR-19-010

The South Flow zone displays aphanitic texture, zones of quartz flooding-brecciation, 15-20% disseminated fine graine disseminated pyrite and multiple zones of increased sericite-silica alteration. The Ultramafic zone displays strong talcoalteration, multiple localities of fault gouge, and schistose texture. The North zone was not intersected in this hole due to south east plunge of the mineralized trend (Figure 4).

GTR-19-011

The South Flow zone displays aphanitic texture, zones of quartz flooding-brecciation, quartz-carbonate veinlets through disseminated fine-grained pyrite and multiple zones of increased sericite-silica alteration. The Ultramafic zone displays talc-chlorite alteration and schistose texture. The North zone displays sericite alteration rather than classic fuchsite alteration.

12.11.2025 Seite 1/3

quartz flooding-breccia textures and 1-2% fine-grained pyrite.

Results from drill holes

| Hole ID | From (m) To (m) Length (m) Au (g/t) Zone | | | | | | | | |
|---------------|--|-------|-----|------|-------------------|--|--|--|--|
| GTR-19-008 | 24.5 | 29.0 | 4.5 | 1.0 | South Flow Zone C | | | | |
| Including | 24.5 | 27.0 | 2.5 | 1.5 | South Flow Zone C | | | | |
| and Including | 26.0 | 27.0 | 1.0 | 3.1 | South Flow Zone C | | | | |
| | | | | | | | | | |
| GTR-19-0010 | 43.0 | 48.0 | 5.0 | 12.3 | South Flow Zone A | | | | |
| Including | 45.0 | 48.0 | 3.0 | 18.1 | South Flow Zone A | | | | |
| | | | | | | | | | |
| GTR-19-0011 | 24.0 | 25.0 | 1.0 | 1.0 | South Flow Zone A | | | | |
| | 51.0 | 53.0 | 2.0 | 1.3 | South Flow Zone A | | | | |
| | 142.0 | 143.0 | 1.0 | 1.6 | South Flow Zone A | | | | |

^{*}Stated lengths are core lengths as drilled. True widths are estimated to be 60 to 80% of reported core length intervals.

Drill hole locations

| Hole ID | Azimuth | Dip | Length (m) | UTM East | UTM North | Elevation (m) |
|------------|---------|-----|------------|----------|-----------|---------------|
| GTR-19-008 | 315 | -77 | 369 | 599330 | 5330194 | 320 |
| GTR-19-010 | 315 | -77 | 381 | 599408 | 5330255 | 330 |
| GTR-19-011 | 325.6 | -72 | 309 | 599505 | 5330297 | 330 |

QA/QC

Drill core is logged and sampled at the Larder project site. Core samples from the program are cut in half, using a diam saw with half sent for assay at ActLabs in Timmins, Ontario. The other half is secured and retained on site. All samples analyzed for gold using standard Fire Assay-AA techniques. Samples returning greater than 5.0 g/t gold are analyzed standard Fire Assay-Gravimetric methods. Certified reference standards and blanks are routinely inserted into the sam as part of Gatling's quality control/quality assurance program.

About Gatling Exploration

Gatling Exploration is a Canadian gold exploration company focused on advancing the Larder Gold Project, located in Abitibi greenstone belt in Northern Ontario. The Larder property hosts three high-grade gold deposits along the Cadillac Lake Break, 35 kilometers east of Kirkland Lake. The project is 100% controlled by Gatling and is comprised of patente unpatented claims, leases and mining licenses of occupation within the McVittie and McGarry Townships. The 3,370-hopoiect area is positioned 7 kilometers west of the Kerr Addison Mine, which produced 11 million ounces of gold. All patenter property are accessible by truck or all-terrain vehicles on non-serviced roads and trails.

Qualified Person

12.11.2025 Seite 2/3

The technical content of this news release has been reviewed and approved by Nathan Tribble, P. Geo., VP Exploration Exploration and a Qualified Person pursuant to National Instrument 43-101.

ON BEHALF OF THE BOARD OF DIRECTORS,

Nav Dhaliwal, President and CEO Gatling Exploration Inc.

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Exchange) accepts responsibility for the adequacy or accuracy of this release.

Forward Looking Statements: Statements contained in this news release that are not historical facts are forward-looking statements, which are subject to a number of known and unknown risks, uncertainness and other factors that may caus results to differ materially from those anticipated in our forward-looking statements. Although we believe that the expect forward-looking statements are reasonable, actual results may vary, and we cannot guarantee future results, levels of a performance or achievements.

View original content to download

multimedia:http://www.prnewswire.com/news-releases/gatling-drills-high-grade-near-surface-gold-at-cheminis-deposit-i

SOURCE Gatling Exploration Inc.

Contact

on Gatling, contact Investor Relations, Telephone: 1-888-316-1050, Email: ir@gatlingexploration.com

Dieser Artikel stammt von Rohstoff-Welt.de

Die URL für diesen Artikel lautet:

https://www.rohstoff-welt.de/news/332863--Gatling-Drills-High-Grade-Near-Surface-Gold-at-Cheminis-Deposit-Including-12.3-g-t-Au-over-5.0-meters.html

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere AGB/Disclaimer!

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt! Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere <u>AGB</u> und <u>Datenschutzrichtlinen</u>.

12.11.2025 Seite 3/3