

# GoGold to Present at Upcoming Conferences and Provides Summary of Los Ricos Exploration to Date

06.09.2019 | [CNW](#)

Trading Symbol: TSX: GGD  
Shares Outstanding: 185,823,461

HALIFAX, Sept. 6, 2019 - [GoGold Resources Inc.](#)'s (TSX: GGD) ("GoGold", "the Company") President and CEO, Brad Langille, will present at the upcoming Precious Metals Summit in Beaver Creek, Colorado, on September 13, 2019 at 12:45PM EST and the Denver Gold Group's Gold Forum Americas in Denver, Colorado on September 17, 2019 at 10:40AM EST.

"This will be a great opportunity to present the results of our very successful drilling campaign at Los Ricos, as well as our production currently outperforming any of the Company's past quarters, to the attendees of the upcoming conferences. A longitudinal section and list of all of our drill holes to date are included below," said Brad Langille, President and CEO.

Figure 1 is a longitudinal section summary of all the holes drilled at Los Ricos to date and is available at [https://gogoldresources.com/component/rsfiles/preview?path=diagrams%252FLosRicos\\_LongSec\\_20190904.pdf](https://gogoldresources.com/component/rsfiles/preview?path=diagrams%252FLosRicos_LongSec_20190904.pdf).

Figure 2 provides a 3D view of the Los Ricos property surrounding the historical underground workings at the Main Area and the location of the other zones shown.

Detailed intersections for all holes drilled to date are shown below in Table 1.

Table 1

| Hole ID     | Comment                 | From To |       | Length <sup>1</sup> | Au    | Ag     | AuEq <sup>2</sup> |
|-------------|-------------------------|---------|-------|---------------------|-------|--------|-------------------|
|             |                         | (m)     | (m)   | (m)                 | (g/t) | (g/t)  | (g/t)             |
| LRGG-19-001 | Main                    | 71.0    | 106.5 | 35.5                | 1.24  | 284.7  | 5.04              |
|             | HW zone                 | 71.0    | 81.0  | 10.0                | 1.27  | 249.1  | 4.59              |
|             | Open Stope <sup>3</sup> | 81.0    | 82.5  | 1.5                 | *     | *      | *                 |
|             | FW zone                 | 82.5    | 106.5 | 24.0                | 1.31  | 317.3  | 5.54              |
|             | including               | 91.5    | 98.0  | 6.5                 | 3.32  | 905.8  | 15.39             |
| LRGG-19-002 | Main                    | 26.5    | 54.1  | 27.6                | 1.56  | 159.0  | 3.68              |
|             | including               | 28.4    | 34.0  | 5.6                 | 5.52  | 525.0  | 12.52             |
| LRGG-19-003 | Main                    | 145.0   | 165.4 | 20.4                | 2.21  | 318.7  | 6.45              |
|             | including               | 145.0   | 155.5 | 10.5                | 4.26  | 608.0  | 12.36             |
|             | including               | 146.0   | 153.2 | 7.2                 | 6.17  | 869.5  | 17.77             |
| LRGG-19-004 | Main                    | 96.5    | 99.0  | 2.5                 | 0.04  | 27.2   | 0.40              |
| LRGG-19-005 | Main                    | 121.0   | 131.8 | 10.8                | 0.19  | 53.8   | 0.91              |
| LRGG-19-006 | Main                    | 107.1   | 132.0 | 25.0                | 0.33  | 35.7   | 0.81              |
|             | including               | 119.7   | 122.5 | 2.8                 | 1.41  | 52.6   | 2.11              |
| LRGG-19-007 | Main                    | 149.5   | 161.2 | 11.7                | 0.68  | 88.8   | 1.87              |
|             | including               | 163.0   | 169.1 | 6.1                 | 0.58  | 141.9  | 2.47              |
| LRGG-19-008 | Main                    | 109.4   | 131.7 | 22.4                | 4.13  | 182.1  | 6.55              |
|             | including               | 127.5   | 130.5 | 3.0                 | 25.08 | 533.9  | 32.20             |
|             | and                     | 134.7   | 147.6 | 12.9                | 0.17  | 31.5   | 0.59              |
| LRGG-19-009 | Main                    | 34.5    | 55.7  | 21.2                | 7.66  | 1270.2 | 24.60             |
|             | including               | 37.8    | 44.7  | 6.9                 | 21.97 | 3717.6 | 71.54             |
| LRGG-19-010 | Open Stope <sup>3</sup> | 97.5    | 99.0  | 1.5                 | -     | -      | -                 |
|             | Main                    | 99.0    | 117.8 | 18.8                | 0.37  | 67.9   | 1.27              |
|             | including               | 102.2   | 106.7 | 4.5                 | 0.96  | 119.5  | 2.55              |
| LRGG-19-011 | Main                    | 253.0   | 271.5 | 18.5                | 1.20  | 140.3  | 3.07              |
|             | including               | 261.8   | 270.3 | 8.4                 | 2.16  | 227.8  | 5.19              |

|                         |       |       |      |      |       |      |
|-------------------------|-------|-------|------|------|-------|------|
| LRGG-19-012 Main        | 220.3 | 238.0 | 17.8 | 0.59 | 82.7  | 1.69 |
| including               | 224.5 | 238.0 | 13.5 | 0.77 | 100.4 | 2.11 |
| including               | 228.5 | 235.5 | 7.0  | 1.16 | 131.9 | 2.92 |
| LRGG-19-013 Main        | 163.9 | 179.5 | 15.6 | 0.78 | 194.7 | 3.38 |
| including               | 166.0 | 174.8 | 8.8  | 1.30 | 296.5 | 5.25 |
| including               | 166.0 | 168.2 | 2.2  | 2.09 | 331.7 | 6.52 |
| LRGG-19-014 Main        | 204.3 | 218.5 | 14.2 | 1.10 | 126.8 | 2.79 |
| including               | 208.3 | 216.0 | 7.7  | 1.94 | 209.3 | 4.73 |
| and                     | 224.5 | 228.0 | 3.5  | 0.16 | 26.5  | 0.51 |
| LRGG-19-015 Main        | 23.4  | 40.5  | 17.1 | 0.71 | 67.9  | 1.62 |
| including               | 27.0  | 32.6  | 5.6  | 1.68 | 137.2 | 3.51 |
| Open Stope <sup>3</sup> | 40.5  | 43.7  | 3.2  | *    | *     | *    |
| Main                    | 43.7  | 54.0  | 10.3 | 1.19 | 85.0  | 2.33 |
| including               | 43.7  | 49.0  | 5.3  | 2.02 | 138.1 | 3.87 |
| LRGG-19-016 Main        | 80.8  | 85.8  | 5.0  | 0.52 | 160.6 | 2.66 |
| Open Stope <sup>3</sup> | 85.8  | 88.3  | 2.5  | *    | *     | *    |
| including               | 91.7  | 98.1  | 6.3  | 2.14 | 336.7 | 6.63 |
| LRGG-19-017 Main        | 83.2  | 115.2 | 32.0 | 0.80 | 178.8 | 3.18 |
| including               | 83.2  | 94.5  | 11.3 | 1.46 | 347.8 | 6.10 |
| LRGG-19-018 Main        | 258.5 | 279.9 | 21.4 | 0.81 | 170.1 | 3.08 |
| including               | 263.2 | 276.0 | 12.9 | 1.24 | 262.4 | 4.74 |
| including               | 268.5 | 276.0 | 7.5  | 1.78 | 342.4 | 6.35 |
| LRGG-19-019 Main        | 23.0  | 27.5  | 4.5  | 1.50 | 196.6 | 4.13 |
| Open Stope <sup>3</sup> | 27.5  | 29.7  | 2.2  | *    | *     | *    |
| Main                    | 29.7  | 43.5  | 13.8 | 0.63 | 86.0  | 1.78 |
| including               | 29.7  | 33.9  | 4.2  | 1.52 | 198.3 | 4.17 |
| LRGG-19-020 Main        | 43.8  | 58.7  | 14.9 | 1.78 | 106.4 | 3.20 |
| including               | 45.0  | 52.0  | 7.0  | 3.48 | 155.6 | 5.55 |
| LRGG-19-021 Main        | 9.0   | 16.5  | 7.5  | 0.09 | 18.1  | 0.33 |
| Open Stope <sup>3</sup> | 16.5  | 22.5  | 6.0  | *    | *     | *    |
| Main                    | 22.5  | 38.1  | 15.6 | 1.15 | 113.5 | 2.67 |
| including               |       |       |      |      |       |      |









236.5







|                            |       |       |      |      |       |       |
|----------------------------|-------|-------|------|------|-------|-------|
| LRGG-19-022 Main           | 170.4 | 193.7 | 23.3 | 1.78 | 201.5 | 4.47  |
| including                  | 171.5 | 181.5 | 10.0 | 3.58 | 389.6 | 8.78  |
| LRGG-19-023 Main           | 34.0  | 58.0  | 24.0 | 0.61 | 126.0 | 2.29  |
| including                  | 34.0  | 48.7  | 14.7 | 0.93 | 200.8 | 3.61  |
| LRGG-19-024 Main           | 25.0  | 30.0  | 5.0  | 0.36 | 30.8  | 0.77  |
| LRGG-19-025 Main           | 34.9  | 59.5  | 24.6 | 1.30 | 135.0 | 3.10  |
| including                  | 34.9  | 50.4  | 15.5 | 2.00 | 203.3 | 4.71  |
| LRGG-19-026 Main           | 4.0   | 9.7   | 5.7  | 1.29 | 201.1 | 3.98  |
| Open Stope <sup>3</sup>    | 9.7   | 11.3  | 1.6  | *    | *     | *     |
| Main                       | 11.3  | 29.5  | 18.2 | 0.16 | 34.5  | 0.62  |
| LRGG-19-027 Main           | 38.3  | 51.0  | 12.7 | 1.08 | 169.8 | 3.34  |
| including                  | 38.3  | 45.0  | 6.7  | 1.83 | 268.1 | 5.40  |
| and                        | 60.0  | 65.0  | 5.1  | 0.28 | 23.4  | 0.59  |
| LRGG-19-028 Main           | 34.5  | 62.0  | 27.5 | 1.21 | 133.5 | 2.99  |
| including                  | 35.1  | 46.0  | 11.0 | 2.93 | 293.9 | 6.85  |
| LRGG-19-029 Main           | 28.5  | 31.5  | 3.0  | 0.99 | 157.1 | 3.09  |
| Open Stope <sup>3</sup>    | 31.5  | 34.1  | 2.6  | *    | *     | *     |
| Main                       | 34.1  | 34.7  | 0.6  | 1.64 | 300.3 | 5.64  |
| Open Stope <sup>3</sup>    | 34.7  | 39.0  | 4.3  | *    | *     | *     |
| Main                       | 39.0  | 41.0  | 2.0  | 0.12 | 19.4  | 0.38  |
| LRGG-19-030 San Juan       | 128.7 | 145.5 | 16.9 | 0.54 | 67.8  | 1.45  |
| including                  | 138.0 | 143.0 | 5.0  | 1.46 | 147.9 | 3.43  |
| LRGG-19-031 Main           | 25.5  | 31.7  | 6.2  | 1.17 | 157.8 | 3.27  |
| LRGG-19-032 Main           | 38.5  | 56.0  | 15.5 | 0.53 | 84.2  | 1.66  |
| including                  | 38.5  | 47.2  | 8.7  | 0.75 | 94.3  | 2.01  |
| including                  | 42.3  | 45.0  | 2.7  | 2.04 | 216.6 | 4.93  |
| LRGG-19-033 Main           | 31.0  | 53.5  | 17.1 | 1.59 | 364.2 | 6.45  |
| including                  | 31.0  | 36.6  | 5.6  | 3.81 | 818.1 | 14.72 |
| including                  | 43.0  | 53.5  | 10.5 | 0.52 | 142.5 | 2.42  |
| LRGC-19-001 Cerro Colorado | 23.3  | 27.2  | 3.9  | 1.59 | 177.3 | 3.95  |
| LRGC-19-002 Cerro Colorado | 0.0   | 3.5   | 3.5  | 3.27 | 90.4  | 4.47  |
| LRGC-19-003                |       |       |      |      |       |       |

Cerro Colorado

















|                            |      |      |      |      |       |      |
|----------------------------|------|------|------|------|-------|------|
| LRGC-19-004 Cerro Colorado | 6.5  | 18.0 | 11.5 | 1.28 | 107.2 | 2.71 |
| including                  | 7.3  | 11.0 | 3.7  | 3.36 | 294.6 | 7.29 |
| LRGC-19-005 Cerro Colorado | 30.0 | 37.0 | 7.0  | 0.18 | 11.5  | 0.33 |
| and                        | 43.5 | 56.5 | 13.0 | 0.12 | 16.4  | 0.34 |
| LRGC-19-006 Cerro Colorado | 0.0  | 11.5 | 11.5 | 0.56 | 10.3  | 0.70 |
| LRGC-19-007 Cerro Colorado | 53.8 | 56.0 | 2.2  | 0.28 | 27.3  | 0.64 |
| and                        | 68.5 | 77.0 | 8.5  | 0.06 | 15.7  | 0.27 |

|                                                          |
|----------------------------------------------------------|
| 1. Not true width                                        |
| 2. AuEq converted using a silver to gold ratio of 75:1   |
| 3. Voids from historical underground workings, no sample |

Mr. David Duncan, P. Geo. is the qualified person as defined by National Instrument 43-101 and is responsible for the technical information of this release related to Los Ricos and drilling results.

#### About GoGold Resources

GoGold Resources (TSX: GGD) is a Canadian-based silver and gold producer focused on operating, developing, exploring and acquiring high quality projects in Mexico. The Company's Parral Tailings project produces silver and gold at a low cash cost. Headquartered in Halifax, NS, GoGold is building a portfolio of low cost, high margin projects. For more information visit [gogoldresources.com](http://gogoldresources.com).

#### CAUTIONARY STATEMENT:

The securities described herein have not been, and will not be, registered under the United States Securities Act of 1933, as amended (the "U.S. Securities Act"), or any state securities laws, and may not be offered or sold within the United States or to, or for the benefit of, U.S. persons (as defined in Regulation S under the U.S. Securities Act) except in compliance with the registration requirements of the U.S. Securities Act and applicable state securities laws or pursuant to exemptions therefrom. This release does not constitute an offer to sell or a solicitation of an offer to buy of any of GoGold's securities in the United States.

This news release may contain "forward-looking information" as defined in applicable Canadian securities legislation. All statements other than statements of historical fact, included in this release, including, without limitation, statements regarding the Parral tailings project, the Los Ricos project, future operating margins, future production and processing, and future plans and objectives of GoGold, constitute forward looking information that involve various risks and uncertainties. Forward-looking information is based on a number of factors and assumptions which have been used to develop such information but which may prove to be incorrect, including, but not limited to, assumptions in connection with the continuance of GoGold and its subsidiaries as a going concern, general economic and market conditions, mineral prices, the accuracy of mineral resource estimates, and the performance of the Parral project. There can be no assurance that such information will prove to be accurate and actual results and future events could differ materially from those anticipated in such forward-looking information.

Important factors that could cause actual results to differ materially from GoGold's expectations include exploration and development risks associated with GoGold's projects, the failure to establish estimated mineral resources or mineral reserves, volatility of commodity prices, variations of recovery rates, and global economic conditions. For additional information with respect to risk factors applicable to GoGold, reference should be made to GoGold's continuous disclosure materials filed from time to time with securities regulators, including, but not limited to, GoGold's Annual Information Form. The forward-looking information contained in this release is made as of the date of this release.

#### SOURCE [GoGold Resources Inc.](http://www.gogoldresources.com)

Steve Low, Corporate Development, GoGold Resources, T: 416 855 0435, E: [steve@gogoldresources.com](mailto:steve@gogoldresources.com)

---

Dieser Artikel stammt von [Rohstoff-Welt.de](http://Rohstoff-Welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/333925--GoGold-to-Present-at-Upcoming-Conferences-and-Provides-Summary-of-Los-Ricos-Exploration-to-Date.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer](#)!

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).