Golden Star Announces Continued Positive Drilling Results at its Wassa Deposit

13.11.2019 | CNW

Results at Wassa Include 65.7 Metres at 4.8 g/t Au and 17.9 Metres at 6.5 g/t Au

TORONTO, Nov. 13, 2019 - Golden Star Resources Ltd. (NYSE American: GSS; TSX: GSC; GSE: GSR) ("Golden Star "Company") is pleased to announce that it continues to intersect significant higher grade gold mineralization from infill a surface drilling on the southern extensions of the Wassa deposit ("Wassa"), demonstrating the continuity and overall rottins world class deposit.

HIGHLIGHTS

- Gold mineralization intersected on section 18,500N, 200 metres south of the current Inferred Mineral Resource divides a remains open for more than 1km south of existing underground infrastructure
- Infill drilling between sections 19,000N and 19,400N confirmed the continuity and grade of mineralization in this a helped improve the interpretation of the individual shoots
- Significant intercepts from Wassa are as follows^{1,2}
- 65.7 m @ 4.8 g/t Au from 900 m in hole BSDD19-399D
 - 19.9 m @ 5.2 g/t Au from 1,248 m in hole BSDD19-399
 - 10.1 m @ 10.6 g/t Au from 369 m in hole BSDD19-401
 - 17.9 m @ 6.5 g/t Au from 133 m in hole BSDD19-406D
 - 11.2 m @ 11.4 g/t Au from 849 m in hole BSDD19-405M
 - 14.8 m @ 6.8 g/t Au from 316.5 m in hole BSDD19-295D2

Wassa surface drilling during 2019 has continued to focus on increasing the size of and confidence in the Inferred Mineral Resource, and conversion of Inferred Mineral Resource to Indicated Mineral Resource through infill and step out diamodrilling. A total of 22 holes have been completed for 12,636 metres since the end of Q2 2019, bringing the total drilled in year to approximately 45,000 metres from 59 holes.

The drilling has been successful in converting portions of the Inferred Mineral Resource to Indicated as well as better d Inferred Mineral Resource at depth and along the hanging wall and footwall lodes peripheral to the main B-Shoot miner Infill drilling into the previously interpreted wide zones of gold mineralization at depth has shown that, instead of a single high-grade mineralized zone, there are four subparallel zones which have slightly less volume as previous interpretation higher grade, which we anticipate will result in roughly the same metal content. This new understanding will be incorporate ongoing geological interpretation update that will be the basis for the year-end Mineral Resource estimation (Figure

WASSA SURFACE DRILLING - TESTING FUTURE UNDERGROUND TARGETS

Drilling results for 22 new surface diamond drill ("DD") holes totaling 12,636 metres have been received since the end of thereby completing the 2019 budgeted surface drilling program.

The isometric view shown in Figure 1 highlights a selection of significant results from holes drilled since Q2 2019, which used to update the Mineral Resource Estimate for the year-end statement. Table 1 below, shows the significant assay received since the end of Q2 2019.

Figure 1 - Wassa Underground: Isometric view looking east showing significant results of both step out and extension of programs 1,2 (Link to Figure 1 here)

Wassa Underground – Step Out Drilling Results1

Resource extension drilling to the south of the existing Wassa resource has continued to target additional resources us

16.11.2025 Seite 1/15

metre spaced step out drill fences, with the last holes drilled on fence 18,500N (Figure 1). The results for BSDD19-400l 2.2 g/t Au and 8.9 m @ 2.8 g/t, on this fence, have extended the gold mineralized structure, although at lower grade, at 90 metres up-dip of the previously disclosed hole BSDD19-400M which returned an intersection of 19.5 m @ 5.4 g/t Au additional mineralization intersected on section 18,500N will add to the Inferred Mineral Resource in this area. The mineralization appears to be pinching out in the up-dip direct most southerly drill section.

Wassa Underground - Inferred Mineral Resource Infill Drilling¹

During the last quarter most of the Inferred Mineral Resource infill drilling focused on Panel 4 (Figure 1). Drilling in this confirmed the continuity of gold mineralization in Panel 4. Drill hole BSDD19-405M, which was drilled on section 19,05 confirmed the previous Panel 4 mineralized intersections returning an intersection of 61.9 m @ 4.4 g/t Au, including severage zones of 11.2 m @ 11.4 g/t Au and 13.6 m @ 4.8 g/t Au. This drilling has confirmed the continuity of zones previous reported on section 19,000N, in hole BSDD19-394D1, which returned 17.6 m @ 34.1 g/t Au and 15.7 m @ 4.1 g/t Au³.

New drilling on section 18,950N, 100 metres to the south of BSDD19-405M also intersected significant mineralization in Hole BSDD19-406M intersected 18.1 m @ 3.5 g/t Au, 6.6 m @ 5.0 g/t Au, and 6.9 m @ 5.3 g/t Au. BSDD19-406D1 on section confirmed an extension of the B-Shoot mineralization approximately 75 metres up-dip of the existing interpretat intersecting 17.9 m @ 6.5 g/t Au.

The footwall mineralization where Panel 4 mining is being planned warrants further drilling to the north and south where has not been tested thoroughly. The Company is currently looking at how best to test these extensions, either by surface underground drilling.

Additional drilling on section 18,900N (Figure 2) and 18,850N and 18,800N below Panel 4, has resulted in a preliminary the interpretation from what was modelled previously as a single moderate dipping thick lode, into a series of subvertical subparallel, higher grade interpreted "fold limbs". Whilst these potential "fold limb" zones are not as wide as the original interpretation (based on 200 m spaced drill sections), the zones still have significant widths ranging from 25 to 70 metrogrades than previously intersected. The interpretation is currently being reviewed and will be used for the new Mineral I Estimate that will be updated in Q1 2020.

Wassa Underground - Inferred to Indicated Mineral Resource Conversion Drilling¹

The Inferred to Indicated Mineral Resource conversion drilling continued on a 50 x 50 metre pattern and focused on the end of the current Indicated Mineral Resource between sections 19,400N to 19,300N. Results of this drilling should confirmed Mineral Resource to Indicated with additions of hanging wall and footwall mineralization, as well as extensions down-dip. Hole BSDD19-295D2, which was a 50 metre infill hole, intersected 14.8 m @ 6.8 g/t Au, slightly wider and hi than the two holes up-dip and down-dip on the same section.

Further resource conversion drilling will be completed from underground drill cuddies, with the existing drill access curre 19,400N, and the Company plans to push this to the south as mining advances. Having underground drill access will si reduce the costs of converting Inferred Mineral Resource to Indicated Mineral Resource.

Figure 2 - Wassa Underground: Cross section 18875N looking north showing the change of the interpretation from a si multiple lodes, based on infill drilling in the deeper extension areas (Link to Figure 2 here)

Wassa Cross Section 18875N – (+/- 50 m window)

Significant Intercepts – Wassa Surface Drilling Results

The full set of drilling results released today is listed in Appendix A, which is posted to the Company's website or by foll http://www.gsr.com/operations/wassa/wassa-main/default.aspx including the significant intercepts set out below in Tab

Table 1

16.11.2025 Seite 2/15

Wassa Surface Drilling – Significant Results Post Q2 2019

HOLE ID	Azimuth (°)	Dip (°)	From (m)	To (m)	Drilled Width (m)			Drilling Objective	Target
BSDD19-407M	89.1	-66.4	526.0	536.0	10.0	6.2	6.8	Inf Definition	B Shoot
BSDD19-407M	87.1	-67.4	763.0	780.0	17.0	10.4	3.1	Inf Definition	B Shoot
BSDD19-406M	84.1	-60.6	821.0	853.0	32.0	18.1	3.5	Inf Definition	PAN 4
BSDD19-406M	83.4	-58.2	896.0	907.0	11.0	6.6	5.0	Inf Definition	PAN 4
BSDD19-406M	83.8	-59.8	926.0	938.0	12.0	6.9	5.3	Inf Definition	PAN 4
BSDD19-406D1	87.3	-45.6	133.0	155.0	22.0	17.9	6.5	Inf Definition	B Shoot
BSDD19-405M	84.8	-61.5	849.0	867.0	18.0	11.2	11.4	Inf Definition	PAN 4
BSDD19-405M	83.8	-61.9	873.0	881.0	8.0	4.9	8.7	Inf Definition	PAN 4
BSDD19-405M	83.2	-61.9	898.0	920.0	22.0	13.6	4.8	Inf Definition	PAN 4
BSDD19-405D1	85.2	-47.1	389.0	400.0	11.0	9.3	5.8	Inf Definition	PAN 4
BSDD19-405D1	88.6	-46.9	493.0	503.0	10.0	8.5	5.2	Inf Definition	PAN 4
BSDD19-403M	88.5	-60.3	805.3	821.3	16.0	9.8	5.0	Inf Conversion	B Shoot
BSDD19-403M	86.6	-60.4	890.4	904.4	14.0	8.5	4.8	Inf Conversion	B Shoot
BSDD19-402M	83.7	-58.1	936.5	947.6	11.1	7.1	4.7	Inf Conversion	B Shoot
BSDD19-401M	88.3	-64	402.0	412.0	10.0	6.2	5.2	Inf Conversion	B Shoot
BSDD19-401D2	85.1	-70.7	172.8	191.8	19.0	9.9	5.7	Inf Conversion	B Shoot
BSDD19-401D2	282	-74	369.0	390.6	21.6	10.1	10.6	Inf Conversion	B Shoot
BSDD19-399M	67.7	-61.8	1248.0	1283.4	35.4	19.9	5.2	Inf Expansion	WUG deeps
BSDD19-399M	63.3	-56.6	1450.0	1469.5	19.5	12.4	3.7	Inf Expansion	WUG deeps
BSDD19-399M	63	-55.7	1485.5	1504.0	18.5	12.0	5.7	Inf Expansion	WUG deeps
BSDD19-399D2	267.6	-66.5	501.8	515.8	14.0	9.3	5.4	Inf Expansion	WUG deeps
BSDD19-399D2	267.1	-65.2	668.4	685.0	16.6	11.3	6.3	Inf Expansion	WUG deeps
BSDD19-399D2	265.5	-62.4	900.0	992.0	92.0	65.7	4.8	Inf Expansion	WUG deeps
BSDD19-399D1	79.7	-55.3	480.5	491.0	10.5	6.8	6.2	Inf Expansion	WUG deeps
BSDD19-399D1	77.7	-53.3	585.6	601.8	16.2	11.0	3.5	Inf Expansion	WUG deeps
BSDD19-399D1	74.3	-52.8	690.3	705.0	14.7	10.1	3.6	Inf Expansion	WUG deeps
BSDD19-399D1	70.8	-54.9	852.7	860.8	8.1	5.3	11.7	Inf Expansion	WUG deeps
BSDD19-399D1	70.5	-54.9	888.6	904.0	15.4	10.1	11.5	Inf Expansion	WUG deeps
BSDD19-399D1									

16.11.2025 Seite 3/15

70.3

16.11.2025 Seite 4/15

16.11.2025 Seite 5/15

922.5

16.11.2025 Seite 6/15

16.11.2025 Seite 7/15

16.11.2025 Seite 8/15

16.11.2025 Seite 9/15

16.11.2025 Seite 10/15

Inf Expansion

16.11.2025 Seite 11/15

WUG deeps

16.11.2025 Seite 12/15

16.11.2025 Seite 13/15

BSDD	19-397M 76.6	-72.9666.0	683.0	17.0	13.2	6.8	Inf Conversion B Shoot	
BSDD	19-397M 80.3	-80.2785.4	809.2	23.8	16.5	3.1	Inf Conversion B Shoot	
BSDD	19-397M 69	-79.8963.0	980.6	17.6	6.1	9.3	Inf Conversion B Shoot	
BSDD	19-397D1 85.6	-64.1 339.0	347.8	8.8	7.5	5.7	Inf Conversion B Shoot	
BSDD	19-397D1 82.11	-64.4358.6	362.8	4.2	3.6	17.8	Inf Conversion B Shoot	
BSDD	19-394D5 86.6	-47.1 185.0	199.0	14.0	11.5	7.5	Inf Conversion B Shoot	
BSDD	19-394D5 86.5	-47.6260.0	280.0	20.0	16.3	3.4	Inf Conversion B Shoot	
BSDD	19-394D4 93.1	-51.4206.0	213.0	7.0	4.8	6.8	Inf Conversion B Shoot	
BSDD	19-394D4 87.1	-53.9351.0	364.5	13.5	8.9	9.7	Inf Conversion B Shoot	
BSDD	19-394D3 84.2	-80.6632.0	655.5	23.5	13.3	3.5	Inf Expansion B Shoot	
BLG Dels	19-388D467	-81.7683.4	693.3	9.9	7.6	5.5	Inf Expansion B Shoot	
BSDD Mat299aPras & Guetted in 7th its 316sts rationals are shown as the state of t								
2. Depths of holes annotated with "D" (daughter hole) are from wedge.								
See press release entitled, 'Golden Star Announces Drilling Results at its Wassa and Father Brown Deposits Including the Extension of Gold Mineralization at Both Locations', dated July 15, 2019.								

All monetary amounts refer to United States dollars unless otherwise indicated.

Company Profile:

Golden Star is an established gold mining company that owns and operates the Wassa and Prestea underground mine West Africa. Listed on the NYSE American, the Toronto Stock Exchange and the Ghana Stock Exchange, Golden Star on delivering strong margins and free cash flow from its two high-grade, low cost underground mines. Gold production 2019 is 190,000 - 205,000 ounces at a cash operating cost per ounce of \$800-\$850. As the winner of the PDAC 2018 Environmental and Social Responsibility Award, Golden Star is committed to leaving a positive and sustainable legacy of operation.

Statements Regarding Forward-Looking Information

Some statements contained in this news release are "forward-looking statements" within the meaning of the Private Se Litigation Reform Act of 1995 and "forward looking information" within the meaning of Canadian securities laws include limited to, statements and information regarding: the geological interpretation update that will be the basis for the year-Resource estimation; the significant results from holes drilled since Q2 2019 that will be used to update the Mineral Resource estimate for the year-end statement; additions to the Inferred Mineral Resources; further resource conversion drilling be completed and plans to push this to the south as mining advances; the reduction of costs of converting Inferred Mineral to Indicated Mineral Resource; gold production of between 190,000 - 205,000 ounces in 2019; and cash operating cost of \$800-\$850 for 2019. Generally, forward-looking information and statements can be identified by the use of forward-locking such as "plans", "expects", "is expected", "budget", "scheduled", "estimates", "forecasts", "intends", "anticip "believes" or variations of such words and phrases (including negative or grammatical variations) or statements that ce events or results "may", "could", "would", "might" or "will be taken", "occur" or "be achieved" or the negative connotation Investors are cautioned that forward-looking statements and information are inherently uncertain and involve risks, ass and uncertainties that could cause actual facts to differ materially. Such statements and information are based on nume assumptions regarding present and future business strategies and the environment in which Golden Star will operate in including the price of gold, anticipated costs and ability to achieve goals. Forward-looking information and statements and including information and statements and believe goals.

16.11.2025 Seite 14/15

known and unknown risks, uncertainties and other important factors that may cause the actual results, performance or achievements of Golden Star to be materially different from those expressed or implied by such forward-looking information statements, including but not limited to: risks related to international operations, including economic and political instab foreign jurisdictions in which Golden Star operates; risks related to current global financial conditions; risks related to jo operations; actual results of current exploration activities; environmental risks; future prices of gold; possible variations Reserves, grade or recovery rates; mine development and operating risks; accidents, labor disputes and other risks of industry; delays in obtaining governmental approvals or financing or in the completion of development or construction a risks related to indebtedness and the service of such indebtedness. Although Golden Star has attempted to identify im factors that could cause actual results to differ materially from those contained in forward-looking information and state may be other factors that cause results not to be as anticipated, estimated or intended. There can be no assurance that developments affecting the Company will be those anticipated by management. Please refer to the discussion of these factors in Management's Discussion and Analysis of financial conditions and results of operations for the year ended D 2018 and in our annual information form for the year ended December 31, 2018 as filed on SEDAR at www.sedar.com. forecasts contained in this press release constitute management's current estimates, as of the date of this press releas respect to the matters covered thereby. We expect that these estimates will change as new information is received. Wh elect to update these estimates at any time, we do not undertake any estimate at any particular time or in response to particular event.

Technical Information

The technical contents of this press release have been reviewed and approved by S. Mitchel Wasel, BSc Geology, a Q Person pursuant to National Instrument 43-101. Mr. Wasel is Vice President of Exploration for Golden Star and an activand Registered Chartered Professional of the Australasian Institute of Mining and Metallurgy.

The results for Wassa drilling stated herein are based on the analysis of saw-split HQ/NQ diamond half core or a three single stage riffle split of a nominal 25 to 30 kg Reverse Circulation chip sample which has been sampled over nominal intervals (adjusted where necessary for mineralized structures). Sample preparation and analyses have been carried o Laboratories in Tarkwa, which are independent from Golden Star, using a 1,000 gram slurry of sample and tap water w prepared and subjected to an accelerated cyanide leach (LEACHWELL). The sample is then rolled for twelve hours be allowed to settle. An aliquot of solution is then taken, gold extracted into Di-iso Butyl Keytone (DiBK), and determined by Atomic Absorption Spectrophotometry (AAS). Detection Limit is 0.01 ppm.

All analytical work is subject to a systematic and rigorous Quality Assurance-Quality Control (QA-QC). At least 5% of scertified standards and the accuracy of the analysis is confirmed to be acceptable from comparison of the recommender "standards" results. The remaining half core is stored on site for future inspection and detailed logging, to provide value information on mineralogy, structure, alteration patterns and the controls on gold mineralization.

View original content to download

multimedia:http://www.prnewswire.com/news-releases/golden-star-announces-continued-positive-drilling-results-at-its-v

SOURCE Golden Star Resources Ltd.

Contact

please visit www.gsr.com or contact: Tania Shaw, Vice President, Investor Relations and Corporate Affairs, +1 416 583 3800, investor@gsr.com

Dieser Artikel stammt von Rohstoff-Welt.de Die URL für diesen Artikel lautet:

 $\underline{\text{https://www.rohstoff-welt.de/news/338875--Golden-Star-Announces-Continued-Positive-Drilling-Results-at-its-Wassa-Deposit.html}$

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere AGB/Disclaimer!

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt! Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere <u>AGB</u> und <u>Datenschutzrichtlinen</u>.

16.11.2025 Seite 15/15