

Osisko Intersects High-Grade at Windfall

09.01.2020 | [GlobeNewswire](#)

TORONTO, Jan. 09, 2020 - [Osisko Mining Inc.](#) (OSK:TSX. "Osisko" or the "Corporation") is pleased to provide new drilling results from the ongoing definition and expansion drill program at its 100% owned Windfall gold project located in the Abitibi greenstone belt, Urban Township, Eeyou Istchee James Bay, Québec.

The program is currently focused on infill drilling and expansion drilling at the Lynx deposit, exploration on the main mineralized zones, and deep exploration in the central areas of the mineralized intrusive system.

Osisko President and Chief Executive Officer John Burzynski commented: "We are very pleased with today's results from Windfall, especially the continuing high-grade extension in Triple Lynx. Drilling continues to deliver positive results and demonstrate the strong continuity of grade inside the known mineralized zones, many of which remain open in at least one direction. The new intersections include the last batch of 2019 infill drilling which will be incorporated into the updated Windfall resource estimate anticipated in February."

Significant new analytical results from 116 intercepts in 44 surface drill holes and 19 wedges focused on Lynx, Main Zone and Triple 8 infill and expansion drilling are presented below. Additionally, 71 intercepts from 45 underground infill drill holes are included in the table below.

Highlights from new results include: 266 g/t Au over 2.0 metres in OSK-W-1603-W5, 106 g/t Au over 4.0 metres in OSK-19-2139; 135 g/t Au over 2.5 metres in WST-19-0251; 114 g/t Au 2.5 metres in OSK-W-19-1965, 36.9 g/t Au over 5.0 metres in OSK-W-19-1104-W4; 83.8 g/t Au over 2.1 metres in WST-19-222A, 18.5 g/t Au over 9.0 metres in WST-19-0161A; 77.7 g/t Au over 2.1 metres in WST-19-0273A; 76.6 g/t Au over 2.1 metres in WST-19-0188 and 44.7 g/t Au over 3.2 metres in OSK-W-19-2170. Maps showing hole locations and full analytical results are available at www.osiskominer.com.

Surface Drilling

Hole No.	From (m)	To (m)	Interval (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t	Zone	Corridor
OSK-W-18-1604	715.3	717.3	2.0	35.1			
<i>including</i>	715.3	716.3	1.0	66.9		Lynx_336	Lynx
OSK-W-18-1731-W1	871.1	874.0	2.9	7.93			
<i>including</i>	872.4	873.0	0.6	21.3		Lynx_313	Lynx
	895.5	897.8	2.3	5.39		Lynx_327	Lynx
OSK-W-19-991-W6	1215.9	1218.0	2.1	3.88		Lynx 4	Lynx
OSK-W-19-1104-W4	826.0	828.0	2.0	4.14		Lynx 4	Lynx
	840.9	846.5	5.6	6.82			
<i>including</i>	840.9	841.6	0.7	29.1		Lynx_313	Lynx
	856.0	861.0	5.0	36.9	16.3		
<i>including</i>	858.2	858.6	0.4	357	100	Lynx 4	Lynx
	906.5	908.5	2.0	25.7	16.0		
<i>including</i>	907.5	907.8	0.3	165	100	Lynx 4	Lynx
OSK-W-19-1272-W3	799.0	803.0	4.0	7.92		Triple Lynx	Triple Lynx
OSK-W-19-1603-W3	1411.	1413.9	2.9	8.94		Triple 8	Triple 8
	1453.5	1455.6	2.1	11.9			
<i>including</i>	1453.5	1454.2	0.7	31.8		Triple 8	Triple 8
	1459.5	1461.5	2.0	4.04		Triple 8	Triple 8

	1477.7	1479.7	2.0	5.62		Triple 8	Triple 8
	1550.8	1553.0	2.2	4.25		Triple 8	Triple 8
<i>including</i>	1552.0	1552.4	0.4	13.2		Triple 8	Triple 8
	1558.0	1560.2	2.2	4.92		Triple 8	Triple 8
OSK-W-19-1603-W4	1622.3	1624.8	2.5	9.17		Triple 8	Triple 8
OSK-W-19-1603-W5	1542.0	1544.0	2.0	4.96		Triple 8	Triple 8
<i>including</i>	1542.5	1542.8	0.3	15.7		Triple 8	Triple 8
	1612.0	1614.0	2.0	266	50.1	Triple 8	Triple 8
<i>including</i>	1612.0	1613.0	1.0	531	100	Triple 8	Triple 8
	1633.3	1635.3	2.0	19.0		Triple 8	Triple 8
<i>including</i>	1633.9	1634.7	0.8	44.0		Triple 8	Triple 8
	1680.8	1683.0	2.2	7.08		Triple 8	Triple 8
<i>including</i>	1681.4	1681.9	0.5	29.6		Triple 8	Triple 8
	1711.7	1713.9	2.2	9.85		Triple 8	Triple 8
OSK-W-19-1783-W3	1629.8	1632.4	2.6	5.48		Triple 8	Triple 8
	2019.4	2021.8	2.4	6.65		Triple 8	Triple 8
	2185.0	2187.5	2.5	4.49		Triple 8	Triple 8
<i>including</i>	2186.1	2186.5	0.4	25.7		Triple 8	Triple 8
OSK-W-19-1835-W3	604.7	607.0	2.3	3.06		Underdog	Underdog
	746.0	748.0	2.0	3.43		Underdog	Underdog
	915.0	917.0	2.0	3.33		Underdog	Underdog
	1144.0	1146.0	2.0	4.04		Underdog	Underdog
	1186.4	1196.5	10.1	4.85		Underdog	Underdog
<i>including</i>	1192.7	1193.4	0.7	17.1		Underdog	Underdog
OSK-W-19-1867	260.9	263.6	2.7	3.26		F51	F51
OSK-W-19-1882	798.0	800.4	2.4	7.60		Underdog	Underdog
<i>including</i>	799.7	800.4	0.7	22.1		Underdog	Underdog
OSK-W-19-1933	303.0	305.0	2.0	3.40		Caribou_201	Caribou
	396.0	398.1	2.1	4.53		Caribou_207	Caribou
	508.5	512.0	3.5	3.96		Z27_112	Zone 27
	524.0	526.7	2.7	4.91		Z27_110	Zone 27
OSK-W-19-1942-W2	906.0	908.2	2.2	4.81		Lynx_327	Lynx
<i>including</i>	907.8	908.2	0.4	17.9		Lynx_327	Lynx
OSK-W-19-1963-W2	1122.0	1124.0	2.0	6.24		Lynx 4	Lynx
OSK-W-19-1963-W6	1402.7	1406.6	3.9	23.8		Lynx 4	Lynx
<i>including</i>	1405.1	1406.6	1.5	44.8		Lynx 4	Lynx
	1411.8	1414.0	2.2	3.94		Lynx 4	Lynx
OSK-W-19-1965	116.0	118.5	2.5	114	34.8	Windfall Nord	Windfall Nord
<i>including</i>	117.3	118.1	0.8	346	100	Windfall Nord	Windfall Nord
OSK-W-19-1969	198.0	200.0	2.0	3.06		Lynx corridor	Lynx
<i>including</i>	199.0	200.0	1.0	5.64		Lynx corridor	Lynx
OSK-W-19-1973	83.2	85.5	2.3	5.29		Caribou_220	Caribou
<i>including</i>	84.2	84.5	0.3	40.5		Caribou_220	Caribou
	92.2	95.1	2.9	4.37		Caribou_220	Caribou
<i>including</i>	94.8	95.1	0.3	23.7		Caribou_220	Caribou
	387.0	389.0	2.0	4.51		Caribou_201	Caribou
	415.2	418.0	2.8	5.91		Z27 corridor	Zone 27
OSK-W-19-1988	1583.2	1585.4	2.2	9.52		Triple 8	Triple 8
	1690.8	1693.0	2.2	5.97		Triple 8	Triple 8
	1771.0	1773.2	2.2	6.17		Triple 8	Triple 8
	1779.0	1783.0	4.0	6.02		Triple 8	Triple 8
OSK-W-19-1988-W1	1596.0	1598.0	2.0	9.05		Triple 8	Triple 8

	1794.8	1796.8	2.0	5.66		Triple 8	Triple 8
<i>including</i>	1795.3	1795.7	0.4	24.7			
OSK-W-19-1993	103.1	105.5	2.4	5.14		F11	F11
OSK-W-19-1995	400.1	402.4	2.3	4.16		Caribou_230	Caribou
	501.0	503.5	2.5	12.2			
<i>including</i>	501.0	502.0	1.0	30.3		Caribou_207	Caribou
OSK-W-19-1996	13.0	15.1	2.1	3.67		Bobcat	Bobcat
OSK-W-19-1998	100.9	104.0	3.1	12.6		F11	F11
<i>including</i>	103.0	104.0	1.0	30.0			
OSK-W-19-2001	119.5	121.7	2.2	16.8		F11	F11
<i>including</i>	119.5	120.1	0.6	43.6			
	125.4	127.7	2.3	7.81		F11	F11
OSK-W-19-2019	149.0	151.0	2.0	17.5		F11	F11
<i>including</i>	149.0	150.0	1.0	34.8			
OSK-W-19-2020	223.3	225.4	2.1	3.95		Bobcat	Bobcat
<i>including</i>	224.9	225.4	0.5	14.4			
OSK-W-19-2021	58.4	60.4	2.0	4.08		F11	F11
<i>including</i>	60.0	60.4	0.4	17.4			
OSK-W-19-2024	99.0	101.0	2.0	12.9		F11	F11
<i>including</i>	100.0	101.0	1.0	24.3			
	108.6	110.6	2.0	4.24		F11	F11
OSK-W-19-2027	21.0	27.0	6.0	4.46		F11	F11
	29.9	32.5	2.6	3.20		F11	F11
OSK-W-19-2031	72.0	74.2	2.2	14.9		Bobcat	Bobcat
<i>including</i>	73.4	74.2	0.8	37.7			
OSK-W-19-2055	210.8	213.0	2.2	12.4		F51	F51
<i>including</i>	211.6	211.9	0.3	80.3			
	280.9	283.0	2.1	7.50		F51	F51
OSK-W-19-2061	453.0	455.0	2.0	4.72		Lynx	Lynx
OSK-W-19-2066	261.5	263.7	2.2	59.1		F51	F51
<i>including</i>	261.8	263.4	1.6	79.2			
OSK-W-19-2067	1144.0	1146.0	2.0	3.16		Triple Lynx	Triple Lynx
OSK-W-19-2067-W4	1049.0	1053.3	4.3	3.70		Triple Lynx	Triple Lynx
	1068.5	1072.0	3.5	6.88		Triple Lynx	Triple Lynx
	1106.0	1109.0	3.0	12.2		Triple Lynx	Triple Lynx
	1115.0	1117.5	2.5	5.46		Triple Lynx	Triple Lynx
	1123.0	1126.6	3.6	15.4		Triple Lynx	Triple Lynx
<i>including</i>	1124.0	1125.0	1.0	37.4			
	1134.0	1139.0	5.0	5.56		Triple Lynx	Triple Lynx
OSK-W-19-2068	516.8	519.0	2.2	4.17		Lynx	Lynx
OSK-W-19-2080	153.7	155.7	2.0	8.68		F51	F51
<i>including</i>	153.7	154.2	0.5	20.5			
	199.6	203.2	3.6	28.2			
<i>including</i>	199.6	200.0	0.4	43.9		F51	F51
<i>and</i>	202.2	203.2	1.0	70.7			
	211.0	213.3	2.3	5.09		F51	F51
OSK-W-19-2081	38.1	40.4	2.3	44.7	39.4	Bobcat	Bobcat
<i>including</i>	38.1	39.0	0.9	114	100		
OSK-W-19-2082	151.0	154.0	3.0	5.11		Bobcat	Bobcat
OSK-W-19-2083	115.0	117.0	2.0	3.67		Caribou	Caribou
<i>including</i>	115.5	116.5	1.0	6.93			

OSK-W-19-2086	280.0	282.0	2.0	6.76			F51	F51
<i>including</i>	281.0	281.5	0.5	18.7				
OSK-W-19-2087	215.4	217.4	2.0	4.59			F51	F51
OSK-W-19-2100-W4	967.5	970.0	2.5	9.80			Triple Lynx	Triple Lynx
<i>including</i>	969.7	970.0	0.3	56.6				
OSK-W-19-2101	721.0	724.7	3.7	9.33			Triple Lynx	Triple Lynx
<i>including</i>	724.3	724.7	0.4	32.0				
OSK-W-19-2104	99.5	102.2	2.7	3.13			F11	F11
OSK-W-19-2107-W2	578.5	580.6	2.1	12.2			Lynx_331	Lynx
<i>including</i>	579.8	580.2	0.4	28.7				
	890.0	892.0	2.0	3.82			Triple Lynx	Triple Lynx
OSK-W-19-2108-W2	1346.2	1348.5	2.3	6.50			Triple Lynx	Triple Lynx
OSK-W-19-2120-W3	1052.4	1054.8	2.4	3.33			Lynx 4	Lynx
OSK-W-19-2139	892.4	899.8	7.4	6.93			Triple Lynx	Triple Lynx
<i>including</i>	896.0	897.0	1.0	22.9				
	956.6	960.6	4.0	106	46.5		Triple Lynx	Triple Lynx
<i>including</i>	959.8	960.3	0.5	566	100			
	964.0	966.0	2.0	3.19			Triple Lynx	Triple Lynx
OSK-W-19-2139-W2	876.7	879.0	2.3	22.9			Triple Lynx	Triple Lynx
<i>including</i>	876.7	877.2	0.5	84.7				
	927.4	929.5	2.1	4.99			Triple Lynx	Triple Lynx
<i>including</i>	927.4	928.1	0.7	12.5				
	1077.0	1079.0	2.0	3.03			Triple Lynx	Triple Lynx
	1083.0	1085.3	2.3	5.66			Triple Lynx	Triple Lynx
OSK-W-19-2160	743.0	745.0	2.0	3.37			Lynx	Lynx
OSK-W-19-2170	960.3	963.0	2.7	35.5			Triple Lynx	Triple Lynx
<i>including</i>	960.9	961.8	0.9	70.6				
	1016.7	1018.8	2.1	3.96			Triple Lynx	Triple Lynx
	1022.8	1026.0	3.2	44.7	16.4		Triple Lynx	Triple Lynx
<i>including</i>	1022.8	1023.1	0.3	402	100			
OSK-W-19-2178	367.0	369.3	2.3	13.4			Lynx_301	Lynx
<i>including</i>	367.5	368.3	0.8	37.5				
OSK-W-19-2181	117.0	119.1	2.1	4.11			Lynx_305	Lynx
<i>including</i>	117.0	117.3	0.3	20.0				
	150.6	153.2	2.6	10.2			Lynx_307	Lynx
OSK-W-19-2183	441.0	443.1	2.1	8.41			Lynx_301	Lynx
<i>including</i>	441.0	441.5	0.5	17.9				
OSK-W-19-2184	97.0	99.4	2.4	18.0			Lynx_308	Lynx
<i>including</i>	98.5	98.9	0.4	89.9				
OSK-W-19-2186	62.0	64.1	2.1	14.4			Lynx	Lynx
<i>including</i>	62.0	62.3	0.3	87.0				
	83.0	85.0	2.0	6.42			Lynx_308	Lynx
<i>including</i>	84.2	84.5	0.3	41.3				
OSK-W-19-2188	53.8	55.9	2.1	5.01			Lynx_306	Lynx
<i>including</i>	53.8	54.1	0.3	33.2				
	93.0	95.0	2.0	7.50			Lynx_308	Lynx
OSK-W-19-2191	52.7	55.1	2.4	5.68			Lynx_310	Lynx
<i>including</i>	54.0	54.3	0.3	37.3				
OSK-W-19-2193	60.0	62.2	2.2	4.29			Lynx_308	Lynx
<i>including</i>	61.6	61.9	0.3	19.7				
OSK-W-19-2195	336.9	339.0	2.1	18.8			Lynx_301	Lynx
<i>including</i>	336.9	338.0	1.1	32.2				

Notes: True widths are estimated at 55 – 80% of the reported core length interval. See "Quality Control and Reporting Protocols" below.

Underground Drilling

Hole No.	From (m)	To (m)	Interval (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t	Zone	Corridor
WST-19-0029	44.0	46.0	2.0	3.65		Z27_103	Zone 27
WST-19-0030	55.0	57.0	2.0	3.33		Z27_103	Zone 27
	81.0	83.0	2.0	7.91		Z27_104	Zone 27
WST-19-0033	64.0	66.5	2.5	6.24		Z27_103	Zone 27
<i>including</i>	65.1	65.9	0.8	19.0			
WST-19-0076	115.3	117.6	2.3	3.22		Z27 corridor	Zone 27
WST-19-0160A	83.9	87.5	3.6	8.04		Z27_113	Zone 27
WST-19-0161A	61.0	65.0	4.0	8.71		Z27_113	Zone 27
<i>including</i>	61.0	62.0	1.0	19.8			
	101.0	110.0	9.0	18.5		Z27_115	Zone 27
<i>including</i>	105.0	107.0	2.0	62.3			
WST-19-0162	66.9	70.9	4.0	5.85		Z27 corridor	Zone 27
<i>including</i>	68.7	69.2	0.5	18.4			
WST-19-0183	37.0	39.0	2.0	3.92		Z27_103	Zone 27
<i>including</i>	37.8	38.2	0.4	19.1			
WST-19-0184	79.1	81.1	2.0	4.41		Z27_104	Zone 27
<i>including</i>	80.0	80.8	0.8	10.5			
WST-19-0186	35.0	37.0	2.0	4.17		Z27_103	Zone 27
<i>including</i>	36.3	36.6	0.3	27.2			
WST-19-0187	108.4	110.5	2.1	6.02		Z27_115	Zone 27
<i>including</i>	109.7	110.0	0.3	40.4			
WST-19-0188	62.0	67.0	5.0	3.46		Caribou	Caribou
<i>including</i>	63.5	64.1	0.6	12.4			
	98.0	100.0	2.0	4.93		Z27_101	Zone 27
	106.9	109.0	2.1	76.6	39.1	Z27_115	Zone 27
<i>including</i>	106.9	107.7	0.8	199	100		
WST-19-0189	103.0	105.0	2.0	8.22		Z27_101	Zone 27
<i>including</i>	103.7	104.6	0.9	16.6			
	107.9	110.0	2.1	3.08		Z27_115	Zone 27
WST-19-0190	110.4	113.8	3.4	3.42		Z27_115	Zone 27
WST-19-0191	85.4	87.6	2.2	9.13		Z27_101	Zone 27
<i>including</i>	87.0	87.6	0.6	30.9			
WST-19-0192	71.0	73.3	2.3	3.31		Caribou_201	Caribou
<i>including</i>	73.0	73.3	0.3	12.0			
	96.2	99.0	2.8	9.05		Z27_115	Zone 27
	103.2	105.5	2.3	7.08		Z27_115	Zone 27
<i>including</i>	104.6	105.5	0.9	16.6			
WST-19-0193	56.0	58.0	2.0	3.34		Caribou_203	Caribou
	127.4	129.9	2.5	9.26		Z27_115	Zone 27
WST-19-0194	136.5	138.6	2.1	6.42		Z27_115	Zone 27
<i>including</i>	137.0	137.8	0.8	14.2			
WST-19-0210	130.0	132.0	2.0	7.30		Lynx	Lynx
<i>including</i>	130.0	131.0	1.0	14.5			
WST-19-0214	214.4	216.7	2.3	6.72		Caribou_201	Caribou
WST-19-0219	274.0	276.0	2.0	3.98		Caribou corridor	Caribou

WST-19-0220	74.9	77.0	2.1	8.46		Z27_116	Zone 27
<i>including</i>	74.9	75.3	0.4	40.4			
	135.0	137.1	2.1	4.01			
<i>including</i>	136.6	137.1	0.5	16.3		Caribou_201	Caribou
	235.0	237.0	2.0	5.24			
<i>including</i>	235.5	235.9	0.4	22.0		Caribou_238	Caribou
WST-19-0221	119.0	121.0	2.0	14.5			
<i>including</i>	119.8	120.1	0.3	96.3		Caribou_207	Caribou
WST-19-0222A	228.0	230.0	2.0	4.52			
	236.0	238.0	2.0	6.66			
<i>including</i>	236.0	237.0	1.0	13.1		Caribou_206	Caribou
	292.0	294.4	2.4	3.07			
	302.5	304.6	2.1	83.8	19.3		
<i>including</i>	304.2	304.6	0.4	439	100	Caribou_217	Caribou
WST-19-0223	273.0	275.0	2.0	3.46			
WST-19-0224	204.4	209.5	5.1	12.6			
<i>including</i>	204.4	205.5	1.1	44.2		Caribou_231	Caribou
WST-19-0225	199.1	201.4	2.3	4.64			
WST-19-0226	109.0	111.4	2.4	46.4	43.1		
<i>including</i>	109.0	110.0	1.0	108	100	Z27_101	Zone 27
WST-19-0227	218.7	220.7	2.0	26.7			
<i>including</i>	218.7	219.5	0.8	63.5		Caribou_218	Caribou
	234.0	236.0	2.0	3.18			
WST-19-0244	12.0	15.3	3.3	8.22			
<i>including</i>	15.0	15.3	0.3	43.2		Lynx_310	Lynx
	37.0	39.0	2.0	21.1	16.3		
<i>including</i>	37.8	38.1	0.3	132	100	Lynx_305	Lynx
	40.6	44.0	3.4	26.9			
WST-19-0245	17.1	19.9	2.8	8.54			
<i>including</i>	17.1	17.4	0.3	52.4		Lynx_310	Lynx
WST-19-0246	58.0	60.1	2.1	3.55			
<i>including</i>	59.3	60.1	0.8	9.15		Lynx_306	Lynx
WST-19-0247	40.6	42.6	2.0	29.8			
<i>including</i>	40.6	41.4	0.8	73.5		Lynx_304	Lynx
WST-19-0248	35.6	38.1	2.5	5.76			
<i>including</i>	36.3	36.6	0.3	42.2		Lynx_304	Lynx
WST-19-0250	70.0	72.0	2.0	4.02			
<i>including</i>	70.6	70.9	0.3	26.1		Lynx_308	Lynx
	77.4	80.0	2.6	30.2	19.9		
<i>including</i>	78.2	78.5	0.3	189	100	Lynx_308	Lynx
	97.5	99.8	2.3	3.05			
<i>including</i>	98.3	98.7	0.4	16.3		Lynx_310	Lynx
	125.0	127.0	2.0	8.30			
<i>including</i>	125.0	125.3	0.3	55.3		Lynx	Lynx
WST-19-0251	69.8	72.3	2.5	135	32.1		
<i>including</i>	69.8	70.6	0.8	422	100	Lynx_308	Lynx
WST-19-0252	68.5	70.6	2.1	7.31			
<i>including</i>	70.3	70.6	0.3	39.4		Lynx_308	Lynx
	75.7	77.9	2.2	8.78			
<i>including</i>	77.6	77.9	0.3	37.1		Lynx_308	Lynx
	90.9	93.0	2.1	6.29			
<i>including</i>	92.0	92.6	0.6	21.9		Lynx_310	Lynx

WST-19-0253	70.4	72.7	2.3	38.4				
<i>including</i>	71.9	72.7	0.8	72.9			Lynx_308	Lynx
	121.0	123.1	2.1	8.32				
<i>including</i>	122.7	123.1	0.4	41.9			Lynx_304	Lynx
	149.9	152.3	2.4	7.49				
<i>including</i>	150.5	151.0	0.5	35.3			Lynx	Lynx
WST-19-0254	59.3	61.7	2.4	17.1	13.6			
<i>including</i>	61.4	61.7	0.3	129	100		Lynx_311	Lynx
	69.0	71.6	2.6	5.84			Lynx_308	Lynx
WST-19-0263	18.0	20.3	2.3	4.26				
<i>including</i>	19.3	19.7	0.4	24.2			Lynx_305	Lynx
	49.9	52.4	2.5	8.46				
<i>including</i>	51.2	51.8	0.6	22.1			Lynx_304	Lynx
WST-19-0272	81.0	83.4	2.4	9.29				
<i>including</i>	83.1	83.4	0.3	72.5			Lynx_304	Lynx
WST-19-0273A	91.0	93.1	2.1	77.7	34.7			
<i>including</i>	91.3	92.0	0.7	229	100		Lynx	Lynx
WST-19-0276	85.9	88.3	2.4	17.8	17.1			
<i>including</i>	86.6	87.0	0.4	105	100		Lynx_316	Lynx
	97.2	99.3	2.1	6.38				
<i>including</i>	97.8	98.1	0.3	42.3			Lynx_306	Lynx
WST-19-0277	95.0	97.3	2.3	4.91				
<i>including</i>	96.7	97.3	0.6	15.1			Lynx_341	Lynx
WST-19-0278	91.9	93.9	2.0	7.27				
							Lynx_316	Lynx

Notes: True widths are estimated at 55 – 80% of the reported core length interval. See "Quality Control and Reporting Protocols" below.

Drill hole location

Hole Number	Azimuth (°)	Dip (°)	Length (m)	UTM E	UTM N	Elevation	Section
OSK-W-18-1604	142	-52	909	453219	5435347	407	3575
OSK-W-18-1731-W1	139	-51	995	453383	5435518	409	3800
OSK-W-19-991-W6	128	-58	1761	453980	5435993	401	4550
OSK-W-19-1104-W4	142	-50	933	453383	5435455	402	3775
OSK-W-19-1272-W3	127	-60	1164	453246	5435535	412	3675
OSK-W-19-1603-W3	35	-80	1743	453340	5434543	396	3275
OSK-W-19-1603-W4	35	-80	1740	453340	5434543	396	3275
OSK-W-19-1603-W5	35	-80	1791	453340	5434543	396	3275
OSK-W-19-1783-W3	61	-78	2208	453535	5434373	398	3375
OSK-W-19-1835-W3	173	-53	1308	452305	5435474	406	2825
OSK-W-19-1867	334	-49	548	453760	5435758	401	4250
OSK-W-19-1882	328	-57	915	452469	5434405	400	2450
OSK-W-19-1933	333	-54	602	452578	5434713	404	2700
OSK-W-19-1942-W2	128	-54	1056	453315	5435390	403	3675
OSK-W-19-1963-W2	123	-58	1424	453761	5435816	401	4275
OSK-W-19-1963-W6	123	-58	1493	453761	5435816	401	4275
OSK-W-19-1965	352	-48	231	452201	5435148	405	2575
OSK-W-19-1969	164	-51	336	452832	5434947	405	3025
OSK-W-19-1973	325	-50	509	452392	5434547	399	2450
OSK-W-19-1988	48	-78	1962	453374	5434480	396	3275
OSK-W-19-1988-W1	48	-78	1812	453374	5434480	396	3275

OSK-W-19-1993	146	-54	192	452350 5435850 406	3050
OSK-W-19-1995	336	-59	564	452818 5434775 397	2950
OSK-W-19-1996	177	-55	165	452808 5434912 404	3000
OSK-W-19-1998	151	-46	183	452350 5435850 406	3050
OSK-W-19-2001	166	-53	201	452402 5435876 406	3100
OSK-W-19-2019	153	-51	234	452407 5435919 406	3125
OSK-W-19-2020	163	-45	294	452727 5434929 407	2950
OSK-W-19-2021	152	-49	192	452534 5435914 410	3250
OSK-W-19-2024	165	-45	162	452415 5435854 406	3100
OSK-W-19-2027	154	-46	102	452274 5435732 407	2925
OSK-W-19-2031	271	-68	78	452995 5435106 418	3250
OSK-W-19-2055	337	-46	291	453608 5435712 403	4075
OSK-W-19-2061	150	-48	468	452783 5435007 407	3025
OSK-W-19-2066	159	-45	429	453486 5436028 404	4125
OSK-W-19-2067	123	-53	1212	453241 5435697 416	3750
OSK-W-19-2067-W4	123	-53	1203	453241 5435697 416	3750
OSK-W-19-2068	116	-53	1098	453317 5435387 402	3675
OSK-W-19-2080	157	-46	434	453541 5436009 404	4175
OSK-W-19-2081	152	-47	291	452838 5435047 407	3100
OSK-W-19-2082	329	-58	219	453036 5435109 414	3300
OSK-W-19-2083	359	-46	597	451959 5434350 403	1975
OSK-W-19-2086	145	-45	387	453603 5436123 409	4275
OSK-W-19-2087	341	-44	348	453635 5435729 403	4125
OSK-W-19-2100-W4	122	-47	1260	453093 5435726 419	3650
OSK-W-19-2101	18	-68	909	453426 5434779 396	3475
OSK-W-19-2104	149	-45	291	452494 5435937 406	3225
OSK-W-19-2107-W2	23	-70	932	453426 5434778 396	3475
OSK-W-19-2108-W2	117	-53	1578	453215 5435858 414	3825
OSK-W-19-2120-W3	114	-60	1247	453800 5435747 401	4275
OSK-W-19-2139	115	-52	1149	452980 5435549 420	3450
OSK-W-19-2139-W2	115	-52	1203	452980 5435549 420	3450
OSK-W-19-2160	124	-50	1032	453087 5435527 404	3550
OSK-W-19-2170	128	-59	1203	453425 5435657 413	3900
OSK-W-19-2178	132	-46	416	453504 5435428 399	3850
OSK-W-19-2181	333	-48	207	453179 5434911 397	3325
OSK-W-19-2183	135	-49	485	453504 5435428 399	3850
OSK-W-19-2184	334	-50	120	453211 5434967 398	3375
OSK-W-19-2186	332	-45	135	453211 5434968 398	3375
OSK-W-19-2188	323	-47	120	453211 5434968 398	3375
OSK-W-19-2191	327	-54	93	453197 5434994 399	3375
OSK-W-19-2193	333	-45	90	453197 5434995 398	3375
OSK-W-19-2195	134	-45	420	453503 5435430 399	3850
WST-19-0029	148	-27	151	452281 5434974 263	2575
WST-19-0030	128	40	117	452282 5434974 267	2575
WST-19-0033	108	-1	118	452282 5434975 264	2575
WST-19-0076	133	41	159	452208 5434898 250	2475
WST-19-0160A	324	-49	225	452234 5434710 208	2400
WST-19-0161A	311	-38	132	452234 5434710 208	2400
WST-19-0162	346	-54	255	452236 5434711 208	2400
WST-19-0183	148	4	106	452281 5434974 264	2575
WST-19-0184	128	-5	106	452281 5434975 264	2575
WST-19-0186	155	21	106	452281 5434974 265	2575

WST-19-0187	320	6	139	452118 5434606 187	2250
WST-19-0188	320	-37	145	452118 5434606 186	2250
WST-19-0189	326	16	139	452119 5434606 187	2250
WST-19-0190	331	-31	153	452119 5434606 185	2250
WST-19-0191	336	-9	124	452119 5434606 186	2250
WST-19-0192	336	-21	130	452119 5434606 186	2250
WST-19-0193	317	-42	151	452193 5434661 199	2325
WST-19-0194	340	-47	163	452194 5434662 199	2325
WST-19-0210	187	22	157	453176 5435125 175	3425
WST-19-0214	135	-12	292	452281 5434975 264	2575
WST-19-0219	142	17	310	452157 5434857 242	2400
WST-19-0220	142	6	252	452157 5434857 242	2400
WST-19-0221	147	-3	253	452157 5434857 241	2400
WST-19-0222A	145	5	322	452208 5434898 249	2475
WST-19-0223	145	-13	391	452208 5434898 248	2475
WST-19-0224	132	6	316	452208 5434899 249	2475
WST-19-0225	132	-9	329	452208 5434899 249	2475
WST-19-0226	141	-15	316	452281 5434974 263	2575
WST-19-0227	124	-17	340	452281 5434974 263	2575
WST-19-0244	124	23	73	453306 5435063 205	3500
WST-19-0245	138	49	69	453306 5435063 206	3500
WST-19-0246	143	40	73	453306 5435063 206	3500
WST-19-0247	155	33	73	453306 5435063 205	3500
WST-19-0248	155	20	73	453306 5435063 205	3500
WST-19-0250	139	8	163	453217 5435115 224	3450
WST-19-0251	143	17	155	453217 5435115 224	3450
WST-19-0252	143	12	157	453217 5435115 224	3450
WST-19-0253	143	6	157	453217 5435115 224	3450
WST-19-0254	143	1	168	453217 5435115 223	3450
WST-19-0263	161	8	106	453298 5435066 205	3500
WST-19-0272	138	25	112	453290 5435116 206	3525
WST-19-0273A	138	11	114	453290 5435116 206	3525
WST-19-0276	126	20	111	453291 5435116 206	3525
WST-19-0277	111	27	117	453291 5435117 207	3525
WST-19-0278	111	6	141	453291 5435116 206	3525

OSK-W-18-1604 intersected 35.1 g/t Au over 2.0 metres in Lynx. Mineralization consists of 1% pyrite with pervasive silica flooding in a moderate sericite and silica altered and bleached rhyolite.

OSK-W-18-1731-W1 intersected 7.93 g/t Au over 2.9 metres and 5.39 g/t Au over 2.3 metres in Lynx. The first interval consists of trace pyrite stringers in a moderate silica and weak sericite altered rhyolite. The second interval consists of 1% pyrite stringers and chalcopyrite with a quartz-carbonate vein. Both are hosted in a moderate chlorite altered gabbro.

OSK-W-19-991-W6 intersected 3.88 g/t Au over 2.1 metres in Lynx. Mineralization consists of 6% disseminated pyrite and 2% pyrite stringers with local silica alteration hosted in a chloritized gabbro.

OSK-W-19-1104-W4 intersected 4.14 g/t Au over 2.0 metres, 6.82 g/t Au over 5.6 metres, 36.9 g/t Au over 5.0 metres and 25.7 g/t Au over 2.0 metres in Lynx. The first interval consists of 3% disseminated, stringer, and clustered pyrite with smoky quartz veinlets and pervasive silica flooding hosted in a weak sericite and moderate silica altered rhyolite. The second interval consists of local visible gold, 3% disseminated pyrite with silica flooding, and 1% disseminated and stringer pyrite hosted in a moderate silica and sericite altered rhyolite. The third interval consists of local visible gold within quartz-carbonate veinlets or with 1% pyrite stringers, and 1% disseminated pyrite in a weak silica and sericite altered rhyolite. The fourth interval

consists of local visible gold and 1% disseminated pyrite with pervasive silica flooding hosted in a moderate to strong silica altered rhyolite.

OSK-W-19-1272-W3 intersected 7.92 g/t Au over 4.0 metres in Triple Lynx. Mineralization consists of local visible gold and trace pyrite in a quartz veinlet hosted in a weak sericite altered porphyritic felsic intrusion.

OSK-W-19-1603-W3 intersected 8.94 g/t Au over 2.9 metres, 11.9 g/t Au over 2.1 metres, 4.04 g/t Au over 2.0 metres, 5.62 g/t Au over 2.0 metres, 4.25 g/t Au over 2.2 metres and 4.92 g/t Au over 2.2 metres in Triple 8. The first interval consists of 15% disseminated, clustered and semi-massive pyrite with local electrum in a moderate chlorite-biotite-sericite-silica and carbonate altered andesite. The second and third intervals consist of 30% pyrite clusters up to semi-massive pyrite, 10% pyrrhotite with quartz-carbonate veins, 5% disseminated pyrite, 1% disseminated pyrrhotite and trace sphalerite in a moderate chlorite-biotite altered gabbro. The fourth interval consists of 10% pyrite stringers, 5% disseminated pyrite, 1% pyrite clusters, and 1% disseminated pyrrhotite in a moderate chlorite-biotite-silica altered and bleached andesite at the contact with a gabbro. The fifth interval consists of trace disseminated pyrite and quartz-tourmaline veins in a moderate biotite-carbonate altered andesite. The sixth interval consists of 6% pyrite stringers and 4% disseminated pyrite in a weak silica altered and bleached andesite.

OSK-W-19-1603-W4 intersected 9.17 g/t Au over 2.5 metres in Triple 8. Mineralization consists of up to 40% disseminated pyrite to local net-like texture and 1% pyrite stringers with pervasive silica-carbonate flooding in a moderate sericite altered and sheared contact between an andesite and a felsic dike.

OSK-W-19-1603-W5 intersected 4.96 g/t Au over 2.0 metres, 266 g/t Au over 2.0 metres, 19.0 g/t Au over 2.0 metres, 7.08 g/t Au over 2.2 metres and 9.85 g/t Au over 2.2 metres in Triple 8. The first interval consists of trace pyrite stringers and 2% pyrite in pervasive silica flooding in a moderate sericite and weak silica altered and bleached rhyolite. The second interval consists of 1% disseminated and stringer pyrite in a moderate andesite (the grade is usually high for this type of host, investigations are on-going). The third interval consists of local visible gold and 15% disseminated, clustered and stringer pyrite and 1% chalcopyrite clusters with quartz-carbonate veins hosted at the contact between a moderate sericite altered and bleached gabbro and an andesite. The fourth interval consists of 3% pyrite stringers and 1% pyrite clusters in a moderate biotite and weak sericite altered bleached and foliated porphyritic felsic dike. The fifth interval consists of 15% disseminated, clustered and stringer pyrite, local disseminated chalcopyrite with smoky quartz veins, and quartz-tourmaline veins in a moderate sericite and strong silica altered porphyritic felsic dike.

OSK-W-19-1783-W3 intersected 5.48 g/t Au over 2.6 metres, 6.65 g/t Au over 2.4 metres, and 4.49 g/t Au over 2.5 metres in Triple 8. The first interval consists of 4% pyrite stringers, 6% disseminated pyrite, and 2% disseminated and stringer pyrrhotite in a moderate sericite and silica altered andesite. The second interval consists of local visible gold with a quartz-carbonate vein, 5% disseminated, clustered and stringer pyrite, and 2% pyrite-pyrrhotite stringers in a moderate sericite and weak chlorite altered porphyritic felsic dike. The third interval consists of trace disseminated and stringer pyrite with quartz-carbonate veins in a moderate sericite altered porphyritic felsic dike.

OSK-W-19-1835-W3 intersected 3.06 g/t Au over 2.3 metres, 3.43 g/t Au over 2.0 metres, 3.33 g/t Au over 2.0 metres, 4.04 g/t Au over 2.0 metres and 4.85 g/t Au over 10.1 metres in Underdog. The first interval consists of 50% semi-massive to massive pyrite and 10% clustered and stringer pyrite with quartz veins in a strong silica altered andesite. The second interval consists of 8% disseminated pyrite in a weak silica-sericite altered porphyritic felsic dike. The third interval consists of 15% disseminated pyrite with pygmatic tourmaline veins in a moderate silica-sericite altered porphyritic felsic dike. The fourth interval consists of 3% disseminated pyrite and trace pyrite stringers in a weak silica-sericite altered porphyritic felsic dike. The fifth interval consists of 15% pyrite stringers and 5% disseminated pyrite hosted in moderate sericite and altered and bleached fragmental felsic intrusion.

OSK-W-19-1867 intersected 3.26 g/t Au over 2.7 metres in F-51. Mineralization consists of 1% disseminated pyrite hosted in a moderate sericite-silica-carbonate and weak fuchsite altered rhyolite.

OSK-W-19-1882 intersected 7.60 g/t Au over 2.4 metres in Underdog. Mineralization consists of 5% disseminated pyrite and trace chalcopyrite stringers with pervasive silica flooding hosted in a moderate sericite porphyritic felsic dike.

OSK-W-19-1933 intersected 3.40 g/t Au over 2.0 metres and 4.53 g/t Au over 2.1 metres in Caribou and 3.96 g/t Au over 3.5 metres and 4.91 g/t Au over 2.7 metres in Zone 27. The first interval consists of 10% pyrite stringers hosted in a moderate sericite and weak silica altered porphyritic felsic dike. The second interval consists of 8% pyrite stringers and clusters hosted in a moderate sericite altered and bleached andesite. The third interval consists of 7% pyrite stringers and 3% pyrite clusters hosted in a moderate sericite-silica altered porphyritic felsic porphyritic dike. The fourth interval consists of 3% pyrite stringers and 1% pyrite clusters in a moderate sericite altered porphyritic dike.

OSK-W-19-1942-W2 intersected 4.81 g/t Au over 2.2 metres in Lynx. Mineralization consists of 2% pyrite stringers and 1% disseminated pyrite hosted in a moderate sericite altered rhyolite.

OSK-W-19-1963-W2 intersected 6.24 g/t Au over 2.0 metres in Lynx. Mineralization consists of 5% disseminated and stringer pyrite in a moderate chlorite altered, foliated and weakly bleached porphyritic felsic dike.

OSK-W-19-1963-W6 intersected 23.8 g/t Au over 3.9 metres and 3.94 g/t Au over 2.2 metres in Lynx. The first interval consists of up to 3% disseminated, stringer, clustered, and fragmented pyrite, up to 3% sphalerite, and local silver, arsenopyrite and chalcopyrite with pervasive silica flooding hosted in a moderate to strong silica and moderate sericite altered rhyolite with breccia texture. The second interval consists of up to 5% disseminated, stringer, and clustered pyrite with pervasive silica flooding and smoky quartz veinlets, and trace pyrite with pygmatic tourmaline veins and quartz-carbonate veinlets hosted in a moderate to strong chlorite-sericite and moderate silica altered rhyolite.

OSK-W-19-1965 intersected 114 g/t Au over 2.5 metres in Windfall North. Mineralization consists of local visible gold with a crustiform quartz-carbonate vein and 5% pyrite stringers in a moderate silica-sericite and weak fuchsite altered and bleached andesite.

OSK-W-19-1969 intersected 3.06 g/t Au over 2.0 metres in Lynx. Mineralization consists of trace disseminated pyrite with quartz-carbonate veins in a weak sericite altered porphyritic felsic dike.

OSK-W-19-1973 intersected 5.29 g/t Au over 2.3 metres, 4.37 g/t Au over 2.9 metres, 4.51 g/t Au over 2.0 metres in Caribou and 5.91 g/t Au over 2.8 metres in Zone 27. The first interval consists of local visible gold, trace pyrite, chalcopyrite and molybdenite, and trace tourmaline veinlets and quartz-carbonate veins hosted in weak chlorite and moderate hematite altered andesite. The second interval consists of 1% disseminated pyrite and 1% pyrite with quartz-carbonate veins in a moderate silica and weak sericite altered andesite. The third interval consists of 3% pyrite stringers, trace pyrrhotite with local tourmaline pygmatic veinlets, and disseminated pyrite in a moderate sericite altered and bleached gabbro at the contact with porphyritic felsic dike. The fourth interval consists of 2% pyrite in tourmaline pygmatic vein and 1% pyrite stringers in a moderate sericite altered, bleached and foliated andesite.

OSK-W-19-1988 intersected 9.52 g/t Au over 2.2 metres, 5.97g/t Au over 2.2 metres, 6.17 g/t Au over 2.2 metres and 6.02 g/t Au over 4.0 metres in Triple 8. The first interval consists of 15% pyrite clusters, 5% pyrite-tourmaline stringers, 1% interstitial pyrrhotite, and local sphalerite hosted in a strong silica and moderate chlorite and biotite altered andesite. The second interval consists of 5% pyrite stringers and 2% pyrite clusters in a moderate silica-chlorite and weak sericite altered porphyritic dike. The third interval consists of 6% pyrite stringers with pervasive silica flooding, trace disseminated pyrrhotite and chalcopyrite in a moderate silica and foliated basalt. The fourth interval consists of 9% pyrite stringers and 1% pyrite clusters in a weak sericite-silica altered dacite.

OSK-W-19-1988-W1 intersected 9.05 g/t Au over 2.0 metres and 5.66 g/t Au over 2.0 metres in Triple 8. The first interval consists of local visible gold, 35% disseminated, clustered and stringer pyrite, 1% sphalerite stringers, and 1% sphalerite with a smoky quartz vein hosted in a moderate chlorite and weak silica altered and bleached andesite. The second interval consists of trace disseminated pyrite hosted in a moderate silica-carbonate and weak sericite altered porphyritic felsic dike.

OSK-W-19-1993 intersected 5.14 g/t Au over 2.4 metres in F-11. Mineralization consists of 1% disseminated pyrite in a moderate chlorite-carbonate altered andesite.

OSK-W-19-1995 intersected 4.16 g/t Au over 2.3 metres and 12.2 g/t Au over 2.5 metres in Caribou. The first interval consists of 2% pyrite stringers, quartz ±tourmaline veins, 1% pyrite clusters and trace disseminated pyrite in a moderate sericite altered rhyolite. The second interval consists of 1% pyrite stringers and trace disseminated pyrite in a moderate sericite porphyritic felsic dike.

OSK-W-19-1996 intersected 3.67 g/t Au over 2.1 metres in Bobcat. Mineralization consists of trace disseminated and stringer pyrite in a weak sericite altered porphyritic felsic dike.

OSK-W-19-1998 intersected 12.6 g/t Au over 3.1 metres in F-11. Mineralization consists of trace disseminated pyrite in a moderate chlorite altered andesite.

OSK-W-19-2001 intersected 16.8 g/t Au over 2.4 metres and 7.81 g/t Au over 2.3 metres in F-11. The first interval consists of local visible gold with trace pyrite clusters, 7% disseminated and stringer pyrite hosted in a weak silica altered and bleached andesite. The second interval consists of local visible gold, trace pyrite clusters with local carbonate-quartz blebs in a weak silica altered andesite.

OSK-W-19-2019 intersected 17.5 g/t Au over 2.0 metres in F-11. Mineralization consists of trace disseminated pyrite with quartz-carbonates veins in a moderate chlorite-carbonate altered andesite.

OSK-W-19-2020 intersected 3.95 g/t Au over 2.1 metres in Bobcat. Mineralization consists of 1% pygmatic tourmaline veins and 2% disseminated pyrite in a moderate sericite-chlorite and weak silica altered gabbro.

OSK-W-19-2021 intersected 4.08 g/t Au over 2.0 metres in F-11. Mineralization consists of 2% disseminated pyrite in a moderate sericite-carbonate altered andesite.

OSK-W-19-2024 intersected 12.9 g/t Au over 2.0 metres and 4.24 g/t Au over 2.0 metres in F-11. The first interval consists of trace pyrite with quartz-carbonate veins in a moderate chlorite altered andesite. The second interval consists of 4% disseminated, clustered and stringer pyrite with quartz-carbonate veinlets in a bleached andesite.

OSK-W-19-2027 intersected 4.46 g/t Au over 6.0 metres and 3.20 g/t Au over 2.6 metres in F-11. Mineralization in both intervals consists of up to 7% disseminated and stringer pyrite in a bleached andesite.

OSK-W-19-2031 intersected 14.9 g/t Au over 2.2 metres in Bobcat. Mineralization consists of 5% pyrite stringers, 3% disseminated pyrite, 1% pyrite clusters quartz tourmaline veins, and quartz carbonate veins hosted in a moderate silica and weak sericite altered fragmental felsic intrusion.

OSK-W-19-2055 intersected 12.4 g/t Au over 2.2 metres and 7.50 g/t Au over 2.1 metres in F-51. The first interval consists of local visible gold, 5% pyrite stringers, 4% disseminated and clustered pyrite with pervasive silica flooding hosted in a moderate sericite and bleached basalt. The second interval consists of 4% disseminated pyrite, 3% pyrite stringers, and 2% pyrite clusters with local quartz-carbonate veinlets hosted in a moderate sericite altered porphyritic felsic dike.

OSK-W-19-2061 intersected 4.72 g/t Au over 2.0 metres in Lynx. Mineralization consists of 3% disseminated pyrite in a faulted and bleached andesite with moderate carbonate and strong sericite alteration.

OSK-W-19-2066 intersected 59.1 g/t Au over 2.2 metres in F-51. Mineralization consists of 5% disseminated, clustered, and stringer pyrite with quartz-carbonate veinlets in a breccia zone with moderate sericite and strong silica alteration and trace pyrite-tourmaline stringers hosted in a strong silica altered gabbro.

OSK-W-19-2067 intersected 3.16 g/t Au over 2.0 metres in Triple Lynx. Mineralization consists of 2% pyrite stringers and 3% disseminated pyrite in a moderate chlorite and weak silica-sericite altered rhyolite.

OSK-W-19-2067-W4 intersected 3.70 g/t Au over 4.3 metres, 6.88 g/t Au over 3.5 metres, 12.2 g/t Au over

3.0 metres, 5.46 g/t Au over 2.5 metres, 15.4 g/t Au over 3.6 metres and 5.56 g/t Au over 5.0 metres in Triple Lynx. The first and second intervals consist of up to 2% disseminated pyrite, 1% pyrite clusters and stringers in a weak chlorite-sericite to locally moderate silica altered rhyolite. The third interval consists of trace disseminated and stringer pyrite in a weak sericite altered rhyolite. The fourth interval consists of 5% disseminated and clustered pyrite, 1% sphalerite, and trace galena with smoky quartz veins hosted in a weak sericite altered porphyritic dike at the contact with a weak sericite altered rhyolite. The fifth interval consists of 3% pyrite stringers with tourmaline pygmatic veins in a weak sericite altered porphyritic dike. The last interval consists of trace disseminated pyrite and trace sphalerite-pyrite stringers in a weak sericite altered rhyolite.

OSK-W-19-2068 intersected 4.17 g/t Au over 2.2 metres in Lynx. Mineralization consists of 1% pyrite in a massive sulfide vein hosted in a moderate sericite and silica altered rhyolite.

OSK-W-19-2080 intersected 8.68 g/t Au over 2.0 metres, 28.2 g/t Au over 3.6 metres and 5.09 g/t Au over 2.3 metres in F-51. The first interval consists of 3% pyrite stringers in a moderate silica and weak sericite altered gabbro. The second and third intervals consist of 5% pyrite stringers, 1% disseminated pyrite, 2% pyrite clusters with quartz-tourmaline veins with pervasive silica flooding, and local crustiform quartz-carbonate veins. All three intervals are hosted in a strong silica and moderate sericite altered gabbro in contact with a felsic dike.

OSK-W-19-2081 intersected 44.7 g/t Au over 2.3 metres in Bobcat. Mineralization consists of 1% interstitial pyrite and trace pyrite with quartz-tourmaline veins in a weak silica-sericite altered fragmental felsic intrusion.

OSK-W-19-2082 intersected 5.11 g/t Au over 3.0 metres in Bobcat. Mineralization consists of 5% pyrite stringers hosted in weak silica altered and bleached porphyritic felsic intrusion.

OSK-W-19-2083 intersected 3.67 g/t Au over 2.0 metres in Caribou. Mineralization consists of 20% pyrite stringers in a strong sericite altered and bleached rhyolite.

OSK-W-19-2086 intersected 6.76 g/t Au over 2.0 metres in F-51. Mineralization consists of 3% pyrite stringers and 2% pyrite clusters with quartz-tourmaline veins hosted in a weak silica altered fragmental felsic intrusion in contact with a moderate chlorite altered gabbro.

OSK-W-19-2087 intersected 4.59 g/t Au over 2.0 metres in F-51. Mineralization consists of 2% disseminated, clustered, and stringer pyrite and 1% interstitial pyrite hosted in a moderate sericite-fuchsite and weak silica altered, bleached and brecciated gabbro.

OSK-W-19-2100-W4 intersected 9.80 g/t Au over 2.5 metres in Triple Lynx. Mineralization consists of 1% pyrite-tourmaline veinlets and 2% pyrite with silica flooding and quartz veins at the contact between a weak sericite and moderate silica altered rhyolite and a porphyritic felsic dike. This interval confirms the extension of Triple Lynx 50 metres above and to the northeast of hole OSK-W-19-2100 (9.23 g/t Au over 8.0 metres, *see Osisko press release dated December 18, 2019*).

OSK-W-19-2101 intersected 9.33 g/t Au over 3.7 metres in Triple Lynx. Mineralization consists of 3% pyrite in a quartz-tourmaline veins, up to 2% pyrite with stockwork texture, up to 1% disseminated, clustered, and stringer pyrite with quartz-carbonate veins hosted in a weak sericite-silica-chlorite altered rhyolite. This interval confirms the extension of Triple Lynx 50 metres up-plunge of OSK-W-19-2077 (10.7 g/t Au over 6.0 metres, *see Osisko press release dated October 21, 2019*).

OSK-W-19-2104 intersected 3.13 g/t Au over 2.7 metres in F-11. Mineralization consists of trace disseminated pyrite in a weak sericite altered porphyritic felsic dike.

OSK-W-19-2107-W2 intersected 12.2 g/t Au over 2.1 metres in Lynx and 3.82 g/t Au over 2.0 metres in Triple Lynx. The first interval consists of local visible gold, 5% disseminated and stringer pyrite as well as pyrite stringers with smoky quartz veins and tourmaline-pyrite veinlets hosted in a moderate sericite altered fragmental felsic intrusion. The second interval consists of trace disseminated and stringer pyrite in a weak sericite altered and foliated rhyolite.

OSK-W-19-2108-W2 intersected 6.50 g/t Au over 2.3 metres in Triple Lynx. Mineralization consists of up to 10% pyrite ±tourmaline stringers and trace sphalerite with pervasive silica flooding hosted in a rhyolite with moderate sericite and strong silica alteration with several small fragmental felsic dikes.

OSK-W-19-2120-W3 intersected 3.33 g/t Au over 2.4 metres in Lynx. Mineralization consists of 5% disseminated pyrite in a moderate sericite-silica-fuchsite altered rhyolite.

OSK-W-19-2139 intersected 6.93 g/t Au over 7.4 metres, 106 g/t Au over 4.0 metres and 3.19 g/t Au over 2.0 metres in Triple Lynx. The first interval consists of trace disseminated pyrite with quartz veins in a weak sericite and silica altered rhyolite. The second interval consists of local visible gold, 30% semi-massive pyrite and 10% disseminated pyrite with dismembered smoky quartz veins hosted in a weak to moderate silica altered rhyolite. The third interval consists of 1% disseminated and stringer pyrite in a weak silica-sericite altered rhyolite.

OSK-W-19-2139-W2 intersected 22.9 g/t Au over 2.3 metres, 4.99 g/t Au over 2.1 metres, 3.03 g/t Au over 2.0 metres and 5.66 g/t Au over 2.3 metres in Triple Lynx. The first interval consists of 3% pyrite-tourmaline stringers, 2% pyrite clusters and trace disseminated sphalerite hosted in a strongly silicified rhyolite. The second interval consists of 1% pyrite stringers, 2% pyrite clusters with a quartz carbonate vein, and trace pygmatic tourmaline veins hosted in a moderate sericite and silica altered rhyolite. The third interval consists of 1% disseminated pyrite and trace pyrite stringers in a weak sericite altered rhyolite. The fourth interval consists of 5% pyrite clusters and local disseminated sphalerite in a moderate silica-sericite altered rhyolite.

OSK-W-19-2160 intersected 3.37 g/t Au over 2.0 metres in Lynx. Mineralization consists of trace disseminated pyrite in a weak carbonate altered gabbro.

OSK-W-19-2170 intersected 35.5 g/t Au over 2.7 metres, 3.96 g/t Au over 2.1 metres and 44.7 g/t Au over 3.2 metres in Triple Lynx. The first interval consists of 2% pyrite with tourmaline pygmatic veinlets, 5% pyrite stringers and trace chalcopyrite clusters hosted in a moderate to strong fuchsite and weak sericite altered gabbro. The second interval consists of 5% pyrite stringers and 1% disseminated pyrite with weak silica and sericite alteration at the contact between a rhyolite and a porphyritic felsic dike. The third interval consists of local visible gold and 5% disseminated pyrite with pervasive silica flooding in a moderate silica altered rhyolite in the contact with a porphyritic felsic dike. These three intervals confirm the extension of Triple Lynx 70 metres toward the surface and to the north-east.

OSK-W-19-2178 intersected 13.4 g/t Au over 2.3 metres in Lynx. Mineralization consists of 2% pyrite stringers, 2% pyrite with quartz tourmaline veins, and 1% pyrite clusters in a moderate chlorite altered gabbro.

OSK-W-19-2181 intersected 4.11 g/t Au over 2.1 metres and 10.2 g/t Au over 2.6 metres in Lynx. The first interval consists of 3% disseminated, clustered, and stringer pyrite with crustiform quartz-carbonate and quartz-tourmaline veinlets hosted in a moderate sericite altered rhyolite at the contact with a moderately bleached and weak sericite altered andesite. The second interval contains up to 16% clustered and disseminated pyrite with local stockwork texture and smoky quartz veinlets, and 4% disseminated and clustered pyrite with quartz-tourmaline veinlets hosted in a moderate silica and weak sericite altered rhyolite.

OSK-W-19-2183 intersected 8.41 g/t Au over 2.1 metres in Lynx. Mineralization consists of 10% disseminated and stringer pyrite, and 2% chalcopyrite clusters with quartz or quartz-carbonate veins hosted in a moderate sericite-silica-fuchsite altered and foliated gabbro.

OSK-W-19-2184 intersected 18.0 g/t Au over 2.4 metres in Lynx. Mineralization consists of local visible gold, up to 4% disseminated pyrite and with pervasive silica flooding, and 2% pyrite stringers hosted in a weak to strong silica and weak sericite altered rhyolite.

OSK-W-19-2186 intersected 14.4 g/t Au over 2.1 metres and 6.42 g/t Au over 2.0 metres in Lynx. The first interval consists of trace disseminated and clustered pyrite with local pervasive silica flooding hosted in a weak sericite and silica altered rhyolite. The second interval consists of 4% disseminated, clustered, and stringer pyrite in a moderate silica and weak sericite altered fragmental felsic intrusion.

OSK-W-19-2188 intersected 5.01 g/t Au over 2.1 metres and 7.50 g/t Au over 2.0 metres in Lynx. The first interval consists of 2% disseminated, stringer, and clustered pyrite with pervasive silica flooding hosted in a moderate silica and weak sericite altered rhyolite. The second interval consists of 5% disseminated and clustered pyrite with pervasive silica flooding and 2% pyrite stringers hosted in a weak to moderate silica and weak sericite altered rhyolite.

OSK-W-19-2191 intersected 5.68 g/t Au over 2.4 metres in Lynx. Mineralization consists of 2% disseminated, clustered, and stringer pyrite with pervasive silica flooding hosted in a moderate silica and weak sericite altered rhyolite.

OSK-W-19-2193 intersected 4.29 g/t Au over 2.2 metres in Lynx. Mineralization consists of local visible gold, up to 10% disseminated and clustered pyrite with pervasive silica flooding, and 2% pyrite stringers hosted in a weak to moderate sericite altered fragmental felsic intrusion.

OSK-W-19-2195 intersected 18.8 g/t Au over 2.1 metres in Lynx. Mineralization consists of 1% pyrite stringers and trace disseminated pyrite in a moderate chlorite-carbonate altered and bleached gabbro.

WST-19-0029 intersected 3.65 g/t Au over 2.0 metres in Zone 27. Mineralization consists of trace disseminated pyrite in a strong sericite and weak fuchsite altered rhyolite. WST-19-0029 was drilled from underground drill station AN-140-270-S located 140 metres below surface from section 2575E.

WST-19-0030 intersected 3.33 g/t Au over 2.0 metres and 7.91 g/t Au over 2.0 metres in Zone 27. The first interval consists of 3% pyrite stringers with quartz-tourmaline veins in a moderate sericite altered porphyritic felsic dike. The second interval consists of 1% pyrite clusters and with quartz-carbonates veins, 5% pyrite stringers with quartz-tourmaline veins, and 1% pyrite stringers and clusters in a moderate chlorite altered andesite at the contact with a moderate sericite-chlorite altered porphyritic felsic dike. WST-19-0030 was drilled from underground drill station AN-140-270-S located 140 metres below surface from section 2575E.

WST-19-0033 intersected 6.24 g/t Au over 2.5 metres in Zone 27. Mineralization consists of 10% disseminated, clustered, and stringer pyrite with quartz-tourmaline veins in a moderate silica-chlorite and weak fuchsite altered gabbro at the contact with a moderate sericite altered rhyolite. WST-19-0033 was drilled from underground drill station AN-140-270-S located 140 metres below surface from section 2575E.

WST-19-0076 intersected 3.22 g/t Au over 2.3 metres in Zone 27. Mineralization consists of 20% pyrite in stockwork and semi-massive bands in a strong silica and moderate sericite altered rhyolite at the contact with a porphyritic felsic dike. WST-19-0076 was drilled from underground drill station AN-150-200-E located 150 metres below surface from section 2475E.

WST-19-0160A intersected 8.04 g/t Au over 3.6 metres in Zone 27. Mineralization consists of 30 to 70% pyrite and tourmaline pygmatic veinlets hosted in a moderate sericite altered and bleached andesite. WST-19-0160A was drilled from underground drill station AN-195-225-E located 195 metres below surface from section 2400E.

WST-19-0161A intersected 8.71 g/t Au over 4.0 metres and 18.5 g/t Au over 9.0 metres in Zone 27. The first interval consists of 15% disseminated pyrite with quartz-carbonate veins in a moderate sericite altered and bleached andesite. The second interval consists of 15% disseminated pyrite and 1% chalcopyrite in a moderate silica and weak sericite altered porphyritic felsic dike. WST-19-0161A was drilled from underground drill station AN-195-225-E located 195 metres below surface from section 2400E.

WST-19-0162 intersected 5.85 g/t Au over 4.0 metres in Zone 27. Mineralization consists of 20% disseminated pyrite in a moderate sericite and weak silica altered and bleached andesite. WST-19-0162 was drilled from underground drill station AN-195-225-E located 195 metres below surface from section 2400E.

WST-19-0183 intersected 3.92 g/t Au over 2.0 metres in Zone 27. Mineralization consists of 40% semi-massive pyrite in a moderate sericite and weak silica altered porphyritic felsic dike. WST-19-0183 was drilled from underground drill station AN-140-270-S located 140 metres below surface from section 2575E.

WST-19-0184 intersected 4.41 g/t Au over 2.0 metres in Zone 27. Mineralization consists of 35% semi-massive pyrite hosted in a moderate silica altered rhyolite. WST-19-0184 was drilled from underground drill station AN-140-270-S located 140 metres below surface from section 2575E.

WST-19-0186 intersected 4.17 g/t Au over 2.0 metres in Zone 27. Mineralization consists of 3% disseminated pyrite in a weak silica altered rhyolite. WST-19-0186 was drilled from underground drill station AN-140-270-S located 140 metres below surface from section 2575E.

WST-19-0187 intersected 6.02 g/t Au over 2.1 metres in Zone 27. Mineralization consists of 1% pyrite in quartz-carbonate veins, trace pyrite-tourmaline stringers, and 2% disseminated, clustered, and stringer pyrite hosted in a weak silica altered and bleached andesite. WST-19-0187 was drilled from underground drill station RA-195-225-O located 185 metres below surface from section 2250E.

WST-19-0188 intersected 3.46 g/t Au over 5.05 metres in Caribou and 4.93 g/t Au over 2.0 metres and 76.6 g/t Au over 2.1 metres in Zone 27. The first interval consists of 10% pyrite stringers in a weakly bleached porphyritic felsic dike. The second interval consist of 20% disseminated and trace pyrite with tourmaline pygmatic veins hosted in moderately bleached andesite. The third interval consists of 25% disseminated pyrite with pervasive silica flooding and 5% pyrite stringers hosted in a strong silica altered and brecciated porphyritic felsic intrusion. WST-19-0188 was drilled from underground drill station RA-195-225-O located 185 metres below surface from section 2250E.

WST-19-0189 intersected 8.22 g/t Au over 2.0 metres and 3.08 g/t Au over 2.1 metres in Zone 27. The first interval consists of 2% pyrite stringers in a weak silica-sericite altered porphyritic felsic dike. The second interval consists of 10% pyrite-tourmaline stringers, 5% fragmental pyrite, and 2% disseminated, clustered, and stringer pyrite hosted in a weak sericite altered porphyritic felsic dike. WST-19-0189 was drilled from underground drill station RA-195-225-O located 185 metres below surface from section 2250E.

WST-19-0190 intersected 3.42 g/t Au over 3.4 metres in Zone 27. Mineralization consists of 4% pyrite tourmaline pygmatic veins and 1% disseminated pyrite in a weak silica altered porphyritic felsic dike. WST-19-0189 was drilled from underground drill station RA-195-225-O located 185 metres below surface from section 2250E.

WST-19-0191 intersected 9.13 g/t Au over 2.2 metres in Zone 27. Mineralization consists of 3% disseminated pyrite, 2% pyrite-tourmaline stringers and 5% pyrite stringers hosted in moderate silica altered and bleached andesite. WST-19-0191 was drilled from underground drill station RA-195-225-O located 185 metres below surface from section 2250E.

WST-19-0192 intersected 3.31 g/t Au over 2.3 metres in Caribou, 9.05 g/t Au over 2.8 metres and 7.08 g/t Au over 2.3 metres in Zone 27. The first interval consists of 15% pyrite-tourmaline stringers and trace disseminated pyrite in a moderate sericite, weak silica altered and strongly bleached andesite. The second interval consists of 3% pyrite with quartz-tourmaline veinlets, 3% disseminated pyrite with quartz veins, and 2% pyrite stringers hosted in moderate sericite altered porphyritic felsic dike. The third interval consists of 10% pyrite and pyrite-tourmaline stringers hosted in a moderate sericite altered porphyritic felsic dike. WST-19-0192 was drilled from underground drill station RA-195-225-O located 185 metres below surface from section 2250E.

WST-19-0193 intersected 3.34 g/t Au over 2.0 metres in Caribou and 9.26 g/t Au over 2.5 metres in Zone 27. The first interval consists of 10% pyrite-tourmaline stringers in a moderate sericite and weak silica altered porphyritic felsic dike. The second interval consists of 7% disseminated pyrite with quartz-carbonate veins and pyrite-tourmaline stringers hosted in a moderate silica-sericite and weak fuchsite altered gabbro. WST-19-0193 was drilled from underground drill station RA-195-225-O located 195 metres below surface from section 2325E.

WST-19-0194 intersected 6.42 g/t Au over 2.1 metres in Zone 27. Mineralization consists of trace disseminated pyrite in a moderate chlorite and weak silica-sericite altered rhyolite. WST-19-0210 was drilled from underground drill station RA-195-225-O located 195 metres below surface from section 2325E.

WST-19-0210 intersected 7.30 g/t Au over 2.0 metres in Lynx. Mineralization consists of trace disseminated

pyrite in a moderate chlorite and weak silica-sericite altered rhyolite. WST-19-0210 was drilled from underground drill station AN-225-190-O located 225 metres below surface from section 3425E.

WST-19-0214 intersected 6.72 g/t Au over 2.3 metres in Caribou. Mineralization consists of 5% pyrite stringers and 2% pyrite clusters with weak local silica alteration hosted in a moderate sericite altered rhyolite. WST-19-0214 was drilled from underground drill station AN-140-270-S located 140 metres below surface from section 2575E.

WST-19-0219 intersected 3.98 g/t Au over 2.0 metres in Caribou. Mineralization consists of trace disseminated and stringer pyrite hosted in a moderate silica altered porphyritic felsic dike. WST-19-0219 was drilled from underground drill station BF-160-150-S located 160 metres below surface from section 2400E.

WST-19-0220 intersected 8.46 g/t Au over 2.1 metres in Zone 27 and 4.01 g/t Au over 2.1 metres, and 5.24 g/t Au over 2.0 metres in Caribou. The first interval consists of trace disseminated and clustered pyrite in a moderate sericite altered gabbro. The second interval consists of 3% pyrite stringers and trace sphalerite hosted in a moderate sericite and weak silica altered porphyritic felsic dike. The third interval consists of 6% pyrite stringers with silica flooding hosted in a moderate sericite and silica altered rhyolite. WST-19-0220 was drilled from underground drill station BF-160-150-S located 160 metres below surface from section 2400E.

WST-19-0221 intersected 14.5 g/t Au over 2.0 metres in Caribou. Mineralization consists of 3% pyrite stringers with silica flooding hosted in a moderate sericite altered rhyolite. WST-19-0221 was drilled from underground drill station BF-160-150-S located 160 metres below surface from section 2400E.

WST-19-0222A intersected 4.52 g/t Au over 2.0 metres, 6.66 g/t Au over 2.0 metres, 3.07 g/t Au over 2.4 metres and 83.8 g/t Au over 2.1 metres in Caribou. The first interval consists of 5% pyrite stringers in stockwork and 1% disseminated pyrite in a moderate sericite and strongly silica altered rhyolite and porphyritic felsic dike. The second interval consists of trace pyrite stringers in a moderate sericite altered porphyritic dike. The third interval consists of trace pyrite stringers and 1% pyrite with quartz-carbonate veins in a moderate silica-sericite-chlorite altered porphyritic felsic dike. The fourth interval consists of local visible gold, 2% disseminated chalcopyrite and pyrite with quartz-tourmaline veins and 1% disseminated pyrite hosted in a moderate sericite altered porphyritic felsic dike. WST-19-0222A was drilled from underground drill station AN-150-200-E located 150 metres below surface from section 2475E.

WST-19-0223 intersected 3.46 g/t Au over 2.0 metres in Caribou. Mineralization consists of 3% disseminated, clustered and stringer pyrite with quartz-tourmaline veinlets and tourmaline pygmatic veinlets hosted in a moderate sericite altered porphyritic felsic dike at the contact with a moderate sericite altered rhyolite. WST-19-0223 was drilled from underground drill station AN-150-200-E located 150 metres below surface from section 2475E.

WST-19-0224 intersected 12.6 g/t Au over 5.1 metres in Caribou. Mineralization consists of 20% disseminated, clustered and stringer pyrite hosted in a strongly silica and moderate sericite altered porphyritic felsic intrusion. WST-19-0224 was drilled from underground drill station AN-150-200-E located 150 metres below surface from section 2475E.

WST-19-0225 intersected 4.64 g/t Au over 2.3 metres in Caribou. Mineralization consists of 2% pyrite clusters and 1% pyrite stringers hosted in a bleached rhyolite. WST-19-0225 was drilled from underground drill station AN-150-200-E located 150 metres below surface from section 2475E.

WST-19-0226 intersected 46.4 g/t Au over 2.4 metres in Zone 27. Mineralization consists of 10% pyrite clusters and 3% pyrite stringers hosted in a moderate sericite altered rhyolite. WST-19-0226 was drilled from underground drill station AN-140-270-S located 140 metres below surface from section 2575E.

WST-19-0227 intersected 26.7 g/t Au over 2.0 metres and 3.18 g/t Au over 2.0 metres in Caribou. The first interval consists of 25% pyrite in semi-massive bands and 2% pyrite ±tourmaline veinlets in a strong silica altered faulted rhyolite. The second interval consists of 20% pyrite stringers with a quartz-tourmaline vein hosted in a moderate silica and sericite altered and faulted rhyolite. WST-19-0227 was drilled from underground drill station AN-140-270-S located 140 metres below surface from section 2575E.

WST-19-0244 intersected 8.22 g/t Au over 3.3 metres, 21.1 g/t Au over 2.0 metres and 26.9 g/t Au over 3.4 metres in Lynx. The first interval consists of local visible gold in a smoky quartz vein hosted in a moderate sericite and weak silica altered fragmental felsic intrusion. The second interval consists of local visible gold and 3% disseminated pyrite with pervasive silica flooding hosted in a moderate sericite-fuchsite and locally strong silica altered rhyolite. The third interval consists of 5% pyrite stringers and trace chalcopyrite with local dismembered pseudo-crustiform veins hosted in a moderate sericite-silica-fuchsite altered rhyolite. WST-19-0244 was drilled from underground drill station AN-195-265-S located 195 metres below surface from section 3500E.

WST-19-0245 intersected 8.54 g/t Au over 2.8 metres in Lynx. Mineralization consists of local visible gold and 5% pyrite stringers in a dismembered smoky quartz vein hosted in a moderate sericite and weak silica altered fragmental felsic intrusion. WST-19-0245 was drilled from underground drill station AN-195-265-S located 195 metres below surface from section 3500E.

WST-19-0246 intersected 3.55 g/t Au over 2.1 metres in Lynx. Mineralization consists of 1% pyrite stringers with dismembered smoky quartz veinlets hosted in a moderate sericite and weak silica altered rhyolite. WST-19-0246 was drilled from underground drill station AN-195-265-S located 195 metres below surface from section 3500E.

WST-19-0247 intersected 29.8 g/t Au over 2.0 metres in Lynx. Mineralization consists of local visible gold and 8% disseminated and stringer pyrite associated with smoky quartz veins hosted in a fragmental felsic intrusion with moderate to strong silica alteration. WST-19-0247 was drilled from underground drill station AN-195-265-S located 195 metres below surface from section 3500E.

WST-19-0248 intersected 5.76 g/t Au over 2.5 metres in Lynx. Mineralization consists of 5% disseminated pyrite within a smoky quartz vein in a fragmental felsic intrusion with moderate to strong silica alteration. WST-19-0248 was drilled from underground drill station AN-195-265-S located 195 metres below surface from section 3500E.

WST-19-0250 intersected 4.02 g/t Au over 2.0 metres, 30.2 g/t Au over 2.6 metres, 3.05 g/t Au over 2.3 metres and 8.30 g/t Au over 2.0 metres in Lynx. The first interval consists of local visible gold, 2% disseminated pyrite, and trace pyrite and sphalerite in fracture filling with pervasive silica flooding hosted in a weak silica-fuchsite and moderate sericite altered fragmental felsic intrusion. The second interval consists of local visible gold and 3% disseminated pyrite with pervasive silica flooding hosted in a moderate sericite altered fragmental felsic intrusion. The third interval consists of 3% disseminated pyrite and trace pyrite stringers in a moderate sericite altered fragmental felsic intrusion. The last interval consists of local visible gold and 1% pyrite in a 4-centimetre wide vein hosted in a moderate sericite and weak silica altered fragmental felsic intrusion. WST-19-0250 was drilled from underground drill station RA-180-190-E located 195 metres below surface from section 3450E.

WST-19-0251 intersected 135 g/t Au over 2.5 metres in Lynx. Mineralization consists of local visible gold, 2% pyrite clusters and trace sphalerite with weak pervasive silica flooding hosted in a weak sericite altered fragmental felsic intrusion. WST-19-0251 was drilled from underground drill station RA-180-190-E located 180 metres below surface from section 3450E.

WST-19-0252 intersected 7.31 g/t Au over 2.1 metres, 8.78 g/t Au over 2.2 metres and 6.29 g/t Au over 2.1 metres in Lynx. Mineralization in all three intervals consists of local visible gold, up to 15% pyrite, and local sphalerite with pervasive silica flooding hosted in a moderate sericite and moderate to strong silica altered fragmental felsic intrusion. WST-19-0252 was drilled from underground drill station RA-180-190-E located 180 metres below surface from section 3450E.

WST-19-0253 intersected 38.4 g/t Au over 2.3 metres, 8.32 g/t Au over 2.1 metres, and 7.49 g/t Au over 2.4 metres in Lynx. The first interval consists of local visible gold, 20% pyrite, and 1% sphalerite with pervasive silica flooding hosted in a strong silica altered and moderate sericite altered fragmental felsic unit. The second interval consists local visible gold, trace electrum, 10% pyrite and 1% sphalerite with pervasive silica flooding hosted at the contact between a moderate silica altered porphyritic felsic intrusion with a moderate sericite altered rhyolite. The third interval consists of trace disseminated and stringer pyrite in a weak sericite altered and strongly faulted rhyolite. WST-19-0253 was drilled from underground drill station RA-180-190-E located 180 metres below surface from section 3450E.

WST-19-0254 intersected 17.1 g/t Au over 2.4 metres and 5.84 g/t Au over 2.6 metres in Lynx. The first interval consists of 5% pyrite and 1% sphalerite with pervasive silica flooding in a moderate silica and fuchsite altered fragmental felsic dike. The second interval consists of 5% pyrite with pervasive silica flooding hosted at the moderately silicified contact between a fragmental felsic intrusion and a rhyolite. WST-19-0254 was drilled from underground drill station RA-180-190-E located 180 metres below surface from section 3450E.

WST-19-0263 intersected 4.26 g/t Au over 2.3 metres and 8.46 g/t Au over 2.5 metres in Lynx. Mineralization in both intervals consists of local visible gold in pervasive silica flooding and 5% disseminated, clustered, and stringer pyrite hosted in a moderate sericite altered fragmental intrusion. WST-19-0263 was drilled from underground drill station AN-195-265-S located 195 metres below surface from section 3500E.

WST-19-0272 intersected 9.29 g/t Au over 2.4 metres in Lynx. Mineralization consists of 4% pyrite stringers and clusters at the contact with a moderately bleached rhyolite and a moderate fuchsite altered gabbro. WST-19-0272 was drilled from underground drill station BM-200-285-S located 200 metres below surface from section 3525E.

WST-19-0273A intersected 77.7 g/t Au over 2.1 metres in Lynx. Mineralization consists of 1% disseminated pyrite in a moderate silica and sericite altered and weakly faulted rhyolite. WST-19-0273A was drilled from underground drill station BM-200-285-S located 200 metres below surface from section 3525E.

WST-19-0276 intersected 17.8 g/t Au over 2.4 metres and 6.38 g/t Au over 2.1 metres in Lynx. Mineralization in both intervals consists of local visible gold, 7% disseminated and stringer pyrite in pervasive silica flooding with local quartz-tourmaline veins hosted in a strong silica and moderate to strong sericite altered rhyolite and the contact with a moderate silica and chlorite altered gabbro. WST-19-0276 was drilled from underground drill station BM-200-285-S located 200 metres below surface from section 3525E.

WST-19-0277 intersected 4.91 g/t Au over 2.3 metres in Lynx. Mineralization consists of 7% disseminated and clustered pyrite within a quartz-tourmaline veins and pyrite stringers with dismembered quartz veinlets hosted in a strong silica and moderate sericite and fuchsite altered gabbro with local bleaching. WST-19-0277 was drilled from underground drill station BM-200-285-S located 200 metres below surface from section 3525E.

WST-19-0278 intersected 7.27 g/t Au over 2.0 metres in Lynx. Mineralization consists of 5% disseminated and clustered pyrite with pervasive silica flooding and quartz-tourmaline veins hosted at the contact between a strong silica and moderate chlorite and fuchsite altered gabbro and a strong silica and moderate sericite altered rhyolite. WST-19-0278 was drilled from underground drill station BM-200-285-S located 200 metres below surface from section 3525E.

Qualified Person

The scientific and technical content of this news release has been reviewed, prepared and approved by Mr. Louis Grenier, M.Sc.A., P.Ge. (OGQ 800), Project Manager of Osisko's Windfall Lake gold project, who is a "qualified person" as defined by National Instrument 43-101 – Standards of Disclosure for Mineral Projects ("NI 43-101").

Quality Control and Reporting Protocols

True width determination is estimated at 55-80% of the reported core length interval for the zone. Assays are uncut except where indicated. Intercepts occur within geological confines of major zones but have not been correlated to individual vein domains at this time. Reported intervals include minimum weighted averages of 3.0 g/t Au diluted over core lengths of at least 2.0 metres. All NQ core assays reported were obtained by either 1-kilogram screen fire assay or standard 50-gram fire-assaying-AA finish or gravimetric finish at (i) ALS Laboratories in Val d'Or, Québec, Thunder Bay, Ontario, Sudbury, Ontario or Vancouver, British Columbia, or (ii) Bureau Veritas in Timmins, Ontario. The 1-kilogram screen assay method is selected by the geologist when samples contain coarse gold or present a higher percentage of pyrite than surrounding intervals. Selected samples are also analyzed for multi-elements, including silver, using an Aqua Regia-ICP-AES method at ALS Laboratories. Drill program design, Quality Assurance/Quality Control ("QA/QC") and interpretation of results is performed by qualified persons employing a QA/QC program consistent with NI 43-101 and industry best practices. Standards and blanks are included with every 20

samples for QA/QC purposes by the Corporation as well as the lab. Approximately 5% of sample pulps are sent to secondary laboratories for check assay.

About the Windfall Lake Gold Deposit

The Windfall Lake gold deposit is located between Val-d'Or and Chibougamau in the Abitibi region of Québec, Canada. The mineral resource defined by Osisko, as disclosed in the Windfall Lake Technical Report (as defined below) and November 27, 2018 Lynx resource update, comprises 2,874,000 tonnes at 8.17 g/t Au (754,000 ounces) in the indicated mineral resource category and 10,352,000 tonnes at 7.11 g/t Au (2,366,000 ounces) in the inferred mineral resource category. For details regarding the key assumptions, parameters and methods used to estimate the mineral resources presented in respect of the Windfall Lake gold project, please see the technical report entitled "Technical Report and Mineral Resource Estimate for the Windfall Lake Project, Windfall Lake and Urban-Barry Properties" and dated June 12, 2018 (effective date of May 14, 2018), which has been prepared by InnovExplo Inc. from Val-d'Or, Québec (the "Windfall Lake Technical Report") and the press release "Osisko Releases Mineral Resource Update for Lynx" dated November 27, 2018, which has been prepared by Osisko and reviewed and approved by Micon International, Ltd. from Toronto, Ontario. The Windfall Lake Technical Report and press release are available on Osisko's website at www.osiskomining.com and on SEDAR under Osisko's issuer profile at www.sedar.com. The Windfall Lake gold deposit is currently one of the highest-grade resource-stage gold projects in Canada. Mineralization occurs in four principal zones: Lynx, Zone 27, Caribou and Underdog. All zones comprise sub-vertical lenses following intrusive porphyry contacts plunging to the northeast. The deposit is well defined from surface to a depth of 900 metres and remains open along strike and at depth. Mineralization has been identified 30 metres from surface in some areas and as deep as 2,000 metres in others, with significant potential to extend mineralization down-plunge and at depth.

About Osisko Mining Inc.

Osisko is a mineral exploration company focused on the acquisition, exploration, and development of precious metal resource properties in Canada. Osisko holds a 100% interest in the high-grade Windfall Lake gold deposit located between Val-d'Or and Chibougamau in Québec and holds a 100% undivided interest in a large area of claims in the surrounding the Urban Barry area and nearby Quévillon area (over 2,700 square kilometres).

Cautionary Note Regarding Forward-Looking Information

This news release contains "forward-looking information" within the meaning of the applicable Canadian securities legislation that is based on expectations, estimates, projections and interpretations as at the date of this news release. The information in this news release about the Windfall Lake gold deposit being one of the highest grade resource-stage gold projects in Canada; the significance of results from the new infill drilling and ongoing drill definition and expansion program at the Windfall Lake gold project; the significance of assay results presented in this news release; the deposit remaining open along strike and at depth; potential depth extensions of the mineralized zones down-plunge and at depth; the actual mineralization of local visible gold; the current drill program; the type of drilling included in the drill program; potential mineralization; the potential to extend mineralization up and down-plunge and at depth at the Windfall Lake gold deposit; the ability to realize upon any mineralization in a manner that is economic; the ability to complete any proposed exploration activities and the results of such activities, including the continuity or extension of any mineralization; and any other information herein that is not a historical fact may be "forward-looking information". Any statement that involves discussions with respect to predictions, expectations, interpretations, beliefs, plans, projections, objectives, assumptions, future events or performance (often but not always using phrases such as "expects", or "does not expect", "is expected", "interpreted", "management's view", "anticipates" or "does not anticipate", "plans", "budget", "scheduled", "forecasts", "estimates", "believes" or "intends" or variations of such words and phrases or stating that certain actions, events or results "may" or "could", "would", "might" or "will" be taken to occur or be achieved) are not statements of historical fact and may be forward-looking information and are intended to identify forward-looking information. This forward-looking information is based on reasonable assumptions and estimates of management of the Corporation at the time such assumptions and estimates were made, and involves known and unknown risks, uncertainties and other factors which may cause the actual results, performance or achievements of Osisko to be materially different from any future results, performance or achievements expressed or implied by such forward-looking information. Such factors include, among others, risks relating to the ability of exploration activities (including drill results) to accurately predict mineralization; errors in management's geological modelling; the ability of Osisko to complete further exploration activities, including drilling; property interests in the Windfall Lake gold project; the ability of the Corporation to obtain required approvals and complete transactions on terms announced; the results of exploration activities; risks relating to mining activities; the global economic climate; metal prices; dilution; environmental risks; and community and non-governmental actions. Although the forward-looking information contained in this news release is based upon what management believes, or believed at the time, to be reasonable assumptions. Osisko cannot assure shareholders and prospective purchasers of securities of the

Corporation that actual results will be consistent with such forward-looking information, as there may be other factors that cause results not to be as anticipated, estimated or intended, and neither Osisko nor any other person assumes responsibility for the accuracy and completeness of any such forward-looking information, Osisko does not undertake, and assumes no obligation, to update or revise any such forward-looking statements or forward-looking information contained herein to reflect new events or circumstances, except as may be required by law.

For further information please contact: John Burzynski
President and Chief Executive Officer Telephone: (416) 363-8653

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/342099--Osisko-Intersects-High-Grade-at-Windfall.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).