

# Juggernaut / DSM Syndicate Cuts 3.75 Meters of 7.86 Grams Per Tonne Gold Equivalent on Goldstar Property Remains Open

18.02.2020 | [GlobeNewswire](#)

VANCOUVER, Feb. 18, 2020 - [Juggernaut Exploration Ltd.](#) (JUGR.V) (the "Company" or "Juggernaut") is pleased to report channel sample results from the Goldilocks Zone containing assays of 7.86g/t AuEq over 3.75m true width. This channel was taken over a 3.75m wide section to partially test a 10.5m wide outcrop containing extensive veining and alteration, the channel started in 9.01 g/t AuEq and ended in 10.79 g/t AuEq and remains open. The Goldilocks Zone discovered in 2018 is 190m long by 20 meters wide and extends for 160 m vertical relief. It is located 500 m north of the Yellow Brick Road Gold Zone, and remains open. The Yellow Brick Road Zone was discovered in 2017, mapped for 170 meters and remains open. Channel samples assayed up to 24.55 grams per tonne gold equivalent over 0.3 meters (20.6 g/t Au, 329 g/t Ag, 0.02 % Pb *DSM Oct 30<sup>th</sup> 2018*). These two high grade gold zones are in an under-explored region of extensive glacial and snow pack recession providing vast areas of newly exposed bedrock with excellent potential for additional gold discoveries. (Property Map with highlights)

Property Highlights Include:

- Goldilocks Zone Drill Ready
  - Goldilocks Zone is demarked by multiple outcrops that daylight in glacial talus containing high-grade gold and polymetallic mineralization with grab samples assaying up to 40 g/t AuEq. The zone is defined by veining and altered host rock over an area of 190m by 20m and 160m vertical relief that remains open. To date 84% of samples taken assayed greater than 1.0 g/t gold confirming the continuity of the widespread gold mineralization. (Link to image)
  - 2019 Channel Cut within the Goldilocks zone consisted of a 3.75m cut to partially test a 10.5m wide section of exposed outcrop. Assays returned 7.86 g/t AuEq over 3.75m true width. This channel started in 9.01 g/t AuEq and ended in 10.79 g/t AuEq leaving the zone open. This zone also contains gold mineralization confirmed in the host rock (pyritic chlorite schist) that assayed 1.13 g/t AuEq over a 1-meter interval within the 3.75-meter channel (Link to new 2019 Video)
- Yellow Brick Road Zone Drill Ready
  - Located 500 meters south of Goldilocks, the Yellow Brick Road Zone has been traced for 170 meters, and remains open (link to 2018 video)
  - Channel samples over 0.3 metre assay up to 28.7 g/t Au, 410 g/t Ag, 1.4 % Cu, and 6 % Pb (link to image)
  - The Yellow Brick Road Zone contains pyrite-chalcopyrite-galena bearing, vuggy quartz veins that are up to 1 meter wide with chip samples up to 24.55 AuEq over 1 meter (20.6 g/t Au, 329 g/t Ag, 0.02 % Pb) and with grab samples assaying up to 55.80 g/t Au and 2340 g/t Ag. The veins are encompassed by a pyritic and quartz-sericite-pyrite alteration envelope that is up to 30 cm wide.

The high-grade gold and silver mineralization confirmed on surface at these two discovery zones located 500 meters apart coupled with multiple other newly discovered gold mineralized outcrops in the surrounding area provides strong drill targets to test for a large common gold mineralizing system at depth. Drilling is recommended to outline the full extent of the surface gold mineralization both along strike and to depth. (link to map)

Host rock is variably altered with zones of pervasive chloritization, oxidized pyritization, and local clay alteration that contain gold and silver mineralization. The Yellow Brick Road Zone is pyrite-chalcopyrite-galena bearing, vuggy quartz veins are up to 1 meter wide with an encompassing pyritic and quartz-sericite-pyrite alteration envelope that is up to 30 cm wide. Off-shoot veinlets form local breccia and stock work in the altered wall rock. Sulphides occur as coarse seams and dissemination within quartz vein material.

Table 1: Goldilocks Zone Channel Results 2019

<https://www.globenewswire.com/NewsRoom/AttachmentNg/93219fa2-6a37-420e-8789-4a15f3573e33>

<sup>3</sup>AuEq metal values are calculated using: Au \$1574.05/oz, Ag \$17.78/oz, Cu \$2.56/lb, Pb \$0.97/lb Prices on February 11<sup>th</sup> 2020

Table 2: Goldstar Property Highlights from 2017 and 2018 (DSM Oct 30<sup>th</sup> 2018)

Sample #	Zone	Channel/Chip/Grab <sup>1</sup>	Length (metres)	Gold (g/t)	Silver (g/t)	Copper %	Lead %	Gold Eq <sup>3</sup>
W496968	Yellow Brick Road	Grab		29.60	845.00	0.30	0.55	40.47
W497407	Yellow Brick Road	Channel	0.30	28.70	410.00	1.40	6.00	38.88
W496863	Goldilocks	Chip	1.00	20.60	329.00	0.00	0.02	24.55
W496860	Goldilocks	Grab		11.70	313.00	0.09	0.03	15.60
W497406	Yellow Brick Road	Channel	0.30	11.10	260.00	1.97	1.28	18.00
W496862	Goldilocks	Chip	1.50	9.34	353.00	0.05	0.02	13.65
W496970	Yellow Brick Road	float		6.82	141.00	0.54	0.05	9.40
W496969	Yellow Brick Road	Grab		5.33	113.00	0.20	0.52	7.27
W386012	Yellow Brick Road	Grab		4.90	74.10	0.05	0.46	6.10
W496920	Goldilocks	Chip	1.00	4.28	133.00	0.00	0.00	5.87
W497408	Yellow Brick Road	Channel	0.27	3.91	89.40	0.05	0.05	5.08
W496922	Goldilocks	Grab		2.99	761.00	0.96	0.42	13.84
W496861	Goldilocks	Grab		2.65	52.00	0.00	0.03	3.29
W496865	Goldilocks	Grab		2.55	44.30	0.01	0.02	3.11
W496971	Yellow Brick Road	Chip	1.00	2.45	48.50	0.25	0.03	3.44
W496921	Goldilocks	Grab		1.42	32.50	0.00	0.09	1.85
W496924	Goldilocks	Chip	0.50	1.15	27.00	0.00	0.00	1.47
W496919	Goldilocks	Chip	1.50	0.77	19.10	0.00	0.00	0.99
W497409	Yellow Brick Road	Channel	0.75	0.26	2.70	0.01	0.01	0.31
W496864	Goldilocks	Grab		0.12	5.30	0.00	0.00	0.18
W387515 <sup>4</sup>	Yellow Brick Road	Grab		55.80	795.00	1.71	12.30	74.28
W387513 <sup>4</sup>	Yellow Brick Road	Grab		21.40	339.00	0.66	4.85	28.97
W387517 <sup>4</sup>	Yellow Brick Road	Grab		16.70	212.00	0.17	0.40	19.71
W387516 <sup>4</sup>	Yellow Brick Road	Grab		16.20	267.00	1.25	2.62	22.71
W387512 <sup>4</sup>	Yellow Brick Road	Grab		0.67	2340.00	1.67	0.11	31.39
W387514 <sup>4</sup>	Yellow Brick Road	Grab		9.28	152.00	0.07	0.13	11.28

<sup>1</sup>Grab samples are selective in nature and collected to determine the presence or absence of mineralization and are not intended to be representative of the material sampled

<sup>2</sup>True thickness of mineralized zone not known

<sup>3</sup>AuEq metal values are calculated using: Au \$1222.9/oz, Ag \$14.63/oz, Cu \$2.8499/lb

<sup>4</sup>2017 Sample Data

[Link to image gallery](#)

Based on excellent results from very limited exploration, follow up exploration program is strongly recommended including inaugural drilling, additional mapping, prospecting, bedrock sampling, ground geophysics, and Lidar.

Extensive regions of snowpack and glacial recession also provide large areas with strong gold potential that remain unexplored. Follow up work and drilling will focus on expanding the known extent of mineralization at the Yellow Brick Road and Goldilocks zones both along strike and to depth, which will lead to the understanding and modeling of this extensive gold-rich mineralizing system. Follow-up prospecting of the vast unexplored regions of the Goldstar Property adds to future discovery potential.

The Gold Star Property is situated on the central coast of BC and is located approximately 5.5 km from

logging access roads and lies within 4.5 km of tidewater, which provides for good access to infrastructure.

The Gold Star Property is an original discovery with no previous recorded work in the area. The prospect was generated and staked by the DSM Syndicate following positive results from a reconnaissance prospecting program.

The DSM syndicate owns 100% of The Gold Star property covering 238 hectares that it generated and staked. DSM is a private project generator that holds a total of six B.C. properties with the goal of optioning them to qualified parties. Additional information can be found on the DSM website at [www.dsmsyndicate.ca](http://www.dsmsyndicate.ca).

[Juggernaut Exploration Ltd.](#) (TSX-V: JUGR) owns a 20% interest in the DSM Syndicate.

#### *Qualified Person*

Rein Turna P. Geo is the qualified person as defined by National Instrument 43-101, for Juggernaut Exploration projects, and supervised the preparation of, and has reviewed and approved, the technical information in this release.

#### *Other*

All rock, channel and talus fine samples were crushed and pulverized at ALS Canada Ltd.'s lab in Vancouver, BC. ALS is either Certified to ISO 9001:2008 or Accredited to ISO 17025:2005 in all of its locations. The resulting sample pulps were analyzed for gold by fire assay in Vancouver, BC. The pulps were also assayed using multi-element aqua regia digestion at ALS Canada Ltd.'s lab in Vancouver, BC. The coarse reject portions of the rock samples, as well as the pulps, were shipped to DSM Syndicate's storage facility in Terrace, BC. All samples were analyzed using ALS Canada Ltd.'s assay procedure ME-ICP41, a 1:1:1 aqua regia digestion with inductively-coupled plasma atomic emission spectrometry (ICP-AES) or inductively-coupled plasma mass spectrometry (ICP-MS) finish for 35 elements as well as the Au-AA24 lead collection fire assay fusion procedure with atomic absorption spectroscopy (AAS) finish. Any results greater than 100 ppm for silver or 10,000 ppm copper, lead and zinc were additionally assayed using ALS's OG46 method particular to each element. This method used an HNO<sub>3</sub>-HCl digestion followed by ICP-AES (or titrimetric and gravimetric analysis). Gold values of greater than 10 ppm Au were assayed by the Au-GRA22 method which includes a fire-assay fusion procedure with a gravimetric finish. QA/QC samples including blanks, standards, and duplicate samples were inserted regularly into the sample sequence.

The reader is cautioned that grab samples are spot samples which are typically, but not exclusively, constrained to mineralization. Grab samples are selective in nature and collected to determine the presence or absence of mineralization and are not intended to be representative of the material sampled.

For more information, please contact:

[Juggernaut Exploration Ltd.](#)

Dan Stuart

President and Chief Executive Officer  
Tel: (604)-559-8028  
[www.juggernautexploration.com](http://www.juggernautexploration.com)

**NEITHER THE TSX VENTURE EXCHANGE NOR ITS REGULATION SERVICES PROVIDER (AS THAT TERM IS DEFINED IN THE POLICIES OF THE TSX VENTURE EXCHANGE) ACCEPTS RESPONSIBILITY FOR THE ADEQUACY OR ACCURACY OF THIS RELEASE.**

FORWARD LOOKING STATEMENT

Certain disclosure in this release may constitute forward-looking statements that are subject to numerous risks and uncertainties relating to Juggernaut's operations that may cause future results to differ materially from those expressed or implied by those forward-looking statements, including its ability to complete the contemplated private placement. Readers are cautioned not to place undue reliance on these statements. NOT FOR DISSEMINATION IN THE UNITED STATES OR TO U.S. PERSONS OR FOR DISTRIBUTION TO U.S. NEWSWIRE SERVICES. THIS PRESS RELEASE DOES NOT CONSTITUTE AN OFFER TO SELL OR AN INVITATION TO PURCHASE ANY SECURITIES DESCRIBED IN IT.

---

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/344682--Juggernaut---DSM-Syndicate-Cuts-3.75-Meters-of-7.86-Grams-Per-Tonne-Gold-Equivalent-on-Goldstar-Property->

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).