

# Jaxon Mining Inc. Reports on Blunt Mountain AOI

02.03.2020 | [Newsfile](#)

Consolidation of Land Position, Confirmation of Distal Polymetallic Sulfidation Vein Mineralization and Potential for Hidden Cu-Mo Porphyry Mineralization

Vancouver, March 2, 2020 - [Jaxon Mining Inc.](#) (TSXV: JAX) (FSE: 0U31) (OTC: JXMNF) ("Jaxon" or the "Company") is pleased to report the Company has consolidated its land position around the Blunt Mountain AOI and completed its evaluation of available data from previous studies conducted on the area. The information describes the potential for the existence of both a polymetallic sulfidation vein mineralization as well as Cu-Mo porphyry system mineralization. Blunt Mt. is one of four areas of geologic interest identified on the Company's Hazelton property.

<https://www.jaxonmining.com/news/2020/jaxon-extends-hazelton-property-to-463-km-sup-2-sup-delineates-four-major-areas>

Located at the northwest corner of the Hazelton property, the Blunt Mt. AOI spans 70.62 km<sup>2</sup> and consists of 12 claims (Figure 1). A newly consolidated project area, it includes 10 previously held claims, one newly acquired claim (#10646260) and one split claim (#1073848). After reviewing historical prospecting, staking, geological, geophysical and geochemical exploration work and completing a small surficial sampling program in 2017 and 2018, the Company opted to expand and consolidate the Blunt Mt. project area.

Figure 1: Claims map of Blunt Mountain project area (Blunt MT AOI)

To view an enhanced version of Figure 1, please visit:

[https://orders.newsfilecorp.com/files/881/52961\\_6fdfd34b542c5a08\\_001full.jpg](https://orders.newsfilecorp.com/files/881/52961_6fdfd34b542c5a08_001full.jpg)

The Blunt Mt. AOI lies on a north-western extension of the main Blunt Mountain peak approximately 21 km east of New Hazelton, B.C. and 52 km north of Smithers, B.C. Vehicle access is by a logging road connecting Highway 16 to the property, terminating approximately two km north of the main showing. The property lies within the Intermontane Belt of the Canadian Cordillera. The Skeena Arch, a broad structural high trending north-easterly, underlies the area.

From the mid 1980s through the early 2000s, sporadic exploration was conducted on the area. A government funded geochemical survey indicated anomalous silver, lead, arsenic and antimony values in the vicinity of Skilokis Creek. The area was then staked and limited prospecting, surficial geochemistry, geological mapping and geophysical surveys with hand trenching were completed. The programs included six diamond drill holes (totalling 378 m).

Historical assay results indicate a mineralization corridor along or near the contact zone between the granodiorite intrusive and hornfelsed sedimentary rock with up to 29.34 g/t Au, 5410 g/t Ag, 4478 ppm Cu, 4000 ppm Mo, 10% Pb, 8.2% Zn and 3.8% Sb (Table 1 and Figure 2).

Table 1: Polymetallic element assay results from historical assessment reports show significant high grade results

To view an enhanced version of Table 1, please visit:

[https://orders.newsfilecorp.com/files/881/52961\\_table1.jpg](https://orders.newsfilecorp.com/files/881/52961_table1.jpg)

A total of thirteen showings were identified from previous exploration. The showings are either copper-molybdenum porphyries or Ag-Au-Pb-Zn-Sb veins related to various Late Cretaceous Bulkley intrusive, forming a north-easterly trending mineralization corridor approximately 4 km long and 150 metres wide (Figure 2). Within the corridor, veins are occasionally exposed on surface, forming a continuous line or an en echelon system. Veins dip steeply and several veins are exposed by historical trenching over tens of

metres. The mineralization is associated with concentrations of galena, sphalerite, pyrite, arsenopyrite and stibnite in quartz and tourmaline veins and associated silicification. Adjacent rocks are altered intrusive or hornfels sedimentary rock.

The granodiorite intrusive is cut by a well-developed set of sheeted joints at an approximate 40 degree strike and is mineralized with amphibole-quartz-magnetite-apatite-sulfide vein. The veins may be zoned and laterally change to predominantly quartz-arsenopyrite-tourmaline vein.

Assay results from 19 outcrop grab and chip samples taken during the 2017 and 2018 field seasons are up to 1886 g/t Ag, 5.45 g/t Au, 2413 ppm Cu, 217 ppm Mo, >1% Pb, >1% Zn and >1% Sb (Table 2). These results confirm the historical assays and existence of a distal Au-Ag-Pb-Zn-Sb sulfide vein mineralization. The historical air magnetic anomalies outline the transition zone between the magnetic high to magnetic low, along the contact zone of Bowser Lake sedimentary rocks and Bulkley Creek intrusive. The developed quartz vein type polymetallic mineralization is overprinted near the contact intrusive and sedimentary rocks, interpreted as potential to host a hidden porphyry type Cu-Mo-Au-Ag mineralization along the magnetic transition belt at the Blunt Mt. AOI.

Sample ID	Sample Year	Easting	Northing	Sample Type	Description
A0003663	2017	611117	6123060	0.5 grab	50 cm wide qtz vein , strong sericite alteration, semi massive
A0003664	2017	611126	6123072	4.4 grab	50 cm wide qtz vein , strong sericite alteration, semi massive
A0003754	2017	611490	6123302	chip	qtz. Msv vein 1.5 m x 5 m exposed brecciated, galena, 10%, SE Sample Width 1.50 m
A0003755	2017	611702	6123636	chip	brecciated qtz. Msv vein 3 cm x 3m in seds strike 210 / vert. g
A0003756	2017	611710	6123636	grab	5cm x 1 m strlke 200/ dip vert in shale
A0003757	2017	611675	6123572	grab	brecciated qtz. Msv vein buried 5-7 m wide fg massive galena
A0003758	2017	611899	6123862	grab	brecciated qtz. Msv vein 30-50 cm wide fg massive galena.py
A0003759	2017	611075	6123127	grab	brecciated qtz. Msv vein 10-15 cm wide x 1m 210/vert clay alt
A0003760	2017	611059	6123092	grab	brecciated qtz. Msv vein 10-15 cm wide x 1m 210/vert clay alt
719767	2018	611990	6118964	Grab	Granodiorite with 5cm dark green cell of fine grained extrusive

Table 2: Significant assay results and samples details from Blunt Mt. AOI

To view an enhanced version of Table 1, please visit:  
[https://orders.newsfilecorp.com/files/881/52961\\_table2.jpg](https://orders.newsfilecorp.com/files/881/52961_table2.jpg)

Figure 2: Outline of compiled geology, historical showings and sample location map of mineralisation corridor at Blunt Mt. AOI

To view an enhanced version of Figure 2, please visit:  
[https://orders.newsfilecorp.com/files/881/52961\\_6fdfd34b542c5a08\\_004full.jpg](https://orders.newsfilecorp.com/files/881/52961_6fdfd34b542c5a08_004full.jpg)

Mr. John King Burns, CEO and Chairman of the Board commented, "The porphyries on our property could potentially be part of the same system and may be related to the same ore-forming processes. This possibility will be examined in the course of future exploration. We believe the 4 km long and up to 150 m wide vein system at Blunt Mt. represents a surface expression generated by a large porphyry intrusive system. Numerous feldspar porphyry dykes were discovered on the property in close proximity to the sulfidation vein mineralization. A large propylitic alteration halo sits in the east part of the area, extending to the east section of the Red Springs porphyry system. This is very interesting and prospective geology in a highly accessible part of British Columbia."

The Company will be represented at PDAC in Toronto. Jaxon will be at booth 3009 with Wildsky Resources from March 1 to March 4, 2020.

### Sample Preparation and Analyses

All samples described in the news release were collected by the Company's Qualified Professional Geologists. Chip and prospecting samples were collected in the field by experienced, professional geological staff who selected hand samples from outcrop or chip samples. The samples were numbered, described and located in the field for follow-up. Numbered rock samples tags were placed inside each bag, securely closed for transport to the Company's secure cold storage locked facility in Smithers, B.C. MS Analytical of Langley, B.C. received the Rice Bag shipments after secure transport from Smithers. Samples were prepared by crushing, grinding and pulverizing to a pulp with barren material washing between each sample at the crush and pulverizing stages. Then 20 g of pulp was used for the (IMS-117 code) ultra-trace level ICP/MS AR digestion method, and four acid 0.2 g ore grade ICP - AES method (ICP-240) and for the overlimit gold the FAS-415 method of 30 g fusion Gravimetric method was used to report gold ASSAYS. Overlimit silver is determined by Fire ASSAY 415 method. Laboratory standards and QA - QC is monitored by the Company.

### Qualified Person

Yingting (Tony) Guo, P.Geo., President and Chief Geologist for [Jaxon Mining Inc.](#), a Qualified Person as defined by National Instrument 43-101, has reviewed and prepared the scientific and technical information and verified the data supporting such scientific and technical information contained in this news release.

### About Jaxon Mining Inc.

Jaxon is a precious and base metals exploration company with a regional focus on Western Canada. The Company is currently focused on advancing its Red Springs Project in north-central British Columbia.

### ON BEHALF OF THE BOARD OF DIRECTORS [Jaxon Mining Inc.](#)

"John King Burns"  
John King Burns, Chairman

For more information please contact:

Investor Relations  
Kaye Wynn Consulting  
T: 604-558-2630  
TF: 1-888-280-8128  
E: [info@kayewynn.com](mailto:info@kayewynn.com)

Freeform Communications  
T: 604-243-0499  
E: [enquiries@freeformcom.com](mailto:enquiries@freeformcom.com)

Corporate  
T: 604-398-5394  
E: [info@jaxonmining.com](mailto:info@jaxonmining.com)  
[www.jaxonmining.com](http://www.jaxonmining.com)

*This news release may contain forward-looking information, which is not comprised of historical facts. Forward-looking information involves risks, uncertainties and other factors that could cause actual events, results, performance, prospects and opportunities to differ materially from those expressed or implied by such forward-looking information. Forward-looking information in this news release may include, but is not*

*limited to, the Company's objectives, goals or future plans. Factors that could cause actual results to differ materially from such forward-looking information include, but are not limited to, those risks set out in the Company's public documents filed on SEDAR. Although the Company believes that the assumptions and factors used in preparing the forward-looking information in this news release are reasonable, undue reliance should not be placed on such information, which only applies as of the date of this news release, and no assurance can be given that such events will occur in the disclosed time frames, or at all. The Company disclaims any intention or obligation to update or revise any forward-looking information, whether as a result of new information, future events or otherwise, other than as required by law. Neither TSX Venture exchange nor its Regulations Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.*

---

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/345910--Jaxon-Mining-Inc.-Reports-on-Blunt-Mountain-AOI.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinen](#).