

Infill Drilling at San Albino Complete, Highlighted by Intercepts of 69.99 g/t Gold Over 1.8 m and 47.89 g/t Gold Over 2.6 m

27.05.2020 | [CNW](#)

MDA Hired to Update 43-101 Resource Estimate at San Albino in Q3

VANCOUVER, May 27, 2020 - [Mako Mining Corp.](#) (TSX-V: MKO; OTCQB: MAKOF) ("Mako" or the "Company") is pleased to report positive results from the recently completed infill drilling program at its wholly-owned San Albino gold project ("San Albino") located in Nueva Segovia, Nicaragua.

The 2019-20 infill grade-control drilling program consisted of 18,037 meters ("m") of drilling in 368 diamond drill holes on the San Albino Zone, which is the main gold bearing zone at San Albino, and an additional 5,947 m of drilling in 147 diamond drill holes on the Arras Zone (see press release dated May 6, 2020). The San Albino and Arras Zones are the areas outlined by the West, Central, Southwest and Northeast pits in the Company's preliminary economic assessment ("PEA"), dated April 29, 2015 and available under the Company's profile on SEDAR at www.sedar.com (see attached map).

The objectives of the 2019-20 infill drilling program were to:

1. Determine the continuity of the San Albino Zone
2. Determine extensions of San Albino Zone along strike and down dip
3. Confirm other mineralized zones (Arras Zone)
4. Determine the grade and extent of historical dump material
5. Compile all necessary data to allow a third-party to update the resource estimate in the PEA

In accordance with the final objective of the 2019-20 infill drilling program, the Company has hired Mine Development Associates ("MDA"), a division of RESPEC, out of Reno, Nevada to update the resource estimate in the PEA. The MDA team will be led by Steven Ristorcelli, Principal Geologist, with the goal of providing an updated resource estimate in late in Q3 based on assay data received through the end of this month. The updated resource estimate will only focus on San Albino. MDA has also been retained to begin evaluating the exploration work being performed at the Las Conchitas area, with the ultimate goal of preparing a maiden mineral resource estimate.

The highlights of this press release are drill holes SA20-418 and SA20-471. Both holes were drilled to test the continuity of the high-grade Porcelana-style mineralization encountered in multiple drill holes reported last year.

SA20-418 intersected 69.99 g/t Au and 104.3 g/t Ag over 1.8 m, including 121.80 g/t Au and 177.0 g/t Ag over 1 m. Mineralization in the hole begins 34.4 m from surface, with visible gold observed in this interval (see attached long section).

SA20-471 intersected 47.89 g/t Au and 23.38 g/t Ag over 2.55 m, including 136.00 g/t Au and 62.2 g/t Ag over 0.75 m (see attached long and cross sections). Mineralization in the hole begins 35.4 meters from surface. SA20-471 is located 120 m along strike from SA20-418 and confirms continuity of a high-grade gold zone in the Porcelana area which extends for approximately 130 m along strike and approximately 70 m down dip.

Akiba Leisman, CEO of Mako Mining states that "the completion of infill drilling is another key milestone at San Albino. We believe the results in this press release and over the past year to be some of the highest grade results for any open pit project globally. Now that close-spaced drilling has confirmed our revised geologic model, the update of the resource estimate will serve as the basis for the proposed 500 tonne per day mine plan at the San Albino gold project."

The Company is also pleased to report extensions of the San Albino Zone along strike to the southwest, which have extended the zone by 100 m. SA20-493 intersected 28.30 g/t Au and 36.4 g/t Ag over 0.50 m, approximately 28 m below surface (see attached long section). Continuity of this area of the zone is demonstrated in the following holes:

- SA20-470 intersected 28.50 g/t Au and 37.70 g/t Ag over 0.60 m, approximately 21.9 m from surface
- SA19-329 intersected 30.03 g/t Au and 30.9 g/t Ag over 0.9 m, approximately 47 m from surface
- SA19-400 intersected 10.65 g/t Au and 16.8 g/t Ag over 2.0 m, approximately 32 m from surface

Furthermore, Mako was able to extend the San Albino Zone down dip to the northwest (see attached cross section). There was a previously unmodelled fault in this area that brought the zone approximately 37 m closer to the surface than projected. This may have positive implications, as this may allow the pit to extend further to the northwest to access this shallower gold bearing mineralization. Continuity of this area of the zone is demonstrated in the following holes:

- SA20-402 intersected 11.82 g/t Au and 26.1 g/t Ag over 0.7 m, approximately 27 m from surface
- SA19-403 tested the same mineralized zone approximately 50 m down dip and intersected the zone with 7.75 g/t Au and 7.6 g/t Ag over 5.7 m (true thickness of 3.7 m) at a vertical depth of 28 m
- Results are pending for several other holes (SA20-504, 505 and 506) that tested the down-dip continuity of the vein for an additional 80 m to a depth below surface of 80 m. All three holes intersected the San Albino Zone and it remains open down dip

Results from 156 holes are reported in this press release. Results are pending from a total of 95 holes in the San Albino Zone and 114 holes in the Arras Zone.

2019-20 Infill Drilling Program Assay Results Reported in this Press Release

Drill Hole	From	To	Width	Au	Ag	Interval Averages	True Width
	(m)	(m)	(m)	(g/t)	(g/t)		(m)***
SA19-235	0.00	1.00	1.00	4.49*	10.6	Historical dump**	
	2.00	3.50	1.50	4.91*	9.0	4.92 g/t Au and 9.0 g/t Ag over 1.5 m	1.3
	23.90	26.70	2.80			Void	
SA19-236 to 238						Previously reported	
SA19-239	0.00	1.50	1.50	1.50	6.4	Historical dump**	
	1.50	3.00	1.50	1.51	24.9		
	3.00	4.00	1.00	5.29	42.7		
	16.00	17.00	1.00	1.55*	5.7	1.34 g/t Au and 4.9 g/t Ag over 2.0 m	1.4
	17.00	18.00	1.00	1.12*	4.1		
SA19-240 to 241						Previously reported	
SA19-242	18.00	19.00	1.00	1.15*	3.8	1.15 g/t Au and 3.8 g/t Ag over 1.0 m	0.9
SA19-243	22.50	24.00	1.50	1.99*	5.7	1.99 g/t Au and 5.7 g/t Ag over 1.5 m	1.3
SA19-244						No significant results	
SA19-245	24.60	24.90	0.30			Void	
SA19-246 to 249						Previously reported	
SA19-250	0.00	2.00	2.00	0.91	3.1	Historical dump**	
	2.00	4.00	2.00	0.98	3.9		
	4.00	5.50	1.50	0.19	6.6		
SA19-251	0.00	1.00	1.00	2.57	8.2	Historical dump**	
	1.00	2.50	1.50	0.37	0.7		
SA19-252	0.00	1.50	1.50	3.53	9.9	Historical dump**	
	1.50	3.00	1.50	1.22	1.7		
SA19-253	1.80	3.00	1.20	1.56	2.2	Historical dump**	
	3.00	4.50	1.50	4.23	9.0		
	4.50	6.00	1.50	2.56	79.7		
	6.00	7.50	1.50	12.20	25.1		
	7.50	9.00	1.50	1.25	20.9		


SA19-254	1.00	5.00	4.00	7.87	19.5	Historical dump**	
SA19-255	1.50	3.00	1.50	1.30	3.4	Historical dump**	
	3.00	4.00	1.00	2.82	1.2		
	4.00	5.00	1.00	0.35	7.0		
	5.00	6.50	1.50	4.11	15.5	4.11 g/t Au and 15.5 g/t Ag over 1.50 m	1.5
SA19-256						Previously reported	
SA19-257	14.70	15.70	1.00	1.6*	6.2	1.60 g/t Au and 6.2 g/t Ag over 1.0 m	0.8
SA19-258						No significant results	
SA19-259	12.10	17.80	5.70			Void	
	20.00	20.80	0.80	5.07*	7.3	5.07 g/t Au and 7.3 g/t Ag over 0.8 m	0.7
SA19-260	0.00	1.50	1.50	7.28	9.8	Historical dump**	
	1.50	2.90	1.40	54.00	94.1		
SA19-261 to 264						Previously reported	
SA19-265	0.00	1.00	1.00	0.69	2.2	Historical dump**	
	1.00	2.50	1.50	5.99	15.9		
	2.50	4.00	1.50	4.02	6.4		
SA19-266						Previously reported	
SA19-267	0.00	0.80	0.80	2.56	6.4	Historical dump**	
SA19-268						Previously reported	
SA19-269	0.00	2.00	2.00	2.20	5.0	Historical dump**	
	2.00	3.00	1.00	2.59	5.7		
SA19-270						Previously reported	
SA19-271	17.40	18.70	1.30	2.61*	8.7	2.61 g/t Au and 8.7 g/t Ag over 1.3 m	1.1
SA19-272 to 275						Previously reported	
SA19-276	0.00	1.50	1.50	1.15	2.5	Historical dump**	
	10.00	11.00	1.00	1.16*	7.2	5.14 g/t Au and 16.1 g/t Ag over 4.5 m	
	11.00	12.00	1.00	8.48*	22.9		
	12.00	13.00	1.00	8.17*	17.9		
	13.00	14.50	1.50	3.54*	16.4		
	22.00						

23.50

1.50

4.97*

4.97 g/t Au and 4.9 g/t Ag over 1.0 m



SA19-277	6.00	7.50	1.50	1.43*	0.5	3.17 g/t Au and 5.2 g/t Ag over 7.5 m	5.8
	7.50	9.00	1.50	8.3*	4.9		
	9.00	10.50	1.50	2.09*	5.5		
	10.50	11.50	1.00	3.32*	4.6		
	11.50	12.50	1.00	1.71*	8.7		
	12.50	13.50	1.00	1.02*	9.3		
SA19-278	0.00	1.00	1.00	4.88	8.1	Historical dump**	
	1.00	2.00	1.00	0.90	2.7		
	2.00	3.00	1.00	8.68	30.0		
SA19-279	0.00	1.00	1.00	4.95	11.4	4.00 g/t Au and 13.2 g/t Ag over 3.5 m	2.7
	1.00	2.00	1.00	0.63	7.4		
	2.00	3.50	1.50	5.62	18.3		
	22.50	25.50	3.00			Void	
	25.50	26.50	1.00	5.63*	19.7	5.63 g/t Au and 19.7 g/t Ag over 1.0 m	0.8
SA19-280	7.20	8.50	1.30	1.06*	2.8	1.06 g/t Au and 2.8 g/t Ag over 1.3 m	1.2
SA19-281	0.00	2.00	2.00	2.21	14.6	Historical dump**	
	2.00	3.50	1.50	7.10	34.6		
	3.50	5.00	1.50	0.87	8.9		
	5.00	6.10	1.10	2.20	31.5		
	6.10	7.20	1.10	2.03	23.1		
	7.20	8.50	1.30	2.69	3.1		
	8.50	10.00	1.50	0.36	1.0		
	10.00	11.50	1.50	0.50	4.1		
	11.50	13.00	1.50	2.48	12.7		
SA19-282						No significant results	
SA19-283						Previously reported	
SA19-284	3.00	4.50	1.50	2.27	2.5	Historical dump**	
	4.50	6.00	1.50	2.46	3.9		
	6.00	7.20	1.20	1.69	3.9		
	7.20						

8.70

1.50

SA19-285	0.00	1.50	1.50	1.64	3.5	Historical dump**	
	3.00	4.50	1.50	0.75	4.8		
	4.50	5.50	1.00	1.67	2.1		
	5.50	6.50	1.00	6.86	16.6		
	6.50	7.50	1.00	6.48	15.6		
SA19-286 to 287						Previously reported	
SA19-288	9.50	11.00	1.50	1.89*	4.8	1.89 g/t Au and 4.8 g/t Ag over 1.5 m	1.4
SA19-289 to 290						No significant results	
SA19-291	0.70	2.40	1.70	7.35	15.7	Historical dump**	
SA19-292	16.80	17.50	0.70	7.67*	32.2	17.52 g/t Au and 28.5 g/t Ag over 1.2 m	1.2
	17.50	18.00	0.50	31.31*	23.2		
	18.00	23.30	5.30			Void	
	23.30	24.20	0.90	5.07*	11.9	3.04 g/t Au and 8.8 g/t Ag over 1.9 m	1.9
	24.20	25.20	1.00	1.22*	6.0		
SA19-293	16.30	16.80	0.50	21.20*	52.6	11.81 g/t Au and 25.0 g/t Ag over 2.5 m	2.5
	16.80	17.20	0.40	14.45*	25.7		
	17.20	17.50	0.30	16.99*	28.4		
	17.50	18.00	0.50	1.65*	6.7		
	18.00	18.60	0.60	9.50*	19.0		
	18.60	18.80	0.20	7.59*	12.6		
	18.80	22.50	3.70			Void	
	24.00	25.40	1.40			Void	
SA19-294	17.90	20.10	2.20			Void	
SA19-295 to 296						No significant results	
SA19-297	3.50	7.60	4.10			Void	
SA19-298						No significant results	

SA19-299	133.80	134.80	1.00	11.91*	29.5	11.91 g/t Au and 29.5 g/t Ag over 1.0 m	0.9
	144.50	145.60	1.10	3.32*	6.8	2.56 g/t Au and 5.7 g/t Ag over 5.8 m	5.5
	145.60	146.90	1.30	1.77*	14.4		
	146.90	148.00	1.10	6.81*	3.8		
	148.00	149.00	1.00	0.06*	0.7		
	149.00	150.30	1.30	1.03*	1.5		
SA19-300	3.00	4.40	1.40	1.15*	3.2	Historical dump**	
	18.00	19.00	1.00	1.46*	4.8	1.46 g/t Au and 4.8 g/t Ag over 1.0 m	1.0
	74.30	75.30	1.00	4.39*	8.5	4.95 g/t Au and 7.55 g/t Ag over 2.0 m	1.7
	75.30	76.30	1.00	5.51*	6.6		
SA19-301	4.50	6.00	1.50	2.15*	4.4	Historical dump**	
	6.00	7.00	1.00	1.27*	5.0		
	16.00	17.50	1.50	5.80*	7.7	5.8 g/t Au and 7.7 g/t Ag over 1.5 m	1.5
SA19-302						No significant results	
SA19-303	10.00	11.00	1.00	1.83*	2.7	1.83 g/t Au and 2.7 g/t Ag over 1.0 m	0.8
SA19-304						No significant results	
SA19-305	2.40	5.40	3.00			Void	
SA19-306	17.00	18.00	1.00	33.08*	27.5	33.08 g/t Au and 27.5 g/t Ag over 1.0 m	0.9
	20.00	21.50	1.50	27.09*	67.1	27.09 g/t Au and 67.1 g/t Ag over 1.5 m	1.4
	25.00	26.00	1.00	1.23*	7.2	1.23 g/t Au and 7.2 g/t Ag over 1.0 m	0.9
SA19-307	15.50	16.50	1.00	2.82*	4.1	2.82 g/t Au and 4.1 g/t Ag over 1.0 m	0.9
SA19-308	49.05	49.80	0.75			Void	
SA19-309	38.60	39.60	1.00	2.85*	8.4	2.85 g/t Au and 8.4 g/t Ag over 1.0 m	0.6
SA19-310 to 311						No significant results	
SA19-312	13.50	14.50	1.00	1.51*	2.0	1.51 g/t Au and 2.0 g/t Ag over 1.0 m	0.9
SA19-313 to 315						No significant results	
SA19-316	0.00	1.00	1.00	3.30*	8.8	Historical dump**	
	1.00	2.00	1.00	1.57*	8.4		
	23.50	24.50	1.00	1.92*	3.0	1.92 g/t Au and 3.0 g/t Ag over 1.0 m	1.0

SA19-317	0.00	1.50	1.50	1.33*	4.6	Historical dump**	
	1.50	3.00	1.50	2.52*	12.6		
	28.50	30.00	1.50	1.18*	2.4	1.18 g/t Au and 2.4 g/t Ag over 1.5 m	1.4
SA19-318 to 319						No significant results	
SA19-320	36.65	37.20	0.55	4.13*	23.8	3.76 g/t Au and 8.9 g/t Ag over 2.65 m	2.3
	37.20	37.70	0.50	5.44*	4.2		
	37.70	38.70	1.00	0.41*	2.2		
	38.70	39.30	0.60	7.59*	10.4		
SA19-321	32.20	32.70	0.50	6.21	3.6	6.21 g/t Au and 3.6 g/t Ag over 0.5 m	0.4
SA19-322 to 326						No significant results	
SA19-327	37.50	38.40	0.90	10.46*	28.9	10.46 g/t Au and 28.9 g/t Ag over 0.9 m	0.8
SA19-328						No significant results	
SA19-329	52.30	53.20	0.90	30.03*	30.9	30.03 g/t Au and 30.9 g/t Ag over 0.9 m	0.9
SA19-330	30.90	31.90	1.00	9.94*	33.8	9.94 g/t Au and 33.8 g/t Ag over 1.0 m	0.5
SA19-331	1.50	3.00	1.50	2.38	6.3	3.93 g/t Au and 4.9 g/t Ag over 4.1 m	3.8
	3.00	4.00	1.00	1.22	3.4		
	4.00	5.60	1.60	7.08*	4.6		
	13.50	14.50	1.00	1.05*	3.0	2.64 g/t Au and 8.7 g/t Ag over 2.0 m	1.5
	14.50	15.50	1.00	4.22*	14.3		
SA19-332	0.00	1.50	1.50	2.19	3.8	2.19 g/t Au and 3.8 g/t Ag over 1.5 m	
	10.90	11.90	1.00	2.10*	11.3	2.10 g/t Au and 11.3 g/t Ag over 1.0 m	
SA19-333	4.50	6.00	1.50	1.01*	6.4	1.99 g/t Au and 11.2 g/t Ag over 5.0 m	
	6.00	7.50	1.50	3.83*	16.9		
	7.50	8.50	1.00	0.46*	8.1		
	8.50	9.50	1.00	2.22*	13.0		
	25.10	26.00	0.90	0.73*	5.7	Anomalous values	
SA19-334	26.00	27.50	1.50	5.38*	13.7	5.38 g/t Au and 13.7 g/t Ag over 1.5 m	1.1
SA19-335						No significant results	

SA19-336	0.00	1.00	1.00	2.02*	5.3	4.44g/t Au and 7.9 g/t Ag over 2.0 m	1.8
	1.00	2.00	1.00	6.86*	10.5		
	21.60	22.60	1.00	10.30*	31.6	7.27 g/t Au and 30.3 g/t Ag over 2.9 m	2.7
	22.60	23.50	0.90	9.01*	40.7		
	23.50	24.50	1.00	2.66*	19.5		
SA19-337 to 338	22.40	23.40	1.00	0.35*	3.5	No significant results	
SA19-339	24.30	25.50	1.20	1.85*	6.1	1.85 g/t Au and 6.1 g/t Ag over 1.2 m	1.0
	30.50	31.00	0.50	1.27*	5.1	1.27 g/t Au and 5.1 g/t Ag over 0.5 m	0.4
	43.90	44.90	1.00	2.11*	11.8	2.11 g/t Au and 11.8 g/t Ag over 1.0 m	0.6
SA19-340	2.00	3.00	1.00	4.90	4.4	4.90 g/t Au and 4.4 g/t Ag over 1.0 m	0.8
SA19-341						No significant results	
SA19-342	43.90	44.90	1.00	7.21*	27.6	7.21 g/t Au and 27.6 g/t Ag over 1.0 m	0.8
SA19-343	38.70	39.40	0.70	13.54*	34.0	13.54 g/t Au and 34.0 g/t Ag over 0.7 m	0.5
SA19-344	16.50	17.70	1.20	1.04*	3.4	11.83 g/t Au and 28.6 g/t Ag over 3.0 m	2.9
	17.70	18.20	0.50	8.16*	23.1		
	18.20	18.70	0.50	58.29*	124.0		
	18.70	19.50	0.80	1.27*	10.1		
SA19-345	2.50	4.00	1.50	9.35	17.1	9.35 g/t Au and 17.1 g/t Ag over 1.5 m	1.3
SA19-346						No significant results	
SA19-347	2.00	3.30	1.30	7.21	9.5	7.21 g/t Au and 9.5 g/t Ag over 1.3 m	1.3
SA19-348 to 350						No significant results	
SA19-351	13.50	15.00	1.50	1.40*	1.4	1.4 g/t Au and 1.4 g/t Ag over 1.5 m	1.2
	118.40	119.40	1.00	3.37*	9.6	3.37 g/t Au and 9.6 g/t Ag over 1.0 m	1.0
	135.50	136.50	1.00	1.55*	2.6	1.55 g/t Au and 2.6 g/t Ag over 1.0 m	0.9
	161.00	162.00	1.00	6.95*	2.6	6.95 g/t Au and 2.6 g/t Ag over 1.0 m	0.9
SA19-352 to 353						No significant results	
SA19-354	59.80	61.00	1.20	1.25	1.5	1.25 g/t Au and 1.5 g/t Ag over 1.2 m	1.1
SA19-355						No significant results	
SA19-356	61.50	62.50	1.00	14.91*	10.2	14.91 g/t Au and 10.2 g/t Ag over 1.0 m	0.8

SA19-357	58.60	59.80	1.20	9.42*	10.2	5.25 g/t Au and 6.1 g/t Ag over 2.4 m	1.7
	59.80	61.00	1.20	1.08*	2.0		
SA19-358	60.50	62.00	1.50	2.31*	5.3	2.31 g/t Au and 5.3 g/t Ag over 1.5 m	1.5
SA19-359	55.20	56.50	1.30	5.76*	5.6	5.76 g/t Au and 5.6 g/t Ag over 1.3 m	1.3
SA19-360	21.00	24.80	2.40			Void	
SA19-361	22.50	23.50	1.00	1.05*	2.6	1.05 g/t Au and 2.6 g/t Ag over 1.0 m	1.0
SA19-362 to 363	40.00	41.50	1.50	0.28	3.40	Anomalous values	
SA19-364	13.50	15.00	1.50	1.31	1.5	1.31 g/t Au and 1.5 g/t Ag over 1.5 m	1.4
SA19-365	11.50	12.90	1.40	4.27	2.8	4.27 g/t Au and 2.8 g/t Ag over 1.4 m	1.3
SA19-366	15.00	16.50	1.50	1.24	1.8	1.24 g/t Au and 1.8 g/t Ag over 1.5 m	1.4
	23.50	24.50	1.00	1.71	2.6	1.71 g/t Au and 2.6 g/t Ag over 1.0 m	0.9
SA19-367						Results pending	
SA19-368 to 369						No significant results	
SA19-370	45.40	46.40	1.00	4.19	22.5	4.19 g/t Au and 22.5 g/t Ag over 1.0 m	0.9
SA19-371 to 373						Results pending	
SA19-374						No significant results	
SA19-375	39.50	40.50	1.00	3.01	5.6	3.58 g/t Au and 7.2 g/t Ag over 2.0 m	1.9
	40.50	41.50	1.00	4.15	8.8		
SA19-376 to 378						Results pending	
SA19-379	57.45	58.50	1.05	76.50	193.0	76.5 g/t Au and 193.0 g/t Ag over 1.05 m	0.7
SA19-380 to 381						Results pending	
SA19-382	35.40	38.40	3.00			Void	
	38.40	39.40	1.00	9.82*	10.2	9.82 g/t Au and 10.2 g/t Ag over 1.0 m	1.0
SA19-383	44.80	45.80	1.00	12.80	4.6	12.8 g/t Au and 4.6 g/t Ag over 1.0 m	0.9
SA19-384						No significant results	
SA19-385	46.50	47.50	1.00	1.39*	2.2	1.39 g/t Au and 2.2 g/t Ag over 1.0 m	0.9
SA19-386						Results pending	
SA19-387	46.50	47.50	1.00	4.68	10.8	10.39 g/t Au and 10.8 g/t Ag over 2.7 m	2.5
	47.50	48.20	0.70	11.40	21.6		
	48.20						

49.20

1.00


15.40

SA19-388 to 390						Results pending	
SA19-391	0.00	0.80	0.80	1.71	3.7	Historical dump**	
	0.80	2.00	1.20	1.92	1.9	2.27 g/t Au and 1.9 g/t Ag over 2.2 m	2.0
	2.00	3.00	1.00	2.70	1.9		
SA19-392						No significant results	
SA19-393 to 396						Results pending	
SA19-397	25.20	26.60	1.40	6.55*	10.7	4.84 g/t Au and 16.1 g/t Ag over 2.8 m	1.4
	26.60	28.00	1.40	3.12*	21.5		
SA19-398						Results pending	
SA19-399	50.40	51.20	0.80	1.43*	9.0	1.43 g/t Au and 9.0 g/t Ag over 0.8 m	0.7
SA19-400	42.60	43.60	1.00	16.29*	24.1	10.65 g/t Au and 16.8 g/t Ag over 2.0 m	1.3
	43.60	44.60	1.00	5.01*	9.4		
SA19-401						Results pending	
SA19-402	26.70	27.40	0.70	11.82*	26.1	11.82 g/t Au and 26.1 g/t Ag over 0.7 m	0.7
SA19-403	39.50	40.50	1.00	20.23*	23.5	7.75 g/t Au and 7.6 g/t Ag over 5.7 m	3.7
	40.50	41.50	1.00	2.34*	1.6		
	41.50	42.50	1.00	5.04*	1.6		
	42.50	43.30	0.80	11.99*	7.4		
	43.30	44.20	0.90	1.35*	1.0		
	44.20	45.20	1.00	5.76*	10.0		
SA19-404 to 405						Results pending	
SA20-406	34.40	35.30	0.90	32.10	65.3	19.67 g/t Au and 41.1 g/t Ag over 1.6 m	1.2
	35.30	36.00	0.70	3.68	9.9		
SA20-407	34.00	35.00	1.00	1.12	1.7	1.12 g/t Au and 1.7 g/t Ag over 1.0 m	1.0
	36.60	37.10	0.50	4.92	19.8	14.3 g/t Au and 41.1 g/t Ag over 1.8 m	1.7
	37.10	37.90	0.80	0.05	0.7		
	37.90	38.40	0.50	46.50	127.0		
	40.30	44.30	4.00			Void	

SA20-408	0.00	1.00	1.00	1.82	10.7	Historical dump**	
	1.00	2.50	1.50	3.07	27.7		
	2.50	4.00	1.50	2.74	10.2	2.74 g/t Au and 10.2 g/t Ag over 1.5 m	1.4
	8.40	9.00	0.60	20.70	19.9	20.7 g/t Au and 19.9 g/t Ag over 0.6 m	0.5
	12.00	14.20	2.20			Void	
	18.30	19.10	0.80	7.61	14.1	7.61 g/t Au and 14.1 g/t Ag over 0.8 m	0.8
SA20-409	0.00	1.50	1.50	1.09	17.5	Historical dump**	
	1.50	3.20	1.70	1.62	21.9		
	3.20	4.20	1.00	17.60	45.2		
	4.20	5.30	1.10	15.30	70.2		
	5.30	7.00	1.70	2.33	7.9	2.33 g/t Au and 7.9 g/t Ag over 1.7 m	1.1
	20.00	20.60	0.60	11.60	16.7	11.6 g/t Au and 16.7 g/t Ag over 0.6 m	0.5
SA20-410						Results Pending	
SA19-411	35.90	36.70	0.80	8.73*	20.2	8.73 g/t Au and 20.2 g/t Ag over 0.8 m	0.7
SA19-412 to 414						Results pending	
SA19-415	37.70	38.30	0.60	7.45*	13.0	7.45 g/t Au and 13.0 g/t Ag over 0.6 m	0.5
	41.30	42.30	1.00	6.39*	7.2	7.23 g/t Au and 9.2 g/t Ag over 5.8 m	5.0
	42.30	43.20	0.90	0.19*	1.1		
	43.20	44.45	1.25	7.42*	5.4		
	44.45	45.10	0.65	2.98*	5.4		
	45.10	46.10	1.00	21.00*	30.2		
	46.10	47.10	1.00	3.18*	4.7		
SA20-416	47.70	49.90	2.20			Void	
	49.90	50.70	0.80	13.00	9.7	6.59 g/t Au and 9.2 g/t Ag over 1.8 m	1.5
	50.70	51.70	1.00	1.46	8.8		

SA20-417	34.00	35.00	1.00	1.83	6.4	1.83 g/t Au and 6.4 g/t Ag over 1.0 m	0.9
	38.00	38.50	0.50	23.40	65.0	13.23 g/t Au and 32.2 g/t Ag over 1.2 m	0.6
	38.50	39.20	0.70	5.96	8.7		
	42.00	42.50	0.50	1.55	0.9	10.74 g/t Au and 12.8 g/t Ag over 2.4 m	1.8
	42.50	43.50	1.00	1.32	0.6		
	43.50	44.40	0.90	26.30	33.0		
SA20-418	34.40	35.40	1.00	121.80	177.0	69.99 g/t Au and 104.3 g/t Ag over 1.8 m	1.7
	35.40	36.20	0.80	5.24	13.4		
SA20-419 to 421						Results pending	
SA20-422	25.10	25.60	0.50	45.60	53.5	23.36 g/t Au and 30.3 g/t Ag over 1.0 m	0.8
	25.60	26.10	0.50	1.11	7.0		
SA20-423 to 425						Results pending	
SA20-426	0.00	1.50	1.50	0.73	1.4	Historical dump**	
	1.50	3.00	1.50	1.96	2.7		
	3.00	4.50	1.50	28.10	32.1		
	4.50	6.00	1.50	7.20	27.4		
SA20-427	0.00	2.00	2.00	2.35	6.8	Historical dump**	
	2.00	3.00	1.00	2.51	33.7		
	3.00	4.00	1.00	16.70	21.0		
	4.00	5.40	1.40	6.53	35.5		
	5.40	6.10	0.70	8.46	45.8		
	6.10	6.75	0.65	5.43	29.7		
SA20-428 to 449						Results pending	
SA20-450	26.10	27.35	1.25	3.16	5.2	12.54 g/t Au and 11.55 g/t Ag over 5.05 m	5.05
	27.35	28.55	1.20	12.20	11.7		
	28.55	29.90	1.35	31.20	26.5		
	29.90	31.15	1.25	2.09	1.6		
SA20-451 to 457						Results pending	
SA20-458	12.90	14.00	1.10	15.70	21.2	15.7 g/t Au and 21.2 g/t Ag over 1.1 m	1.1
SA20-459 to 460							

					Results pending
--	--	--	--	--	-----------------



SA20-461	0.00	0.65	0.65	2.43	5.7	2.43 g/t Au and 5.70 g/t Ag over 0.65 m	0.5
	95.60	96.10	0.50	19.10	18.9	19.1 g/t Au and 18.9 g/t Ag over 0.5 m	0.4
SA20-462	0.10	1.10	1.00	2.52	1.7	Historical dump**	
	93.50	94.40	0.90	13.80	8.8	19.4 g/t Au and 32.8 g/t Ag over 1.8 m	1.8
	94.40	95.30	0.90	25.00	56.8		
SA20-463	95.70	96.50	0.80	7.88	9.2	7.88 g/t Au and 9.2 g/t Ag over 0.8 m	
SA20-464 to 465						Results Pending	
SA20-466	19.80	20.50	0.70	8.49	49.6	8.49 g/t Au and 49.6 g/t Ag over 0.7 m	0.4
SA20-467	35.40	35.90	0.50	8.20	8.9	8.20 g/t Au and 8.9 g/t Ag over 0.5 m	0.5
SA20-468						Results pending	
SA20-469	44.00	44.70	0.70	13.20	8.9	13.20 g/t Au and 8.9 g/t Ag over 0.7 m	0.6
SA20-470	40.10	40.70	0.60	28.50	37.7	28.50 g/t Au and 37.70 g/t Ag over 0.60 m	0.4
SA20-471	35.40	36.30	0.90	4.85	4.3	47.89 g/t Au and 23.38 g/t Ag over 2.55 m	2.1
	36.30	37.20	0.90	17.50	10.1		
	37.20	37.95	0.75	136.00	62.2		
SA20-472	28.65	29.80	1.15	24.60	10.0	24.60 g/t Au and 10.0 g/t Ag over 1.15 m	1.1
SA20-473	24.40	26.80	2.40			Void	
The mineralized intervals shown above utilize a 1.0 g/t gold cut-off grade with not more than 1.0 meter of waste material from the mining operations during the period 1870-1920 and possibly during Spanish times. The grade and distribution of Historical dump material can be erratic and unpredictable. ** True width is estimated from interpreted sections.							
SA20-482						Results pending	
Sampling, Assaying, QA/QC and Data Verification						No significant results	
SA20-483							
The 20-484 to 491 mineralized interval was sampled, including the ore and footwall zones until no mineralization was observed in the core. Sample intervals were typically one meter. Drill core diameter was 10.635 centimeters. Geologic and geotechnical data was captured into a digital database, core was photographed, then one-half split of the core was collected for analysis and one-half was retained in the library. Samples were kept in a secured logging and storage facility until such time that they were delivered to the Managua facilities of Bureau Veritas and pulps were sent to the Bureau Veritas laboratory in Vancouver for analysis. Gold was analyzed by standard fire assay fusion, 30gram aliquot, AAS finish. Samples returning over 17.5 g/t gold are analyzed by standard Fire Assay-Gravimetric method. Due to the presence of coarse gold, the Company has used 500-gram metallic screened gold assays for analyzing samples from mineralized veins and samples immediately above and below the veins. This method, which analyzes a larger sample, can be more precise in high-grade vein systems containing coarse gold. All results in this press release used the standard Fire Assay-Gravimetric method unless otherwise indicated as using the metallic screening method. The Company follows industry standards in its QA&QC procedures. Control samples consisting of duplicates, standards, and blanks were inserted into the sample stream at a ratio of 1 control sample per every 10 samples. Analytical results of control samples confirmed reliability of the assay data.							
SA20-492	35.40	37.30	0.90	8.33	8.9	8.33 g/t Au and 8.9 g/t Ag over 0.5 m	0.5
SA20-493	29.90	30.40	10.50	28.30	36.4	28.30 g/t Au and 36.4 g/t Ag over 0.5 m	0.4
SA20-494	25.20	25.70	10.50	6.22	41.8	6.22 g/t Au and 41.8 g/t Ag over 0.5 m	0.4
SA20-495	19.40	20.10	2.60	23.79	23.5	19.4 g/t Au and 23.5 g/t Ag over 0.7 m	0.7
SA20-496 to 499						Results Pending	

Qualified Person

John M. Kowalchuk, P.Geo, a geologist and qualified person (as defined under National Instrument 43-101) has read and approved the technical information contained in this press release. Mr. Kowalchuk is a senior geologist and a consultant to the Company.

On behalf of the Board,

Akiba Leisman
CEO

About Mako

[Mako Mining Corp.](#) is a publicly listed gold mining, development and exploration firm. The Company is developing its high-grade San Albino gold project in Nueva Segovia, Nicaragua. Mako's primary objective is to bring San Albino into production quickly and efficiently, while continuing exploration of prospective targets in Nicaragua.

Forward-Looking Statements: Statements contained herein, other than of historical fact, may be considered "forward-looking information" within the meaning of applicable securities laws. Forward-looking information is based on certain expectations and assumptions, including that the results from the Company's exploration and in-fill drilling programs will be as anticipated; that the Porcelana-style mineralization discovered is anticipated to have a material impact on the economics of the San Albino gold project; that the Company will be able to successfully adjust its mine plan to 500 tonnes per day based on all anticipated successful drilling results; that the geological model will continue to yield highly predictable results; that MDA will be able to prepare an updated resource estimate for San Albino in late in Q3 2020 based on assay data received through the end of this month; the MDA, in evaluating the exploration work being performed at Conchitas area, will be able to prepare a maiden mineral resource estimate for the Las Conchitas area in the future; that the results in this press release and over the past year are some of the highest grade results for any open pit project globally; that the previously unmodelled fault in the San Albino area that brought the zone approximately 37 m closer to the surface than projected will have positive implications, allowing the pit to extend further to the northwest to access this shallower gold bearing mineralization; that the Company will be able to bring San Albino into production quickly and efficiently while continuing exploration of prospective targets in Nicaragua, such as the Las Conchitas area; that although the Company's production decision at its San Albino project is not based on a technical study supporting mineral reserves, and therefore not based on demonstrated economic viability, that the Company will be successful in any proposed financing plans necessary for the construction at the San Albino project. and such other risk factors as outlined in the continuous disclosure documents of the Company filed on SEDAR at www.sedar.com. Such forward-looking information is subject to a variety of risks and uncertainties which could cause actual events or results to differ materially from those reflected in the forward-looking information, including, without limitation, the risks that additional satisfactory exploration and drilling results at San Albino will not be obtained; that MDA will not be successful in producing an updated resource estimate at San Albino in Q3 2020; that MDA will not be able to produce a maiden resource estimate at the Las Conchitas area in the future; that the results at San Albino prove not to be some of the highest grade results of any open pit project globally; that the unmodelled fault in the San Albino area that brought the zone closer to surface than projected will have positive implications for extending the pit; that the PEA is preliminary in nature and there is no certainty that the PEA will be realized; the risk of economic and/or technical failure at the San Albino project associated with basing a production decision on the PEA without demonstrated economic and technical viability; that exploration results will not translate into the discovery of an economically viable deposit; risks and uncertainties relating to political risks involving the Company's exploration and development of mineral properties interests; the inherent uncertainty of cost estimates and the potential for unexpected costs and expense; commodity price fluctuations, the inability or failure to obtain adequate financing on a timely basis and other risks and uncertainties. Such information contained herein represents management's best judgment as of the date hereof, based on information currently available and is included for the purposes of providing investors with the Company's plans and expectations at its San Albino project and its Las Conchitas exploration area, and may not be appropriate for other purposes. Mako does not undertake to update any forward-looking information, except in accordance with applicable securities laws.

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

SOURCE [Mako Mining Corp.](#)

Contact

[Mako Mining Corp.](#), Akiba Leisman, Chief Executive Officer, Telephone: 203-862-7059, E-mail: aleisman@makominer.com or visit our website at www.makominer.com and SEDAR www.sedar.com

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/352362--Infill-Drilling-at-San-Albino-Complete-Highlighted-by-Intercepts-of-69.99-g-t-Gold-Over-1.8-m-and-47.89-g-t-Gold->

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf/-Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).