

Jaxon Confirms Third Historical Artisanal Workings at Netalzul Mountain, Identifies Presence of Contact/Fault Controlled, High-Grade Polymetallic Mineralization

08.09.2020 | [Newsfile](#)

Vancouver, September 8, 2020 - [Jaxon Mining Inc.](#) (TSXV: JAX) (FSE: OU31) (OTC: JXMNF) ("Jaxon" or the "Company") is pleased to confirm the existence of a third artisanal workings site at Netalzul Mountain. The historical site at NATMR006 was previously documented in BC Geological Survey Assessment Report #32043 (2010), and reported assay results of >10,000 ppm Cu, >10,000 ppm Pb, >100 ppm Ag, 2597.9 ppb Au and >2000 ppm Sb. Historical samples were taken from the contact/fault-controlled shear zone.

Upon discovery, the field team re-mapped and re-sampled the area around the historical workings (Figure 2). Samples were analyzed with an XRF analyzer before being bagged for transport to the assay lab. The team identified the contact zone, and XRF results confirmed the presence of high-grade polymetallic mineralization. The grades indicated by the XRF analysis are consistent with the high-grade polymetallic mineralization occurrences previously reported in 2010. The mineralization appears to be structurally controlled by the large contact/fault shear zone between the Jurassic Bowser Lake hornfels and the Blunt Mountain granite intrusive (Figure 3). The massive sulfides minerals identified in the area include sphalerite, galena, wurtzite, tetrahedrite, chalcocopyrite, pyrite and molybdenite (Figures 4-7). Further work continues, including mapping and sampling along the contact/fault/shear zone that marks the historical workings.

A Thermo Scientific Niton XL3t GOLDD+ XRF Analyzer was used to test the NATMR006 area samples for detectable levels of metallic elements including Ag, Cu, Zn, Pb, Mo, W, and Sb (results in Table 1).

Results from the XRF analysis and surface prospecting work confirm the existence (assay results pending) of a third high-grade polymetallic mineralized zone at Netalzul Mountain AOI.

Highlights of the results of the XRF analysis of samples taken from the contact/shear zone:

- The August 2020 samples taken from the NATMR006 area exhibited grades from multiple testing spots (assay results pending) of up to 1.4% Cu, 7.0% Pb, 13.4% Zn, 2257 g/t Ag, 1.1% Sb and 0.19% W (Table 1, Figure 1).
- Grades from six testing spots from an over 1.5 metre chip sample (Figure 5) from hornfels outcrop at the artisanal workings area, and within the contact/fault shear zone, are up to 0.97% Cu, 2.36% Pb, 2.79% Zn, 1510 g/t Ag, 0.74 % Sb and 0.16 % W (Table 1, Figure 1).
- Soil samples (A0027716, A0028753 and A0028772) testing results show strong polymetallic anomalies (Cu, Pb and Zn) within the contact/fault shear mineralization zone (Table 1, Figure 1).
- Sulfides mineralization in the hornfels within the contact shear zone extends up to seven metres (Figure 2). Sulfide minerals such as sphalerite, galena, wurtzite, tetrahedrite, pyrite and chalcocopyrite are identified in the hornfels zone.
- Well-developed disseminated, veinlets and fracture filling sulfides minerals including chalcocopyrite, pyrite, molybdenite and tetrahedrite minerals, have been identified in the granite (Figures 6-7) within the contact/fault shear zone. The mineralization in the granite is up to 5 metres from the contact (Figures 2, 6).
- The contact/fault shear mineralization zone is up to 12-20 metres wide and 1000 metres long (Figures 2, 3).

Table 1. Major Mineral Elements from Rock/Soil Samples within Contact/Fault Shear Mineralization Zone and Surrounding Areas using XRF Analyzer (final assay results pending)

SAMPLE	Type	UTM_E	UTM_N	No. of Testing Spots	Cu_ppm	Pb_ppm	Zn_ppm	Ag_ppm	Sb_ppm	Mo_ppm
--------	------	-------	-------	----------------------	--------	--------	--------	--------	--------	--------

A0027509		626581 6130075	4	7221	18023	10673	971	4029
A0020737	grab, hornfels	626581 6130075	9	1204	70273	126552	133	604
A0020738		626581 6130075	11	14202	40209	133526	2257	11486
A0020740		626591 6130072	6	9746	23571	27860	1510	7425
A0020741		626591 6130072	4	73	11	97	0	14
A0020742	Chip, hornfels	626591 6130072	3	335	104	62	0	6
A0020743		626603 6130072	5	209	109	139	0	57
A0020744		626603 6130072	7	431	241	813	0	21
A0020745		626603 6130072	7	255	38	38	0	2
A0020746	Chip, granite	626603 6130072	8	671	591	48	0	61
A0020747		626603 6130072	7	157	174	49	0	0
A0020739		626590 6130068	5	222	2	50	0	0
A0027715	Soil	626629 6130125	1	53	11	64	0	0
A0027716		626602 6130070	1	660	82	411	0	0
A0028753	Soil in contact zone	626565 6130068	1	400	689	2252	0	0
A0028772		626454 6129946	1	1287	40	197	0	0
A0027717	Soil	626609 6130028	1	0	0	13	0	0
A0028751	Soil	626676 6130018	1	0	15	19	0	0
A0028752	Soil	626569 6130108	1	0	0	22	0	0

Figure 1. 2020 Rock and Soil Sampling Location Map, Netalzul Mountain AOI, Hazelton Property

To view an enhanced version of Figure 1, please visit:

https://orders.newsfilecorp.com/files/881/63351_f157af8ff4436ba7_001full.jpg

Figure 2. Historical Contact/Fault Controlled Shear Zone with Polymetallic Sulfides Mineralization at NATMR006, Netalzul Mountain

To view an enhanced version of Figure 2, please visit:

https://orders.newsfilecorp.com/files/881/63351_f157af8ff4436ba7_002full.jpg

Figure 3. Historical Workings Site within a Large Contact/Fault Shear Zone at NATMR006, Netalzul Mountain

To view an enhanced version of Figure 3, please visit:

https://orders.newsfilecorp.com/files/881/63351_f157af8ff4436ba7_003full.jpg

Figure 4. Rock sample from historical ore piles at artisanal workings showing massive sulfide minerals (galena, sphalerite, wurtzite and tetrahedrite) at NATMR006, Netalzul Mountain

To view an enhanced version of Figure 4, please visit:

https://orders.newsfilecorp.com/files/881/63351_f157af8ff4436ba7_004full.jpg

Figure 5. Sulfide (massive) quartz veins in hornfels within the contact/fault shear zone at NATMR006, Netalzul Mountain

To view an enhanced version of Figure 5, please visit:

https://orders.newsfilecorp.com/files/881/63351_f157af8ff4436ba7_005full.jpg

Figure 6. Sulfide quartz veins in granite within the contact/fault shear zone at NATMR006, Netalzul Mountain

To view an enhanced version of Figure 6, please visit:

https://orders.newsfilecorp.com/files/881/63351_f157af8ff4436ba7_006full.jpg

Figure 7. Granite rock sample within the contact/fault shear zone with chalcopyrite, pyrite, tetrahedrite and molybdenite minerals at NATMR006, Netalzul Mountain

To view an enhanced version of Figure 7, please visit:

https://orders.newsfilecorp.com/files/881/63351_f157af8ff4436ba7_007full.jpg

A total of 74 rock samples and 362 soil samples (Figure 1) have been collected this field season from Netalzul Mountain. The assay results for a portion of those samples were released August 25th, 2020 (<https://bit.ly/321IMLb>).

Rock and Soil Sampling and Analytical Procedures

Rock samples were either chip or grab samples taken directly from the field. Multiple clean rock surfaces were chosen to analyze the major metallic elements (Cu, Pb, Zn, Ag, Mo, Sb and W) via PXRF (Portable Niton XL3t GOLDD+ XRF X-Ray Fluorescence Analyzer).

Soil samples were taken on a 50 m by 50 m grid along the contact/fault shear zone at the artisanal workings area. Approximately 200 g to 300 g of soil was sampled at a depth of approximately 25-30 cm from surface. Soil sampling primarily targeted the B horizon where appropriate, and samples were collected in labelled craft paper bags. Soil samples were analyzed via PXRF (Portable Thermo Scientific Niton XL3t GOLDD+ X-Ray Fluorescence Analyzer) for Cu, Pb, Zn, Ag, Mo, Sb and W.

All work was conducted by the Company's team of qualified geologists.

Qualified Person

Yingting (Tony) Guo, P.Geol., President of [Jaxon Mining Inc.](#), a Qualified Person as defined by National Instrument 43-101, has reviewed and prepared the scientific and technical information and verified the data supporting such scientific and technical information contained in this news release.

About Jaxon Mining Inc.

Jaxon is a precious and base metals exploration company with a regional focus on Western Canada. The Company is currently focused on advancing the Red Springs Project at its 466 km² Hazelton Property located near Smithers in northwestern British Columbia. In addition to Red Springs, Hazelton hosts three other areas of interest (AOIs): Blunt Mountain, Max and Netalzul Mountain. For more information, please visit <https://jaxonmining.com>.

ON BEHALF OF THE BOARD OF DIRECTORS

[Jaxon Mining Inc.](#)

"John King Burns"

John King Burns, Chairman

For more information, please contact:

Investor Relations

Kaye Wynn Consulting
T: 604-558-2630
TF: 1-888-280-8128
E: info@kayewynn.com

Freeform Communications
T: 604-243-0499
E: enquiries@freeform.com

Corporate
T: 604-424-4488

E: info@jaxonmining.com
www.jaxonmining.com

This news release may contain forward-looking information, which is not comprised of historical facts. Forward-looking information involves risks, uncertainties, and other factors that could cause actual events, results, performance, prospects, and opportunities to differ materially from those expressed or implied by such forward-looking information. Forward-looking information in this news release may include but is not limited to, the Company's objectives, goals, or plans. Factors that could cause actual results to differ materially from such forward-looking information include, but are not limited to, those risks set out in the Company's public documents filed on SEDAR. Although the Company believes that the assumptions and factors used in preparing the forward-looking information in this news release are reasonable, undue reliance should not be placed on such information, which only applies as of the date of this news release. No assurance can be given that such events will occur in the disclosed time frames or at all. The Company disclaims any intention or obligation to update or revise any forward-looking information, whether as a result of new information, future events or otherwise, other than as required by law. Neither TSX Venture Exchange nor its Regulations Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

To view the source version of this press release, please visit <https://www.newsfilecorp.com/release/63351>

Dieser Artikel stammt von Rohstoff-Welt.de

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/361138--Jaxon-Confirms-Third-Historical-Artisanal-Workings-at-Netalzul-Mountain-Identifies-Presence-of-Contact-Fault-Co>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).