

Jaxon Mining Inc. Confirms Additional High-Grade Silver Polymetallic Mineralization at Historical Artisanal Workings #3 at Netalzul Mountain

21.09.2020 | [Newsfile](#)

Identifies A System of Contact/Fault Controlled, High-Grade Ag, Cu, Zn, Pb and Sb Polymetallic Mineralization

Vancouver, September 21, 2020 - [Jaxon Mining Inc.](#) (TSXV: JAX) (FSE: OU31) (OTC: JXMNF) ("Jaxon" or the "Company") is pleased to confirm that additional high-grade silver polymetallic mineralization has been discovered at the third artisanal workings site at Netalzul Mountain (Figure 1). The BC Ministry of Energy and Mines estimates the workings date back to the first half of the 20th century, and no recorded information referencing the workings has been found to date.

In 2010, a high grade polymetallic sample (NATMR006) was documented in BC Geological Survey Assessment Report #32043 (2010), and reported assay results of >10,000 ppm Cu, >10,000 ppm Pb, >100 ppm Ag, 2597.9 ppb Au, and >2000 ppm Sb. Both the current and historical samples were taken from the area surrounding the contact/fault-controlled shear zone. (<https://bit.ly/3hObwKB>)

13 grab and chip samples were collected from the contact/fault zone and in the direction of the contact/fault zone strike (Figure 2). Assay results confirm the presence of high-grade silver polymetallic mineralization. The mineralization is strongly structure controlled by either a large contact or fault shear zone between the Jurassic Bowser Lake hornfels and the Blunt Mountain granite intrusive or within the Blunt Mountain granite intrusive itself (Figure 2). The 13 assay results from this batch and four assay results from the previous batch are listed in Table 1 and shown in Figure 2.

Highlights of the assay results from the 13 samples (and four samples from the earlier batch):

- The highest silver grade from a grab sample (10-20 cm polymetallic veins, Figure 3) is up to 5301 g/t, with zinc grades up to 37.85%, lead grades up to 29.18%, copper grades up to 3.35 %, and antimony grades up to 2.32%.
- A 1.5-metre chip sample assayed 4577 g/t silver, 3.04 % copper, 4.52% zinc, 3.40 % lead, and 2.08 % antimony (Figure 4).
- The mineralization zone is more than 12 metres wide (not true width) with average gold equivalent grades of up to 9.22g/t. Sulfides mineralization in the hornfels within the contact shear zone extends up to seven metres. The mineralization in the granite is up to five metres from the contact (Figure 4).
- The contact/fault shear mineralization zone is up to 1000 metres long (Figure 2) along either the contact between hornfels and granite or within granite only.

Figure 1. Third Historical Artisanal Workings Site at Netalzul Mountain

To view an enhanced version of Figure 1, please visit:
https://orders.newsfilecorp.com/files/881/64170_84745b2aa4feca48_001full.jpg

Figure 2. 2020 Rock (with EqAu Grades) and Soil Sampling Location Map, Netalzul Mountain AOI, Hazelton

Property

To view an enhanced version of Figure 2, please visit:

https://orders.newsfilecorp.com/files/881/64170_84745b2aa4feca48_002full.jpg

Figure 3. High-Grade Silver Polymetallic Vein Grab Sample from Historical Artisanal Workings Site, Netalzul Mountain

To view an enhanced version of Figure 3, please visit:

https://orders.newsfilecorp.com/files/881/64170_84745b2aa4feca48_003full.jpg

Figure 4. Chip Sample Grades (EqAu) at Historical Workings Site Within a Large Contact/Fault Shear Zone, Netalzul Mountain

To view an enhanced version of Figure 4, please visit:

https://orders.newsfilecorp.com/files/881/64170_84745b2aa4feca48_004full.jpg

Table 1. Assay Results of 17 Grab and Chip Rock Samples at Historical Workings Site at Netalzul Mt.*

Sample ID	Easting	Northing	Ag (ppm)	Au(ppm)	Cu(ppm)	Mo(ppm)	W(ppm)
A0020736	626849	6129865	QV zone in Contact zone, > 5 meter	81	0.08	7440	2
A0020737	626581	6130075	grab sample	5301	0.45	33460	
A0020738	626581	6130075	grab sample	2573	0.19	15140	
A0020739	626590	6130068	grab granite sample	28	0.01	340	
A0020740	626591	6130072	1.5 m chip hornfels sample	4577	0.48	30390	
A0020741	626591	6130072	2 m hornfels chip sample	22	0.00	294	
A0020742	626591	6130072	2 m hornfels chip sample	6	0.02	448	
A0020743	626603	6130072	1 m hornfels chip sample	3	0.11	359	
A0020744	626603	6130072	0.5 m contact zone	26	0.14	2572	
A0020745	626603	6130072	1 m granite chip sample	8	0.02	1478	7
A0020746	626603	6130072	2 m granite chip sample	2	0.00	368	11
A0020747	626603	6130072	2 m granite chip sample	5	0.03	959	2
A0020748	626221	6129647	30 cm QV sulfides within contact zone	44	0.15	432	
A0027199	626417	6129949	5 m chip sample, quartz vein with sulfides within granite	5	0.03	1110	11
A0027240	626043	6129397	1 m Quartz vein along fracture zone in granite	5	0.14	30	33
A0027251	626261	6129673	quartz vein with sulfides	2	0.01	530	1
A0027252	626014	6129415	quartz vein with semi-massive sulfides within granite	2	0.05	20	18

*EqAu grade is calculated based on gold priced at USD\$1900/ounce; silver at USD\$26/ounce, copper at USD\$6000/tonne, molybdenum at USD\$24000/tonne, lead and zinc at USD\$1800/tonne, antimony at USD\$5000/tonne, and tungsten at USD\$ 40000/tonne.

A total of 80 rock samples and 683 soil samples (Figure 2) have been collected this field season from Netalzul Mountain AOI. Full assay results for all rocks and soil samples will be released when available.

John King Burns, Chief Executive Officer of Jaxon Mining, commented, "At Netalzul Mountain, in what was a highly prospective area 30-40 years ago, a unique, structurally controlled setting has been identified. This setting is marked by a series of artisanal workings where recently assayed samples confirm the presence of Au, high grade Ag, Cu, Zn, and other mineralization. Two additional high-density, geophysical studies have

been commissioned for the area. These surveys and other structural mapping work are scheduled to be completed in early October 2020 and will be integrated with the existing geochemical and geophysical information into our conceptual geological model. The Company is working to extend its current drilling permits to include several newly defined targets at Netalzul. If granted in time, the extension will allow for drill testing Netalzul at the end of the 2020 season, weather and market conditions permitting."

"At Hazelton, four project areas are being systematically explored. Each AOI is marked by evidence of one or more major metallogenic systems. The extent of the tourmaline breccia occurrence at Red Springs, combined with surface evidence of high grade gold, silver, copper and other mineralization in samples, and along with geochemical and geophysical survey results, all indicate the focus should be on drill testing the Red Springs porphyry system."

"It appears that systematic exploration work in the Skeena Arch area stopped decades ago, when prospectors went north in search of the next Eskay Creek. Today the industry remains focused on the eponymous Golden Triangle. Our team is working hard to deliver a herd of Ag, Cu and Au polymetallic elephants to our stakeholders. We expect the Skeena Arch will soon be recognized as a significant minerals rich region in British Columbia that will rival the Golden Triangle."

Rock Sampling and Analytical Procedures

Chip and prospecting samples were collected in the field by experienced, professional geologists who selected hand samples from outcrop or chip samples. The samples were numbered, described and located in the field for follow-up. Numbered rock sample tags were placed inside each bag, securely closed for transport to the Company's secure cold storage locked facility in Smithers, B.C. MSALABS of Langley, B.C. received the Rice Bag shipments after secure transport from Smithers. Samples were prepared by crushing, grinding and pulverizing to a pulp with barren material washing between each sample at the crush and pulverizing stages. Then 20 g of pulp was used for the IMS-128 for 39 elements, FAS-111 fire assay for gold with ICP-ES finish and MET-440 for 29 elements for ore grade samples, and MET-440 for ore grade samples. Overlimit silver is determined by Fire ASSAY 415 method. Laboratory standards and QA - QC are monitored by the Company.

Qualified Person

Yingting (Tony) Guo, P.Geo., President of [Jaxon Mining Inc.](#), a Qualified Person as defined by National Instrument 43-101, has reviewed and prepared the scientific and technical information and verified the data supporting such scientific and technical information contained in this news release.

About Jaxon Mining Inc.

Jaxon is a precious and base metals exploration company with a regional focus on Western Canada. The Company is currently focused on advancing the Red Springs Project at its 466 km² Hazelton Property located near Smithers in northwestern British Columbia. In addition to Red Springs, Hazelton hosts three other areas of interest (AOIs): Blunt Mountain, Max and Netalzul Mountain. For more information, please visit <https://jaxonmining.com>.

ON BEHALF OF THE BOARD OF DIRECTORS
[Jaxon Mining Inc.](#)

"John King Burns"

John King Burns, Chairman

For more information, please contact:

Investor Relations

Kaye Wynn Consulting
T: 604-558-2630
TF: 1-888-280-8128
E: info@kayewynn.com

Freeform Communications
T: 604-243-0499
E: enquiries@freeform.com

Corporate
T: 604-424-4488
E: info@jaxonmining.com
www.jaxonmining.com

This news release may contain forward-looking information, which is not comprised of historical facts. Forward-looking information involves risks, uncertainties, and other factors that could cause actual events, results, performance, prospects, and opportunities to differ materially from those expressed or implied by such forward-looking information. Forward-looking information in this news release may include but is not limited to, the Company's objectives, goals, or plans. Factors that could cause actual results to differ materially from such forward-looking information include, but are not limited to, those risks set out in the Company's public documents filed on SEDAR. Although the Company believes that the assumptions and factors used in preparing the forward-looking information in this news release are reasonable, undue reliance should not be placed on such information, which only applies as of the date of this news release. No assurance can be given that such events will occur in the disclosed time frames or at all. The Company disclaims any intention or obligation to update or revise any forward-looking information, whether as a result of new information, future events or otherwise, other than as required by law. Neither TSX Venture Exchange nor its Regulations Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Dieser Artikel stammt von Rohstoff-Welt.de

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/362265--Jaxon-Mining-Inc.-Confirms-Additional-High-Grade-Silver-Polymetallic-Mineralization-at-Historical-Artisanal-Working-Properties-in-Bolivia>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinen](#).