

Netalzul Mountain October Channel Sampling Confirms More High-Grade Silver Polymetallic Mineralization, Jaxon Commences Advanced MAG Survey and Prepares for Major Drill Test

05.11.2020 | [Newsfile](#)

Vancouver, November 5, 2020 - [Jaxon Mining Inc.](#) (TSXV: JAX) (FSE: 0U31) (OTC: JXMNF) ("Jaxon" or the "Company") is pleased to announce that assay results from channel sampling conducted late September to early October, 2020, at the Daisy south Adit Zone at Netalzul Mountain ("Netalzul"), along with other observations, projects volumes of high-grade silver-gold-copper polymetallic mineralization concentrated along the Netalzul Contact Zone and related sutures (Figure 1). The Company's conceptual geological model shows that this mineralization is the product of extensive metalliferous fluid flows and are a part of a larger, deeper and more extensive, structurally controlled mineralized system with porphyritic antecedents. Accretionary orogeny has endowed Netalzul with Cu/Ag/Au/Pb/Zn and other metals occurring in several different types of mineral deposits with anomalous (high) metal grades.

The most recent channel sampling results confirm the anomalous (high) grades of high sulfidation and other mineralization taken during earlier soil, rock and chip samples from around the artisanal "old-time" adits, the Adit Zone at Daisy south. Geological modeling project these to be high volume and high-grade Ag-Cu-Au occurrences, each representing the upper portions or distal extensions of a larger and deeper Cu porphyry.

The Company continues to prepare its other leading orogenic target at Red Springs for drill testing in the second phase of the 2021 program. A unified geological model for all of Hazelton has been developed. As a result, the geological model for Netalzul is informed by and informs the models for the other Hazelton property projects: Red Springs, Max and Blunt Mountain.

In August of 2020, upon discovery of the previously unmarked artisanal adits, the field team mapped significant sulfide quartz vein occurrences outcropping on surface over an extended strike, and collected grab and chip samples from the area (<https://bit.ly/3jX3a4F>). In late September to early October, the field team returned to the Adit area and conducted a channel sampling program (Figure 1). Concurrently, a new set of closely spaced, remote, advanced geophysical surveys (MAG and LIDAR) was commissioned to include and extend beyond the Contact, Adit and Daisy East areas. The Company has applied to expand its work permits to cover the Netalzul project area. The permits will allow ground based geophysical surveys and other work to be completed and for drill testing to commence in the spring/summer of 2021.

18 channel samples were collected from Adits 1 and 2, Adit Zone (Daisy south zone) and 5 grab samples from Daisy East Zone. Assay results from this batch and 12 assay results from a previous batch around the Old Workings Contact Zone and Daisy East Zone are listed in Table 1 and Figure 1. Assay results confirm the presence of high-grade silver polymetallic mineralization reported by the previous grab and chip samples (<https://bit.ly/3jX3a4F>). The mineralization is strongly structurally controlled by a large fault shear zone striking at NE 50 to 70 degrees with steepening dip angles of over 70 degrees within the granite intrusions (Figure 2).

Figure 1. Channel sampling locations at Adit Zone, around artisanal Adits #1 and #2 and two others; Old Working Contact Zone and Daisy East Zone.

To view an enhanced version of Figure 1, please visit:
https://orders.newsfilecorp.com/files/881/67522_2d02cd578499eac9_001full.jpg

Figure 2. Collapsed portal at artisanal Adit #2 surrounded by outcrops of sulfide quartz veins at Daisy south zone.

To view an enhanced version of Figure 2, please visit:

Highlights of the assay results from 18 channel samples taken from Daisy south (Adit Zone) and five samples taken from Daisy East Zone in late September to early October 2020:

- A 2 metre channel sample from a sulfide quartz vein in the artisanal Adit #1 area with silver equivalent grades up to 745 g/t, including silver grades up to 486 g/t, gold grades up to 1.40g/t and copper grades up to 1.40% (Figures 1 and 3);
- A 5 metre channel sample across three sulfide quartz veins in the artisanal Adit #2 area with silver equivalent grades up to 284 g/t, including silver grades up to 186 g/t, gold grades up to 0.7 g/t and copper grades up to 0.37% (Figures 1 and 4);
- Two grab samples from the Daisy East Zone granite intrusion area at the top of the Netalzul Mountain glacial area with silver equivalent grades up to 449 g/t, including silver grades up to 275 g/t, gold grades up to 0.8 g/t and copper grades up to 1.53%. One chip sample from an outcrop in the same area with silver equivalent grades up to 230 g/t, including silver grades up to 75 g/t, gold grades up to 0.07 g/t and copper grades up to 2.00% (Table 1 and Figure 5);
- All mineralization zones in the Adit Zone, Old Working Contact Zone and the Daisy East Zone are up to 1000 metres long (Figure 6) and have been subjected to both the soil sampling and rock sampling programs.

John King Burns, Chairman and CEO of the Company, commented, "Our geological team has conducted a brilliant multi-disciplined and comprehensive, boots on the ground approach to the 2020 work season's exploration activities at Netalzul Mountain. We have made a series of discoveries and are now preparing to properly drill test the system to define the scope and scale of the discoveries. To use an oil and gas analogy, the features developing at Hazelton are akin to having ownership of and the technology to produce Bakken oil from the Bakken Formation in 1990. We specifically targeted and applied a multi-disciplinary and systematic exploration approach to the Hazelton metallogenic area given its orogeny. We have sampled and assayed rock values at Netalzul Mountain that exceed the rock values mined at Eskay Creek. The information from the accretionary orogenic model has been used to inform our own model allowing us to develop an understanding of the source of the high value rocks and to project large volumes of those rocks near surface and at depth along the entire contact area."

"In oil and gas, exploration is undertaken in areas that have both source rocks and reservoir rocks. Conduits with permeability are necessary to allow for the transport. Rocks with porosity or fractures contain the fluids. We are on the cusp of demonstrating that the same holds true for large scale minerals exploration in the Skeena Arch area of British Columbia. Netalzul has exceptional source rocks, transport sutures and structural traps that created the reservoirs for the metalliferous fluids and allowed for the precipitation/deposition of the metals."

"The discovery of the extensive high-grade rock samples around the 1000+ metre long contact zone at Netalzul is supported by other structural mapping, geochemical and geophysical results. Netalzul Mountain is only one of Jaxon's four orogenically endowed target areas at Hazelton. Jaxon has made Netalzul the priority drill testing target for 2021. Red Springs will be drilled tested after Netalzul, ahead of Max and Blunt Mountain."

"With the benefit of the beginning of a demand driven bull market for all metals, led by copper, gold, silver and other battery and industrial metals, Netalzul represents one of the most exciting targets under exploration today anywhere in the world. With its projected value and scale, Netalzul Mountain offers our stakeholders participation in a unique and expanding wealth creating opportunity."

"We are a sophisticated and experienced exploration company with 100% control of the Hazelton property. The Hazelton projects, Red Springs, Netalzul Mountain, Max and Blunt Mountain, are all orogenically endowed targets with the potential for major project scope and scale. Jaxon represents one of the most significant investment opportunities available in the junior exploration sector."

Table 1. Assay Results from Channel, Chip and Grab Samples from Netalzul Mountain

Method	ICPM	FA/AAS	ICPM	ICPM	ICPM	ICPM	ICPM
Element	Ag	Au	Cu	Sb	Pb	Zn	EqAg
Unit	ppm	g/mt	ppm	ppm	ppm	ppm	ppm

A0027251	QV channel sample from adit zone	457	1.82	13299	9439	1900	2116	746
A0027252		515	0.97	14633	7743	2607	2463	744
A0027520	Mineralized granite. Wall rock of a quartz vein	0.15	0.01	1740	10	10	140	13
A0027521	Quartz vein with sulfides, >1 m in width	75	0.07	20020	580	380	300	230
A0027522	Mineralized granite. Wall rock of a quartz vein	31	0.01	970	60	60	260	40
A0027523	Granite grab from Daisy east	0.3	0.01	20	1	10	40	1
A0027524	Hornfels grab from Daisy east	1	0.01	68	3	9	83	1
A0027525	Hornfels grab from Daisy east	1	0.01	110	1	4	75	2
A0027526	Granite grab from Daisy east	105	0.17	15736	50	754	140	232
A0027527	Granite grab from Daisy east	445	1.50	14844	776	487	264	666
A0027528	granite channel from adit zone	3	0.01	815	10	34	130	10
A0027529	granite channel from adit zone	16	0.01	1217	148	37	159	27
A0027530	granite channel from adit zone	17	0.02	1795	49	34	108	32
A0027531	granite channel from adit zone	7	0.01	681	6	15	97	13
A0027532	granite channel from adit zone	3	0.01	770	13	29	80	9
A0027533	granite channel from adit zone	5	0.02	246	63	59	263	8
A0027534	Qv & granite channel from adit zone	56	0.07	1151	574	1151	590	74
A0027535	Qv & granite channel from adit zone	114	0.29	4766	1215	2581	635	181
A0027536	Qv & granite channel from adit zone	697	2.63	10521	6214	8106	2732	1016
A0027537	Qv & granite channel from adit zone	11	0.05	665	82	88	353	21
A0027538	Qv & granite channel from adit zone	50	0.44	1630	326	93	97	96
A0027539	granite channel from adit zone	1	0.01	441	7	20	122	5
A0027540	granite channel from adit zone	2	0.01	336	5	14	82	5
A0027541	granite channel from adit zone	1	0.01	385	2	12	58	4
A0027542	Qv & granite channel from adit zone	43	0.06	1390	53	105	51	58
A0027543	granite channel from adit zone	3	0.01	1434	2	37	76	14
A0020737	Historical working site, dumped ore pile	5301	0.45	33460	23210	242800	378500	6456
A0020738	Historical working site, dumped ore pile	2573	0.19	15140	10460	291800	312300	3481
A0020739	Grab sample, granodiorite with disseminated sulfides	28	0.01	340	130	2500	270	35
A0020740	Outcrop, intensive quartz veins, 1.5 m chip sample	4577	0.48	30390	20820	34000	45200	5049
A0020741	1 m chip sample, hornfel with minor disseminated sulfides	22	0.00	294	96	175	270	25
A0020742	2 m chip sample, hornfel with minor disseminated sulfides	6	0.02	448	13	52	185	11
A0020743	3 m chip sample, hornfel with minor disseminated sulfides	3	0.11	358	13	30	103	14
A0020744	contact, 0.5 m chip sample	26	0.14	2572	120	261	10400	68
A0020745	Granodiorite with disseminated sulfides, 1 m chip sample	8	0.02	1478	36	54	164	20
A0020746	Granodiorite with disseminated sulfides, 2 m chip sample	2	0.00	368	13	48	67	5
A0020747	Granodiorite with disseminated sulfides, 2 m chip sample	5	0.03	959	3	50	125	14

Figure 3. Channel sample at artisanal Adit #1 area.

To view an enhanced version of Figure 3, please visit:
https://orders.newsfilecorp.com/files/881/67522_2d02cd578499eac9_003full.jpg

Figure 4. Channel samples with Eq Ag grades at artisanal Adit #2 area.

To view an enhanced version of Figure 4, please visit:
https://orders.newsfilecorp.com/files/881/67522_2d02cd578499eac9_004full.jpg

Figure 5. Sulfide quartz vein within the granite intrusion at Daisy East Zone.

To view an enhanced version of Figure 5, please visit:
https://orders.newsfilecorp.com/files/881/67522_2d02cd578499eac9_005full.jpg

Figure 6. Three mineralization zones defined by 2020 rock and soil sampling program, Netalzul Mountain.

To view an enhanced version of Figure 6, please visit:
https://orders.newsfilecorp.com/files/881/67522_2d02cd578499eac9_006full.jpg

Rock Sampling and Analytical Procedures

All samples described in this news release were collected by the Company's Qualified Professional Geologists. Chip and prospecting samples were collected in the field by experienced, professional geological staff who selected hand samples from outcrop or chip samples. The samples were numbered, described and located in the field for follow-up. Numbered rock samples tags were placed inside each bag, securely closed for transport to the Company's secure cold storage locked facility in Smithers, B.C. Bureau Veritas of Vancouver, B.C. received the Rice Bag shipments after secure transport from Smithers. Samples were prepared by crushing, grinding and pulverizing to a pulp with barren material washing between each sample at the crush and pulverizing stages. The ICP ES/MS Multiple Acid for 41elements, MA270 fire assay for gold. Laboratory standards and QA - QC are monitored by the Company.

Qualified Person

Yingting (Tony) Guo, P.Geo., President of [Jaxon Mining Inc.](#), a Qualified Person as defined by National Instrument 43-101, has reviewed and prepared the scientific and technical information and verified the data supporting such scientific and technical information contained in this news release.

About Jaxon Mining Inc.

Jaxon is a precious and base metals exploration company with a regional focus on Western Canada. The Company is currently focused on advancing the Netalzul Mountain and Red Springs projects at its 476 km² Hazelton Property located near Smithers in northwestern British Columbia. In addition to Netalzul Mountain and Red Springs, Hazelton also hosts the Blunt Mountain and Max projects. For more information, please visit <https://jaxonmining.com>.

ON BEHALF OF THE BOARD OF DIRECTORS

[Jaxon Mining Inc.](#)

"John King Burns"

John King Burns, Chairman

For more information, please contact:

Investor Relations

Kaye Wynn Consulting

T: 604-558-2630

TF: 1-888-280-8128

E: info@kayewynn.com

Freeform Communications

T: 604-243-0499

E: enquiries@freeform.com

Corporate

T: 604-424-4488

E: info@jaxonmining.com

www.jaxonmining.com

This news release may contain forward-looking information, which is not comprised of historical facts. Forward-looking information involves risks, uncertainties, and other factors that could cause actual events, results, performance, prospects, and opportunities to differ materially from those expressed or implied by such forward-looking information. Forward-looking information in this news release may include but is not

limited to, the Company's objectives, goals, or plans. Factors that could cause actual results to differ materially from such forward-looking information include, but are not limited to, those risks set out in the Company's public documents filed on SEDAR. Although the Company believes that the assumptions and factors used in preparing the forward-looking information in this news release are reasonable, undue reliance should not be placed on such information, which only applies as of the date of this news release. No assurance can be given that such events will occur in the disclosed time frames or at all. The Company disclaims any intention or obligation to update or revise any forward-looking information, whether as a result of new information, future events or otherwise, other than as required by law. Neither TSX Venture Exchange nor its Regulations Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

To view the source version of this press release, please visit <https://www.newsfilecorp.com/release/67522>

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/366099--Netalzul-Mountain-October-Channel-Sampling-Confirms-More-High-Grade-Silver-Polymetallic-Mineralization-Jaxon>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzzrichtlinien](#).