

# Bonterra Resources Inc. Intersects 15.6 G/t Au over 1.6 Metres at Gladiator

05.11.2020 | [Newsfile](#)

Val-d'Or, Nov 5, 2020 - [Bonterra Resources Inc.](#) (TSXV: BTR) (OTCQX: BONXF) (FSE: 9BR2) ("Bonterra" or the "Company") is pleased to announce the following results from the ongoing drilling campaign at the Gladiator project. The results include several intersections, including 15.6 g/t Au over 1.6 metres ("m") in hole BA-20-20, 10.5 g/t Au over 1.1 m in hole BA-20-04, 12.7 g/t Au over 1.0 m in hole BA-20-12, 10.2 g/t Au over 1.8 m in hole BA-20-13, 40.5 g/t Au over 0.5 m in hole BA-20-17 and 7.8 g/t Au over 3.0 m in hole BA-20-18A.

The 2020 drilling campaign at Gladiator resumed on July 23, 2020 with two drills in operation, one on a barge on Lake Barry and the other on land near the Gladiator deposit. Since July 23, 2020, the Company has drilled 22 holes representing a total of 7,559 m of a planned 16,000 m for the Gladiator regional area. Results from 19 holes have been received since the press release on April 24, 2020. Results from the remaining drilled holes are pending (Figure 1).

The Gladiator deposit consists of three primary zones; the North, Main and Barbeau Zones. The North and the Main Zone are characterized by mineralized quartz veins hosted within steeply south-southeast dipping shear zones having developed at the contacts of gabbroic and felsic dykes with mafic to intermediate volcanic rocks. The Barbeau Zone consists of quartz vein mineralization hosted by a shear zone dipping moderately to the north and correlates with an offset of the gabbroic and felsic dykes. Several secondary mineralized zones called "North Dippers" have been interpreted with orientations similar to the Barbeau Zone, moderately to steeply dipping north. A series of mineralized zones associated with felsic dykes are referred to as North Corridor, Footwall and South Zones and are interpreted to occur with similar orientations to the North and Main Zones dipping south-southeast (Figures 1 and 4).

Pascal Hamelin, Interim CEO and VP, Operations commented: "These latest drill results are very encouraging, and demonstrate the continuity of the Main and North Zones. The addition of a series of interpreted north-dipping zones to the Main and North Zones further enhances our understanding of the Gladiator deposit."

The following table shows the significant intersections of the drill holes presented in this press release.

Hole ID	From (m)	To (m)	Length (m)	Grade (g/t Au)	Zone
BA-20-03	33.0	41.3	8.3	1.0	North corridor
	72.3	74.5	2.2	1.5	North corridor
	278.0	279.0	1.0	1.7	North Dipper (Main)
	493.8	495.1	1.3	3.0	North Dipper (North)
BA-20-04	136.2	137.3	1.1	10.5	Main
	369.0	370.0	1.0	4.2	South
BA-20-05	56.0	58.0	2.0	1.8	
	101.2	104.0	2.8	2.1	North corridor
	240.0	242.0	2.0	1.7	North Dipper (Main)
	297.5	300.0	2.5	1.1	North Dipper (Main)
	317.0	318.1	1.1	1.2	North Dipper (Main)
	358.5	361.5	3.0	3.2	North Dipper (North)
BA-20-06	424.0	425.0	1.0	9.8	North Dipper (Main)
	540.0	541.0	1.0	1.3	North Dipper (Main)
	45.0	49.5	4.5	3.0	Main
	140.0	140.5	0.5	3.4	North Dipper (Main)
	160.2	161.0	0.8	4.2	North Dipper (Main)
	277.5	281.3	3.8	1.4	South

Hole ID	From (m)	To (m)	Length (m)	Grade (g/t Au)	Zone	
BA-20-07	337.7	346.0	8.3	1.4	South	
	351.0	353.0	2.0	1.0	South	
	95.0	97.0	2.0	5.0	North corridor	
	168.0	169.6	1.6	6.0	North Dipper	
	330.0	331.0	1.0	5.3	North Dipper (Main)	
BA-20-08	131.1	137.0	5.9	0.7	North	
BA-20-09	No Significant Assays					
BA-20-10	154.0	161.0	7.0	0.7	Main	
BA-20-11	222.5	223.0	0.5	3.2	Main	
	172.7	182.9	10.2	2.7	Main	
	Including	172.7	173.4	0.7	13.7	
		256.0	261.0	5.0	1.6	
		276.3	276.8	0.5	3.4	North Dipper (Main)
		360.0	360.6	0.6	4.9	Barbeau
		367.3	367.8	0.5	7.5	Barbeau
		433.9	434.9	1.0	1.1	Barbeau
		443.0	444.0	1.0	4.7	Barbeau
	BA-20-12	195.0	196.0	1.0	1.5	North Dipper (Main)
204.0		206.0	2.0	1.4	North Dipper (Main)	
224.0		225.0	1.0	12.7	North Dipper (Main)	
266.8		268.0	1.2	2.1	Main	
470.5		472.0	1.5	1.0	South	
BA-20-13	16.0	17.2	1.2	1.4	Main	
	108.0	121.0	13.0	1.4	North corridor	
	123.2	125.0	1.8	10.2	North	
	Including	123.2	123.8	0.6	28.8	
		137.5	143.0	5.5	2.9	North Corridor
		139.0	143.0	4.0	3.9	North Corridor
	Including	139.0	140.0	1.0	11.6	
BA-20-14	52.0	52.8	0.8	1.6	Main	
	88.0	89.7	1.7	2.1	Main	
	130.0	131.2	1.2	1.7	Footwall	
	149.0	153.0	4.0	1.7	North Dipper (North)	
	165.0	166.0	1.0	2.2	North corridor	
BA-20-15	178.6	182.3	3.7	1.2	North corridor	
	58.0	59.0	1.0	1.6	North corridor	
	73.0	76.5	3.5	0.5	North	
BA-20-16	157.1	158.2	1.1	6.5	Main	
	344.0	344.5	0.5	2.7	South	
	399.2	400.2	1.0	7.4	South	
BA-20-17	19.0	23.0	4.0	1.4	North dipper	
	39.0	40.0	1.0	6.2	Main	
	48.0	51.0	3.0	2.7	Main	
	148.5	149.0	0.5	40.5	North Dipper (North)	
	155.0	156.0	1.0	3.6		
BA-20-18	170.8	173.2	2.4	3.4	North corridor	
BA-20-18A	33.0	35.2	2.2	1.2	North Dipper	
	87.0	88.7	1.7	1.2	Main	
	142.0	144.7	2.7	2.5	North Dipper (Main)	
	184.0	187.0	3.0	7.8	North Dipper (Main)	
	Including	184.8	185.5	0.7	30.3	
BA-20-19	Pending results	212.2	214.0	1.8	2.4	North corridor
		188.7	202.0	13.3	1.3	North corridor
		237.0	238.0	1.0	4.8	North
		332.0	334.0	2.0	1.3	North Dipper (Main)
		361.0	362.0	1.0	6.2	Footwall

Hole ID	From (m)	To (m)	Length (m)	Grade (g/t Au)	Zone
	603.7	605.0	1.3	8.0	North Dipper
Including	603.7	604.2	0.5	19.0	
BA-20-20 Pending results	93.5	95.1	1.6	15.6	Main

Notes:

- 1) The meterage represents the length of the drilled lengths.
- 2) Estimated true widths for the interpreted Main, North, South and Footwall Zones range from at least 50% to 90% of the interval core length. The estimated true widths of the North Dipper, Barbeau and North Corridor Zones are unknown.
- 3) The mineralized intervals listed are above 0.5 g/t Au.

Figure 1 - Gladiator Project - Drill Hole Location Map

To view an enhanced version of this graphic, please visit:  
[https://orders.newsfilecorp.com/files/1528/67553\\_cba3bff124724be9\\_001full.jpg](https://orders.newsfilecorp.com/files/1528/67553_cba3bff124724be9_001full.jpg)

Ten holes intersected the Main Zone and filled the gap in the drilling pattern (BA-20-04; 06; 10; 11; 12; 14; 16; 17; 18A; 20). Highlights include 15.6 g/t Au over 1.6 m in hole BA-20-20, 2.7 g/t Au over 10.2 m, including 13.7 over 0.7 m in hole BA-20-11 and 10.5 g/t Au over 1.1 m in hole BA-20-04 (Figure 2).

Figure 2 - Main Zone Longitudinal Section

To view an enhanced version of this graphic, please visit:  
[https://orders.newsfilecorp.com/files/1528/67553\\_cba3bff124724be9\\_002full.jpg](https://orders.newsfilecorp.com/files/1528/67553_cba3bff124724be9_002full.jpg)

Seven holes (BA-20-08; 09; 13; 14; 17; 18A; 20) were drilled to target the North Zone extension following very encouraging results from holes BA-20-05 and BA-20-07 drilled during the winter (See press releases April 2, 2020 and April 24, 2020). Best results included 2.9 g/t Au over 6.6 m, including 10.2 g/t Au over 1.8 m and 2.9 g/t Au over 5.5m, including 11.6 g/t Au over 1.0 m in hole BA-20-13.

Figure 3 - North Zone Longitudinal Section

To view an enhanced version of this graphic, please visit:  
[https://orders.newsfilecorp.com/files/1528/67553\\_cba3bff124724be9\\_003full.jpg](https://orders.newsfilecorp.com/files/1528/67553_cba3bff124724be9_003full.jpg)

Several newly modelled north dipping zones ("North Dippers") were intersected by the ongoing drilling program, of which the best intervals returned: 12.7 g/t Au over 1.0 m in BA-20-12, 40.5 g/t Au over 0.5 m in hole BA-20-17, 30.3 g/t Au over 0.7 m in hole BA-20-18A and 8.0 g/t Au over 1.3 m, including 19.0 g/t Au over 0.5 m in hole BA-20-19 (Figure 4).

Figure 4 - Gladiator Project - Composite Cross Section

To view an enhanced version of this graphic, please visit:  
[https://orders.newsfilecorp.com/files/1528/67553\\_cba3bff124724be9\\_004full.jpg](https://orders.newsfilecorp.com/files/1528/67553_cba3bff124724be9_004full.jpg)

Quality control and reporting protocols

The Gladiator project's drill core gold analysis is performed at the Bachelor Mine Analysis Laboratory. The Company employs a rigorous QA-QC analysis program that meets industry standards. The analytical results are carried out by fire assay (A.A.) in the mine laboratory. Blanks, duplicates, and certified reference standards are inserted into the sample stream to monitor laboratory performance. The Company's QA-QC analytical verification program requires that at least 10% of samples be audited in an independent laboratory. These verification sample were sent to the ALS laboratory located in Val-d'Or, Quebec. The results of the audits are consistent with those obtained.

#### Qualified persons

Boris Artinian, P.Geo., Chief Geologist of the Company oversees all exploration activities on the Gladiator Project. Mr. Artinian is a qualified person as defined by National Instrument 43-101 ("NI-43-101"). Marc Ducharme, P.Ge. and Bonterra's Principal Geologist, approved the information contained in this press release. Mr. Ducharme is a Qualified Person as defined by NI 43-101.

#### FOR ADDITIONAL INFORMATION:

Pascal Hamelin, Interim CEO and VP Operations  
ir@btrgold.com

2872 Sullivan Road, Suite 2, Val d'Or, Quebec J9P 0B9  
819-825-8678 | Website: [www.btrgold.com](http://www.btrgold.com)

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

#### Cautionary and Forward-Looking Statements

This press release contains "forward-looking information" that is based on Bonterra's current expectations, estimates, forecasts and projections. This forward-looking information includes, among other things, statements with respect to Bonterra's exploration and development plans. The words "will", "anticipated", "plans" or other similar words and phrases are intended to identify forward-looking information. This forward-looking information includes namely, information with respect to the planned exploration programs and the potential growth in mineral resources. Exploration results that include drill results on wide spacings may not be indicative of the occurrence of a mineral deposit and such results do not provide assurance that further work will establish sufficient grade, continuity, metallurgical characteristics and economic potential to be classed as a category of mineral resource. The potential quantities and grades of drilling targets are conceptual in nature and, there has been insufficient exploration to define a mineral resource, and it is uncertain if further exploration will result in the targets being delineated as mineral resources. Forward-looking information is subject to known and unknown risks, uncertainties and other factors that may cause Bonterra's actual results, level of activity, performance or achievements to be materially different from those expressed or implied by such forward-looking information. Such factors include but are not limited to: uncertainties related exploration and development; the ability to raise sufficient capital to fund exploration and development; changes in economic conditions or financial markets, environmental and other judicial, regulatory, political and competitive developments; technological or operational difficulties or inability to obtain permits encountered in connection with exploration activities; and labour relations matters. This list is not exhaustive of the factors that may affect our forward-looking information. These and other factors should be considered carefully and readers should not place undue reliance on such forward-looking information.

---

Dieser Artikel stammt von [Rohstoff-Welt.de](http://Rohstoff-Welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/366166--Bonterra-Resources-Inc.-Intersects-15.6-G-t-Au-over-1.6-Metres-at-Gladiator.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).