

Wesdome Announces Kiena Deep A Zone Drilling Returns 326 G/T Gold Over 8.0 Metres

10.02.2021 | [GlobeNewswire](#)

TORONTO, Feb. 10, 2021 - [Wesdome Gold Mines Ltd.](#) (TSX: WDO) ("Wesdome" or the "Company") today announces additional results from underground definition and exploration drilling at the Company's 100% owned Kiena Mine Complex in Val d'Or, Quebec.

Kiena Deep A Zone Drilling

Over the past year, underground drilling was focused on definition drilling of the A Zone, which successfully upgraded a large portion of inferred resources to the indicated category, (see press release dated December 15, 2020). Drilling has since refocused on expansion drilling, not only at the A Zone and VC Zone, but at other prospective targets within the mine area. As part of this exploration focus, initial drilling via seven underground drill rigs has already successfully expanded the size of known mineralized zones (Figures 1 to 3), with follow-up drilling expected to contribute to future resource updates.

The following results are part of the 28,300 m drilled since the close-out date of the last mineral resource estimate update (September 18, 2020) and were therefore not included in that resource estimate.

A Zone Drilling

Highlights of the recent A Zone drilling are listed below and summarized in Table 1.

- Hole 6740W4: 325.9 g/t Au over 8.0 m core length (46.8 g/t Au cut, 5.0 m true width) A2 Zone
- Hole 6740W4: 22.8 g/t Au over 32.8 m core length (14.6 g/t Au cut, 15.0 m true width) A1 Zone
- Hole 6704W3: 24.1 g/t Au over 36.5 m core length (8.4 g/t Au cut, 6.0 m true width) A2 Zone

All assays cut to 90.0 g/t Au. True widths are estimated.

VC1 Zone Drilling

Drilling of the VC1 zone has continued to return a number of high grade intersections and has now confirmed the previous interpretation that the VC1 zone is a separate structure having a different orientation than the A Zone. The mineralization of the VC1 zone has transitioned from a more sulphide-rich variety found in the upper extents of the mine, to a quartz-rich environment with visible gold present at depth. The VC1 zone extends 475 m down plunge from 67 Level to 107 Level, where development and drilling are presently being completed (Figure 2). Hole 6531 (previously released) returned 31.1 g/t Au over 5.1 m (24.3 g/t Au cut over 3.9 m TW) and illustrates the higher grade potential of the VC1 at depth. Recent drill hole 6738C confirms these results, returning 20.0 g/t Au over 4.6 m core length (20.0 g/t Au cut, 4.1 m TW). The VC1 zone remains open at depth and will be a focus for ongoing drilling.

Mr. Duncan Middlemiss, President and CEO, commented, "We are pleased with the many activities on-going at the Kiena Complex. The aggressive underground drilling program has transitioned from definition to exploration drilling and we are already seeing positive results. The A Zones remain open at depth and laterally as well, as shown from the recent drilling with significant intersections on the fringe of the current resource limits.

"We have many exploration targets to test this year, and have in place an aggressive program (in excess of 40,000 metres) to test these targets. Exploration will initially focus on adjacent zones, including the VC and B Zones at depth as these would be accessible from the main ramp and would enhance the current ounces per

vertical metre already defined in the A Zone. The most recent drilling shows the potential of extending the high grade VC1 zone to depth. Additionally, there are a number of excellent exploration targets east of the mine area that are accessible from 33 level, and will be part of the 2021 exploration program, of which some targets contain quartz veins with visible gold. We are also currently ramping up a large surface exploration program, with the aim of unlocking additional value on the Kiena property further to the west and east of the Kiena mine initially, and later, over the entire property.

"Finally, we are very satisfied about the successful re-start of the mill to process the A zone bulk sample in December of last year, of which a total of 2,252 ounces of gold have already been poured. More gold from the mill circuit clean-up has been recovered and will be refined later in Q1, followed by the final reconciliation of the bulk sample, once all the information is available. The Kiena infrastructure has been well-maintained, and enables a quick restart once a production decision is made. The PFS is progressing well, and we expect to have it completed in Q2, with a possible re-start decision shortly thereafter. The pre-production timeframe is forecast to be less than six months, potentially driving the Kiena Mine into commercial production in Q4 of this year."

TECHNICAL DISCLOSURE

The technical and geoscientific content of this release has been compiled, reviewed and approved by Bruno Turcotte, P.Geo., (OGQ #453) Senior Project Geologist of the Company and a "Qualified Person" as defined in National Instrument 43-101 - *Standards of Disclosure for Mineral Projects*.

Analytical work was performed by ALS Minerals of Val d'Or (Quebec), a certified commercial laboratory (Accredited Lab #689). Sample preparation was done at ALS Minerals in Val d'Or (Quebec). Assaying was done by fire assay methods with an atomic absorption finish. Any sample assaying >3 g/t Au was rerun by fire assay method with gravimetric finish, and any sample assaying >10 g/t Au was rerun with the metallic sieve method. In addition to laboratory internal duplicates, standards and blanks, the geology department inserts blind duplicates, standards and blanks into the sample stream at a frequency of one in twenty to monitor quality control.

COVID-19

The health and safety of our employees, contractors, vendors, and consultants is the Company's top priority. In response to the COVID-19 outbreak, Wesdome has adopted all public health guidelines regarding safety measures and protocols at all of its mine operations and corporate offices. In addition, our internal COVID-19 Taskforce continues to monitor developments and implement policies and programs intended to protect those who are engaged in business with the Company.

Through care and planning, to date the Company has successfully maintained operations, however there can be no assurance that this will continue despite our best efforts. Future conditions may warrant reduced or suspended production activities which could negatively impact our ability to maintain projected timelines and objectives. Consequently, the Company's actual future production and production guidance is subject to higher levels of risk than usual. We are continuing to closely monitor the situation and will provide updates as they become available.

ABOUT WESDOME

Wesdome Gold Mines has had over 30 years of continuous gold mining operations in Canada. The Company is 100% Canadian focused with a pipeline of projects in various stages of development. The Company's strategy is to build Canada's next intermediate gold producer, producing 200,000+ ounces from two mines in Ontario and Quebec. The Eagle River Complex in Wawa, Ontario is currently producing gold from two mines, the Eagle River Underground Mine and the Mishi Open pit, from a central mill. Wesdome is actively exploring its brownfields asset, the Kiena Complex in Val d'Or, Quebec. The Kiena Complex is a fully permitted former mine with a 930-metre shaft and 2,000 tonne-per-day mill. The Company has further upside at its Moss Lake gold deposit, located 100 kilometres west of Thunder Bay, Ontario. The Company has approximately 139.4 million shares issued and outstanding and trades on the Toronto Stock Exchange under the symbol "WDO".

For further information, please contact:

Duncan Middlemiss	or Lindsay Carpenter Dunlop
President and CEO	VP Investor Relations
416-360-3743 ext. 2029	416-360-3743 ext. 2025
duncan.middlemiss@wesdome.com	lindsay.dunlop@wesdome.com

220 Bay St, Suite 1200
 Toronto, ON, M5J 2W4
 Toll Free: 1-866-4-WDO-TSX
 Phone: 416-360-3743, Fax: 416-360-7620
 Website: www.wesdome.com

This news release contains "forward-looking information" which may include, but is not limited to, statements with respect to the future financial or operating performance of the Company and its projects. Often, but not always, forward-looking statements can be identified by the use of words such as "plans", "expects", "is expected", "budget", "scheduled", "estimates", "forecasts", "intends", "anticipates", or "believes" or variations (including negative variations) of such words and phrases, or state that certain actions, events or results "may", "could", "would", "might" or "will" be taken, occur or be achieved. Forward-looking statements involve known and unknown risks, uncertainties and other factors which may cause the actual results, performance or achievements of the Company to be materially different from any future results, performance or achievements expressed or implied by the forward-looking statements. Forward-looking statements contained herein are made as of the date of this press release and the Company disclaims any obligation to update any forward-looking statements, whether as a result of new information, future events or results or otherwise. There can be no assurance that forward-looking statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. The Company undertakes no obligation to update forward-looking statements if circumstances, management's estimates or opinions should change, except as required by securities legislation. Accordingly, the reader is cautioned not to place undue reliance on forward-looking statements. The Company has included in this news release certain non-IFRS performance measures, including, but not limited to, mine operating profit, mining and processing costs and cash costs. Cash costs per ounce reflect actual mine operating costs incurred during the fiscal period divided by the number of ounces produced. These measures are not defined under IFRS and therefore should not be considered in isolation or as an alternative to or more meaningful than, net income (loss) or cash flow from operating activities as determined in accordance with IFRS as an indicator of our financial performance or liquidity. The Company believes that, in addition to conventional measures prepared in accordance with IFRS, certain investors use this information to evaluate the Company's performance and ability to generate cash flow.

Table 1: Kiena Complex Drilling Assay and Composite Results

Composites

Hole No.	From (m)	To (m)	Core Length (m)	Estimated Cut Grade (90 g/t Au)	Name Zone
6702	338.4	344.5	6.1	3.62	VC1 Zone
6738C	516.0	520.6	4.6	20100	VC1 Zone
6670	128.3	134.3	6.0	3.850	A Zone
6671	109.0	114.8	5.8	3.628	A Zone
6704W2	160.0	165.2	5.2	0.90	A Zone
6705	265.3	268.9	3.6	3.27	A Zone
6707	290.9	294.7	3.8	2.556	A Zone
6709	255.8	259.8	4.0	1.892	A Zone
6718	371.0	375.9	4.9	4.246	A Zone
6672	542.0	567.2	25.2	0.09	A1 Zone
6672W1	291.6	310.6	19.0	0.32	A1 Zone
6672W2	172.8	194.3	21.5	0.07	A1 Zone
6677W1	258.6	264.0	5.4	3.103	A1 Zone
6687	307.1	312.0	4.9	3.176	A1 Zone
6705	272.9	279.3	6.4	0.520	A1 Zone

6707	299.2	304.2	5.0	2343	A1 Zone
6736	305.4	310.4	5.0	3255	A1 Zone
6737	448.1	458.3	10.2	3088	A1 Zone
6739	624.6	646.5	21.9	6072	A1 Zone
6740	586.7	592.4	5.7	3292	A1 Zone
6740W2	258.5	263.9	5.4	8.01	A1 Zone
6740W4	304.2	337.0	32.8	21.63	A1 Zone
6672W3	229.4	232.1	2.7	21.42	A2 Zone
6672W4	214.6	218.4	3.8	2558	A2 Zone
6690B	670.6	673.7	3.1	3099	A2 Zone
6690BW1	162.4	165.2	2.8	3539	A2 Zone
6690BW2	141.2	154.5	13.3	7083	A2 Zone
6690BW3	215.2	219.8	4.6	9.81	A2 Zone
6704W3	258.0	294.5	36.5	8472	A2 Zone
6706	326.4	330.4	4.0	3009	A2 Zone
6707	308.7	312.0	3.3	2350	A2 Zone
6739	660.3	665.2	4.9	27036	A2 Zone
6739W1	175.1	182.0	6.9	3090	A2 Zone
6739W2	212.0	218.2	6.2	2562	A2 Zone
6740W4	349.0	357.0	8.0	80893	A2 Zone

* Metallic Sieve Analysis Pending

Assays

Hole No.	From (m)	To (m)	Grade (g/t)
6670	128.3	129.3	1.03
6670	129.3	130.3	1.02
6670	130.3	131.3	1.01
6670	131.3	132.3	1.04
6670	132.3	133.0	1.23
6670	133.0	133.6	1.07
6670	133.6	134.3	1.23
6671	109.0	109.7	1.39
6671	109.7	110.4	1.08
6671	110.4	111.4	1.24
6671	111.4	112.1	1.29
6671	112.1	112.7	1.02
6671	112.7	113.3	1.07
6671	113.3	113.9	1.07
6671	113.9	114.8	1.20
6672	542.0	543.4	1.15
6672	543.4	544.4	1.09
6672	544.4	545.4	1.09
6672	545.4	546.4	1.20
6672	546.4	547.4	1.03
6672	547.4	548.4	1.06
6672	548.4	549.4	1.02
6672	549.4	550.4	1.05
6672	550.4	551.4	1.06
6672	551.4	552.4	1.05
6672	552.4	553.4	1.04

6672	553.4	554.3	0.9 Zone
6672	554.3	555.1	0.9 Zone
6672	555.1	556.1	5.6 Zone
6672	556.1	557.1	1.0 Zone
6672	557.1	558.0	0.9 Zone
6672	558.0	559.0	0.1 Zone
6672	559.0	560.0	1.0 Zone
6672	560.0	560.7	0.7 Zone
6672	560.7	561.4	0.7 Zone
6672	561.4	562.1	0.7 Zone
6672	562.1	562.7	0.6 Zone
6672	562.7	563.7	0.1 Zone
6672	563.7	564.7	1.0 Zone
6672	564.7	565.5	0.8 Zone
6672	565.5	566.4	0.9 Zone
6672	566.4	567.2	0.8 Zone
6672W1	291.6	292.6	1.0 Zone
6672W1	292.6	293.6	1.0 Zone
6672W1	293.6	294.6	1.0 Zone
6672W1	294.6	295.6	1.0 Zone
6672W1	295.6	296.6	1.0 Zone
6672W1	296.6	297.5	0.9 Zone
6672W1	297.5	298.5	1.0 Zone
6672W1	298.5	299.2	0.7 Zone
6672W1	299.2	300.0	0.8 Zone
6672W1	300.0	301.0	1.0 Zone
6672W1	301.0	301.7	0.7 Zone
6672W1	301.7	302.5	0.8 Zone
6672W1	302.5	303.4	0.9 Zone
6672W1	303.4	304.3	0.9 Zone
6672W1	304.3	305.1	0.8 Zone
6672W1	305.1	306.0	0.9 Zone
6672W1	306.0	307.0	1.0 Zone
6672W1	307.0	307.6	0.6 Zone
6672W1	307.6	308.6	1.0 Zone
6672W1	308.6	309.6	1.0 Zone
6672W1	309.6	310.6	1.0 Zone
6672W2	172.8	173.8	1.0 Zone
6672W2	173.8	174.8	1.0 Zone
6672W2	174.8	175.3	0.5 Zone
6672W2	175.3	176.3	1.0 Zone
6672W2	176.3	177.3	1.0 Zone
6672W2	177.3	178.3	1.0 Zone
6672W2	178.3	179.3	1.0 Zone
6672W2	179.3	180.3	0.9 Zone
6672W2	180.3	181.3	1.0 Zone
6672W2	181.3	182.3	1.0 Zone
6672W2	182.3	183.3	0.9 Zone
6672W2	183.3	184.3	1.0 Zone
6672W2	184.3	185.3	0.9 Zone
6672W2	185.3	186.3	0.9 Zone

6672W2	186.3	187.3	03Z one
6672W2	187.3	188.4	A0Z one
6672W2	188.4	189.3	00Z one
6672W2	189.3	190.3	50Z one
6672W2	190.3	191.3	00Z one
6672W2	191.3	192.3	50Z one
6672W2	192.3	193.3	A0Z one
6672W2	193.3	194.3	A0Z one
6672W3	229.4	230.1	00Z one
6672W3	230.1	231.1	00Z one
6672W3	231.1	232.1	A0Z one
6672W4	214.6	215.6	00Z one
6672W4	215.6	216.6	00Z one
6672W4	216.6	217.6	10Z one
6672W4	217.6	218.4	00Z one
6677W1	258.6	259.6	10Z one
6677W1	259.6	260.7	A0Z one
6677W1	260.7	261.7	10Z one
6677W1	261.7	263.0	A0Z one
6677W1	263.0	264.0	A0Z one
6687	307.1	307.9	00Z one
6687	307.9	308.7	00Z one
6687	308.7	309.5	00Z one
6687	309.5	310.1	00Z one
6687	310.1	311.0	00Z one
6687	311.0	312.0	A0Z one
6690B	670.6	671.4	00Z one
6690B	671.4	672.7	10Z one
6690B	672.7	673.7	00Z one
6690BW1	162.4	163.4	10Z one
6690BW1	163.4	164.2	00Z one
6690BW1	164.2	165.2	A0Z one
6690BW2	141.2	142.2	00Z one
6690BW2	142.2	143.2	A0Z one
6690BW2	143.2	144.2	A0Z one
6690BW2	144.2	145.2	10Z one
6690BW2	145.2	146.0	00Z one
6690BW2	146.0	147.0	A0Z one
6690BW2	147.0	148.0	10Z one
6690BW2	148.0	149.0	A0Z one
6690BW2	149.0	150.0	10Z one
6690BW2	150.0	151.5	A0Z one
6690BW2	151.5	152.5	10Z one
6690BW2	152.5	153.5	10Z one
6690BW2	153.5	154.5	50Z one
6690BW3	215.2	216.2	A0Z one
6690BW3	216.2	217.2	10Z one
6690BW3	217.2	218.4	00Z one
6690BW3	218.4	219.6	A0Z one
6702	338.5	339.5	V04Z one

6702	339.5	340.5	506 Zone
6702	340.5	341.5	002 Zone
6702	341.5	342.5	409 Zone
6702	342.5	343.5	505 Zone
6702	343.5	344.5	4065 Zone
6704W2	160.0	161.0	106 one
6704W2	161.0	162.0	001 one
6704W2	162.0	162.8	002 one
6704W2	162.8	163.6	0020 one
6704W2	163.6	164.2	006 one
6704W2	164.2	165.2	1035 one
6704W3	258.0	258.8	0000 one
6704W3	258.8	259.5	0000 one
6704W3	259.5	260.3	0000 one
6704W3	260.3	261.1	0000 one
6704W3	261.1	262.0	0000 one
6704W3	262.0	262.8	0000 one
6704W3	262.8	263.7	0000 one
6704W3	263.7	264.5	0000 one
6704W3	264.5	265.5	0000 one
6704W3	265.5	266.5	0000 one
6704W3	266.5	267.5	0000 one
6704W3	267.5	268.5	0000 one
6704W3	268.5	269.5	0000 one
6704W3	269.5	270.5	0000 one
6704W3	270.5	271.5	0000 one
6704W3	271.5	272.5	0000 one
6704W3	272.5	273.5	0000 one
6704W3	273.5	274.5	0000 one
6704W3	274.5	275.5	0000 one
6704W3	275.5	276.5	0000 one
6704W3	276.5	277.5	0000 one
6704W3	277.5	278.5	0000 one
6704W3	278.5	279.5	0000 one
6704W3	279.5	280.5	0000 one
6704W3	280.5	281.5	0000 one
6704W3	281.5	282.5	0000 one
6704W3	282.5	283.5	0000 one
6704W3	283.5	284.5	0000 one
6704W3	284.5	285.5	0000 one
6704W3	285.5	286.2	0000 one
6704W3	286.2	287.0	0000 one
6704W3	287.0	287.7	0000 one
6704W3	287.7	288.7	0000 one
6704W3	288.7	289.7	0000 one
6704W3	289.7	290.7	0000 one
6704W3	290.7	291.7	0000 one
6704W3	291.7	292.7	0000 one
6704W3	292.7	293.7	0000 one
6704W3	293.7	294.5	0000 one
6705	265.3	266.1	0000

6705	266.1	267.0	0.25 one
6705	267.0	267.9	0.25 one
6705	267.9	268.9	0.00 one
6705	272.9	273.6	0.37 one
6705	273.6	274.6	0.00 one
6705	274.6	275.6	1.03 one
6705	275.6	276.6	1.68 one
6705	276.6	277.6	1.67 one
6705	277.6	278.6	0.10 one
6705	278.6	279.3	0.35 one
6706	326.4	327.5	0.00 one
6706	327.5	328.5	1.02 one
6706	328.5	329.3	0.25 one
6706	329.3	330.4	0.10 one
6707	290.9	291.9	5.37 one
6707	291.9	292.9	2.02 one
6707	292.9	293.9	1.97 one
6707	293.9	294.7	0.27 one
6707	299.2	300.2	1.08 one
6707	300.2	301.2	1.09 one
6707	301.2	302.2	1.92 one
6707	302.2	303.2	0.10 one
6707	303.2	304.2	1.67 one
6707	308.7	309.4	6.28 one
6707	309.4	310.0	0.24 one
6707	310.0	311.0	0.24 one
6707	311.0	312.0	0.23 one
6709	255.8	256.8	1.01 one
6709	256.8	257.4	0.00 one
6709	257.4	258.2	0.00 one
6709	258.2	259.0	0.21 one
6709	259.0	259.8	0.62 one
6718	371.0	372.0	1.00 one
6718	372.0	373.0	0.02 one
6718	373.0	374.0	0.05 one
6718	374.0	375.0	1.02 one
6718	375.0	375.9	0.25 one
6736	305.4	306.4	1.02 one
6736	306.4	307.4	1.03 one
6736	307.4	308.4	1.08 one
6736	308.4	309.4	1.09 one
6736	309.4	310.4	1.06 one
6737	448.1	449.0	0.74 one
6737	449.0	450.0	0.06 one
6737	450.0	451.0	0.63 one
6737	451.0	452.0	0.10 one
6737	452.0	453.2	0.10 one
6737	453.2	454.5	0.16 one
6737	454.5	455.5	1.05 one
6737	455.5	456.5	1.08 one

6737	456.5	457.1	0.00 Zone
6737	457.1	458.3	0.00 Zone
6738C	516.0	517.0	0.00 Zone
6738C	517.0	517.7	0.00 Zone
6738C	517.7	518.5	0.00 Zone
6738C	518.5	519.2	0.00 Zone
6738C	519.2	519.9	0.00 Zone
6738C	519.9	520.6	0.00 Zone
6739	624.6	625.6	0.00 Zone
6739	625.6	626.6	0.00 Zone
6739	626.6	627.6	0.00 Zone
6739	627.6	628.6	0.00 Zone
6739	628.6	629.6	0.00 Zone
6739	629.6	630.6	0.00 Zone
6739	630.6	631.6	0.00 Zone
6739	631.6	632.6	0.00 Zone
6739	632.6	633.6	0.00 Zone
6739	633.6	634.6	0.00 Zone
6739	634.6	635.6	0.00 Zone
6739	635.6	636.6	0.00 Zone
6739	636.6	637.6	0.00 Zone
6739	637.6	638.4	0.00 Zone
6739	638.4	639.1	0.00 Zone
6739	639.1	639.7	0.00 Zone
6739	639.7	640.3	0.00 Zone
6739	640.3	641.3	0.00 Zone
6739	641.3	642.3	0.00 Zone
6739	642.3	642.9	0.00 Zone
6739	642.9	643.5	0.00 Zone
6739	643.5	644.5	0.00 Zone
6739	644.5	645.5	0.00 Zone
6739	645.5	646.5	0.00 Zone
6739	660.3	661.3	0.00 Zone
6739	661.3	662.3	0.00 Zone
6739	662.3	663.3	0.00 Zone
6739	663.3	664.2	0.00 Zone
6739	664.2	665.2	0.00 Zone
6739W1	175.1	176.0	0.00 Zone
6739W1	176.0	177.0	0.00 Zone
6739W1	177.0	178.0	0.00 Zone
6739W1	178.0	179.0	0.00 Zone
6739W1	179.0	180.0	0.00 Zone
6739W1	180.0	181.0	0.00 Zone
6739W1	181.0	182.0	0.00 Zone
6739W2	212.0	212.8	0.00 Zone
6739W2	212.8	213.5	0.00 Zone
6739W2	213.5	214.3	0.00 Zone
6739W2	214.3	214.9	0.00 Zone
6739W2	214.9	215.8	0.00 Zone
6739W2	215.8	216.7	0.00 Zone

6739W2	216.7	217.4	239 one
6739W2	217.4	218.2	236 one
6740	586.7	587.7	602 one
6740	587.7	588.7	606 one
6740	588.7	589.7	1000 one
6740	589.7	590.3	6000 one
6740	590.3	591.4	112 one
6740	590.3	591.4	116 one
6740W2	258.5	259.4	455 one
6740W2	259.4	260.3	92 one
6740W2	260.3	261.3	1020 one
6740W2	261.3	262.6	57 one
6740W2	262.6	263.9	37 one
6740W4	304.2	305.4	240 one
6740W4	305.4	306.6	97 one
6740W4	306.6	307.8	124 one
6740W4	307.8	309.0	15 one
6740W4	309.0	310.2	53 one
6740W4	310.2	311.4	26 one
6740W4	311.4	312.6	450 one
6740W4	312.6	313.5	9000 one
6740W4	313.5	314.5	940 one
6740W4	314.5	315.5	330 one
6740W4	315.5	316.5	080 one
6740W4	316.5	317.5	370 one
6740W4	317.5	318.5	070 one
6740W4	318.5	319.5	055 one
6740W4	319.5	320.5	365 one
6740W4	320.5	322.0	86 one
6740W4	322.0	323.5	54 one
6740W4	323.5	325.0	58 one
6740W4	325.0	326.5	58 one
6740W4	326.5	327.6	145 one
6740W4	327.6	328.4	93 one
6740W4	328.4	329.2	90 one
6740W4	329.2	330.0	465 one
6740W4	330.0	331.0	04 one
6740W4	331.0	332.0	64 one
6740W4	332.0	333.0	130 one
6740W4	333.0	334.0	060 one
6740W4	334.0	335.0	93 one
6740W4	335.0	336.0	03 one
6740W4	336.0	337.0	93 one
6740W4	349.0	350.1	140 one
6740W4	350.1	350.9	33 one
6740W4	350.9	351.9	32 one
6740W4	351.9	353.0	20 one
6740W4	353.0	354.0	6000 one
6740W4	354.0	355.0	6000 one
6740W4	355.0	356.0	00000 one
6740W4	356.0	357.0	0000 one

* Metallic Sieve Analysis Pending

Figures accompanying this announcement are available at:

<https://www.globenewswire.com/NewsRoom/AttachmentNg/176d9d85-77ae-42ca-8961-60c9a54d74fe>

<https://www.globenewswire.com/NewsRoom/AttachmentNg/ef6f3ac5-4c6a-475a-8e33-0303808b7b78>

<https://www.globenewswire.com/NewsRoom/AttachmentNg/72ba468d-4096-43c0-b4ea-b531aa08f536>

PDF available:

<http://ml.globenewswire.com/Resource/Download/2a717e71-8226-4218-981f-8d7d82ed4e83>

Dieser Artikel stammt von [Rohstoff-Welt.de](http://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/374429--Wesdome-Announces-Kiena-Deep-A-Zone-Drilling>Returns-326-G-T-Gold-Over-8.0-Metres.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).