

Westhaven Gold Drills 0.45 m of 614 G/T Gold and 2,070 G/T Silver Within 41.55 m of 8.17 G/T Gold and 34.64 G/T Silver at Shovelnose

01.06.2021 | [GlobeNewswire](#)

VANCOUVER, June 01, 2021 - [Westhaven Gold Corp.](#) (TSX-V:WHN) is pleased to announce drill results from its ongoing drill campaign at its 17,623-hectare Shovelnose gold property. Shovelnose is located within the prospective Spences Bridge Gold Belt (SBGB), which borders the Coquihalla Highway 30 kilometres south of Merritt, British Columbia.

Recent Highlights:

- SNR21-04 (South Zone: Vein Zone 1, 82.00-123.55m)

41.55 metres (m) of 8.17 g/t gold (Au) and 34.64 g/t silver (Ag), including 6.04m of 52.25 g/t Au and 195.04 g/t Ag, including 1.22m of 253.05 g/t Au and 889.75 g/t Ag, including 0.45m of 614 g/t Au and 2,070 g/t Ag.

- SNR21-03 (South Zone: Vein Zone 1, 79.20-154.00m)

74.80m of 3.18 g/t Au and 18.92 g/t Ag, including 5.13m of 26.13 g/t Au and 158.03 g/t Ag. Also, 8.00m of 7.41 g/t Au and 55.32 g/t Ag, including 1.32m of 31.90 g/t Au and 269.00 g/t Ag.

Gareth Thomas, President & CEO of Westhaven Gold, states: "These high-grade drill intercepts, including 614 g/t gold and 2,070 g/t silver, help further validate the high-grade nature of this project. Hole SNR21-04 is one of the shallowest high-grade Vein Zone 1 intercept drilled on Shovelnose to date. It is encouraging to see the expansion of mineralization and the continuity of high-grade within the South Zone, especially as we continue to drill this area in preparation for an inaugural maiden resource." Thomas goes on to add: "With the recent exploration success at the FMN Zone (SN21-161: 15.97m of 9.15 g/t Au and 27.43 g/t Ag), and with several high-priority targets generated from ongoing exploration programs including geophysics, geochemistry and prospecting, a 3rd drill is being mobilized to the property."

Peter Fischl, Exploration Manager, adds: "The recent results from holes SNR21-03 and SNR21-04 expanded the area of high grade (+100 gram-metres Au; see map below) situated along strike above 1250m elevation in Vein Zone 1. These two holes continued northeastward into the underlying Vein Zone 2, where significant intervals of mineralization were also encountered, including 1.64 g/t Au over 96.30m (SNR21-04, 219.00-315.30m).

Table of Recent Results (Newer Holes in Bold):

Hole ID	Target	From (m)	To (m)	Int (m)	Au (g/t)	Ag (g/t)	High Au (ppb)
SN21-150	FMN	25.71	34.46	8.75	0.70	4.14	2880
	including	32.80	34.46	1.66	2.27	2.97	2880
SN21-151	FMN	321.22	351.50	30.28	0.26	15.49	957
	including	332.00	338.00	6.00	0.58	34.70	957
	and	499.00	503.31	4.31	0.24	27.53	332
SN21-152	South Zone	291.00	310.00	19.00	0.38	26.86	1415
	including	291.00	293.00	2.00	1.21	144.50	1415
SN21-153	FMN	-	-	-	-	-	212
SN21-154	South Zone	365.89	369.15	3.26	0.72	33.90	1725

and	382.00	385.05	3.05	0.23	20.56	288
SN21-155 FMN	302.42	338.94	36.52	0.16	9.44	462
including	322.60	326.00	3.40	0.44	26.19	462
SN21-156 FMN	323.87	327.44	3.57	0.22	7.12	256
SN21-157 South Zone	302.88	318.29	15.41	0.37	17.48	1215
including	306.85	313.00	6.15	0.68	25.43	1215
SN21-158 FMN	93.22	150.90	57.68	0.68	11.19	31700
including	139.74	143.20	3.46	9.46	151.82	31700
including	139.74	140.64	0.90	31.70	529.00	31700
SN21-159 South Zone	343.15	352.12	8.97	0.79	20.39	3190
including	347.17	350.17	3.00	1.98	39.14	3190
and	361.60	371.00	9.40	1.88	15.85	13100
including	364.59	366.16	1.57	8.76	23.77	13100
SN21-160 South Zone	275.09	311.40	36.31	0.72	2.52	5150
including	276.00	290.00	14.00	1.58	3.46	5150
including	276.00	282.53	6.53	2.23	4.59	5150
SN21-161 FMN	220.32	236.29	15.97	9.15	27.43	30500
including	220.87	227.00	6.13	11.07	34.26	23500
including	226.00	227.00	1.00	23.50	52.60	23500
including	233.00	235.49	2.49	28.56	79.12	30500
SNR21-01 South Zone	130.92	162.00	31.08	0.73	1.45	5710
including	138.00	144.30	6.30	2.46	3.42	5710
and	180.23	232.00	51.77	4.22	46.42	84000
including	202.15	230.00	27.85	7.51	83.94	84000
including	205.00	211.25	6.25	20.11	273.07	57600
including	227.96	228.44	0.48	84.00	280.00	84000
SNR21-02 South Zone	167.00	246.00	79.00	2.73	15.78	28300
including	187.00	199.44	12.44	6.35	3.38	25800
including	193.78	197.44	3.66	16.98	7.73	25800
including	219.28	236.11	16.83	6.02	64.04	28300
including	220.03	223.68	3.65	14.82	211.64	28300
SNR21-03 South Zone	79.20	154.00	74.80	3.18	18.92	87100
including	87.87	93.00	5.13	26.13	158.03	87100
including	87.87	89.00	1.13	87.10	608.00	87100
including	92.00	93.00	1.00	31.60	98.70	31600
including	106.00	114.00	8.00	7.41	55.32	31900
including	112.68	114.00	1.32	31.90	269.00	31900
and	219.75	220.27	0.52	20.20	720.00	20200
and	238.86	243.49	4.63	1.38	5.80	9950
including	238.86	239.30	0.44	9.95	8.72	9950
and	258.59	280.61	22.02	2.86	11.70	17000
including	259.71	269.17	9.46	4.76	17.05	17000
including	272.48	273.00	0.52	6.08	22.80	6080
SNR21-04 South Zone	82.00	123.55	41.55	8.17	34.64	614000
including	111.78	117.82	6.04	52.25	195.04	614000
including	116.60	117.82	1.22	253.05	889.75	614000
including	116.60	117.05	0.45	614.00	2070.00	614000
and	219.00	315.30	96.30	1.64	8.01	123500
including	262.70	266.50	3.80	19.44	145.33	123500
including	264.30	264.76	0.46	123.50	946.00	123500
including	280.56	284.55	3.99	2.66	3.41	6200
including	292.95	296.50	3.55	7.49	9.53	18550

and	329.40	338.04	8.64	1.90	7.23	7040
including	331.07	332.58	1.51	7.04	27.40	7040
and	362.02	366.56	4.54	3.85	117.45	8110
including	362.94	363.77	0.83	8.11	262.00	8110

Please click the following link to the 2021 drill database table of assay results:
<https://www.westhavengold.com/projects/shovelnose-gold/maps/>

On behalf of the Board of Directors
[Westhaven Gold Corp.](#)

"Gareth Thomas"

Gareth Thomas, President, CEO & Director

Qualified Person Statement

Peter Fischl, P.Geol., who is a Qualified Person within the context of National Instrument 43-101 has read and takes responsibility for this release.

QA/QC

Core samples were prepared using the PREP-31 package in ALS's Kamloops facility. Each core sample is crushed to better than 70 % passing a 2 mm (Tyler 9 mesh, US Std. No.10) screen. A split of 250 g is taken and pulverized to better than 85 % passing a 75-micron (Tyler 200 mesh, US Std. No. 200) screen. 0.75g of this pulverized split is digested by Four Acid and analyzed via ICP-MS (method code ME-MS61m (+Hg)), which reports a 49-element suite of elements. All samples are analyzed by Fire Assay with an AES finish, method code Au-ICP21 (30g sample size). Additional Au screening is performed using ALS's Au-SCR24 method, select samples are dry screened to 100 microns. A duplicate 50g fire assay is conducted on the undersized fraction as well as an assay on the entire oversize fraction. Total Au content, individual assays and weight fractions are reported. All analytical and assay procedures are conducted in ALS's North Vancouver facility. A QA/QC program included laboratory and field standards inserted every 25 samples. At least one field blank is inserted in every batch of 25 samples, with additional blanks inserted following samples with visible gold.

Westhaven's ongoing Quality Assurance and Quality Control programs include auditing of all exploration data. Any significant changes will be reported when available.

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

About Westhaven Gold Corp.

Westhaven is a gold-focused exploration company advancing the high-grade discovery on the Shovelnose project in Canada's newest gold district, the Spences Bridge Gold Belt. Westhaven controls 37,000 hectares (370 square kilometres) with four 100% owned gold properties spread along this underexplored belt. The Shovelnose property is situated off a major highway, near power, rail, large producing mines, and within commuting distance from the city of Merritt, which translates into low-cost exploration.

Westhaven trades on the TSX Venture Exchange under the ticker symbol WHN. For further information, please call 604-336-6921 or visit Westhaven's website at www.westhavengold.com

Maps accompanying this announcement is available at:
<https://www.globenewswire.com/NewsRoom/AttachmentNg/0d231447-8874-4635-80cf-3ed639dfb79d>
<https://www.globenewswire.com/NewsRoom/AttachmentNg/b0813231-af9e-4124-8671-b3ffada8f99e>
<https://www.globenewswire.com/NewsRoom/AttachmentNg/ef4be9a7-d42f-43ab-9550-57c3acbb79f9>

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/385238--Westhaven-Gold-Drills-0.45-m-of-614-G-T-Gold-and-2070-G-T-Silver-Within-41.55-m-of-8.17-G-T-Gold-and-34.6>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).