

GoGold Resources Drills 4,367 g/t AgEq over 1.0m within 45.9m of 259 g/t AgEq at Casados in Los Ricos North

14.07.2021 | [CNW](#)

HALIFAX, July 14, 2021 - [GoGold Resources Inc.](#) (TSX: GGD) (OTCQX: GLGDF) ("GoGold", "the Company") is pleased to release the results of 11 new drill holes from the Casados deposit in the Los Ricos North project. Drill hole LRGCS-21-056 intersected 4,367 g/t silver equivalent ("AgEq") over 1.0m within 45.9m of 259 g/t AgEq. See Table 1 for breakdown of silver and gold values.

"The zone at Casados continues to show high grade intercepts included within wider zones of potentially bulk mineable tonnage," said Brad Langille, President and CEO. "We continue to advance Los Ricos North towards a significant initial resource."

Table 1: Drill Hole Intersections

Hole ID	Area	From	To	Length ¹	Au	Ag	AuEq ²	AgEq ²
					(m)	(m)	(m)	(g/t)
LRGCS-21-028	Casados	194.6	247.0	52.5	0.28	75.9	1.29	96.5
	including	207.5	208.5	1.0	0.15	1,196.8	16.10	1,207.8
LRGCS-21-046	Casados	209.5	220.0	10.5	0.37	95.8	1.65	123.8
LRGCS-21-047	Casados	105.0	127.6	22.6	0.76	146.1	2.71	203.4
	including	120.6	122.6	2.0	4.31	864.4	15.84	1,187.6
LRGCS-21-048	Casados	43.7	49.5	5.8	0.34	83.4	1.45	108.6
LRGCS-21-049	Casados	101.8	114.0	12.2	0.21	68.9	1.13	84.9
	including	111.4	114.0	2.7	0.81	209.2	3.60	269.9
LRGCS-21-051	Casados	175.9	187.0	11.2	0.44	91.5	1.66	124.4
	including	184.8	187.0	2.3	1.73	287.5	5.57	417.5
LRGCS-21-054	Casados	103.5	117.6	14.1	0.61	164.1	2.80	209.8
	including	113.4	115.5	2.1	3.38	838.7	14.57	1,092.5
	including	114.8	115.5	0.8	7.45	1,961.9	33.61	2,520.6
LRGCS-21-055	Casados	43.5	57.8	14.3	0.99	183.3	3.44	257.7
	including	48.3	50.3	2.0	6.56	1,178.6	22.27	1,670.6
LRGCS-21-056	Casados	197.1	243.0	45.9	0.96	187.0	3.45	259.0
	including	219.4	223.9	4.5	6.17	1,050.3	20.17	1,513.1
	including	219.4	221.4	2.0	13.01	2,033.9	40.12	3,009.2
	Including	220.4	221.4	1.0	19.87	2,877.1	58.23	4,367.3
LRGCS-21-057	Casados	69.6	77.6	8.0	0.29	98.9	1.61	120.4
	Casados	195.3	250.9	55.6	0.23	63.0	1.07	80.5
	including	233.3	234.3	1.0	2.09	778.7	12.47	935.4
LRGCS-21-058	Casados	71.6	72.5	0.9	0.34	135.0	2.14	160.8

1. Not true width

3. Holes LRGCS-21-050,52 and 53 are per

2. AqEq converted using a silver to gold ratio of 75:1 at recoveries of 100%.

Location Highlights

- LRGCS-28 is located approximately 80m down dip below the last level of historical workings.
- LRGCS-47,55,56, 57 are at the eastern end of the historical workings and extend to the east.
- LRGCS-56 is located about 20m down dip of the eastern end of the stopes with over 1,000 g/t Ag
- LRGCS-57 is located about 25m east past the end of the old stope and about 50m down dip of the old level with approximately 1,000 g/t grade
- LRGCS-47 and 55 are located on the same section about 50m east past the end of the old stopes with over 1,000 g/t Ag grade

The Casados Veins strike nearly E-W, dips 45° to the north and is hosted in andesitic tuffs and is exposed on surface for about 400 metres along strike. In the 7 metres of old stope that is above the water level at the Casados mine, the vein shows as a zone of quartz stringers about a meter wide, but at other places it is more than 2 metres wide. A zone of silicification up to 50 metres wide envelopes the vein and this resistant outcrop forms a steep ridge along the strike of the vein, particularly on the north or hanging wall side.

Casados North

GoGold's geological mapping program has located a series of historical workings along NNW trending veins that splay off the main Casados Vein along a horsetail structure (see Figure 4 for a plan view map and Figure 5 for a sampling map).

A series of low sulphidation epithermal quartz veins have been mapped over an area of 800m x 400m extending on a NNW trend from the area of the Casados mine. The veins are exposed in a dozen historical shallow workings and chip sampling has returned high silver and gold values. Drill hole LRGCS-21-038 (see press release dated May 26, 2021), targeted to test below the Casados mine workings, intersected one of these new veins close to surface as shown on the sampling map.

Table 2: Drill Hole Locations

Hole ID	Easting	Northing	Elevation	Azimuth	Dip	Length
LRGCS-21-028 583441 2337855 696	180	-70	329			
LRGCS-21-046 583401 2337840 717	180	-72	324			
LRGCS-21-047 583636 2337768 717	180	-50	270			
LRGCS-21-048 583508 2337876 702	180	-77	389			
LRGCS-21-049 583658 2337763 717	180	-45	230			
LRGCS-21-050 583351 2337900 728	180	-60	348			
LRGCS-21-051 583612 2337828 740	180	-45	191			
LRGCS-21-052 583550 2337855 706	180	-70	315			
LRGCS-21-053 583612 2337828 739	180	-50	319			
LRGCS-21-054 583588 2337771 703	180	-45	221			
LRGCS-21-055 583648 2337712 688	180	-50	177			
LRGCS-21-056 583588 2337855 733	180	-45	381			
LRGCS-21-057 583612 2337828 739	180	-60	313			
LRGCS-21-058 583403 2337885 709	180	-72	387			

VRIFY Slide Deck and 3D Presentation

VRIFY is a platform being used by companies to communicate with investors using 360° virtual tours of

remote mining assets, 3D models and interactive presentations. VRIFY can be accessed by website and with the VRIFY iOS and Android apps.

Access the GoGold Company Profile on VRIFY at: <https://vrify.com>

The VRIFY Slide Deck and 3D Presentation for GoGold can be viewed at:
<https://vrify.com/explore/decks/9404> and on the Company's website at: www.gogoldresources.com.

Los Ricos District Exploration Projects

The Company's two exploration projects at its Los Ricos property are in Jalisco state, Mexico. The Los Ricos South Project began in March 2019 and an initial resource was announced on July 29, 2020 which indicated a Measured & Indicated Mineral Resource of 63.7 million ounces AgEq grading 199 g/t AgEq contained in 10.0 million tonnes, and an Inferred Resource of 19.9 million ounces AgEq grading 190 g/t AgEq contained in 3.3 million tonnes. An initial PEA on the project was announced on January 20, 2021 indicating an NPV_{5%} of US\$295M.

The Los Ricos North Project was launched in March 2020 and includes drilling at the El Favor, La Trini, Casados and El Orito targets. During 2020, GoGold's exploration team identified over 100 targets on the Los Ricos North properties, demonstrating the significant exploration potential. The Company plans to drill 10 of these targets as part of its 2021 drilling program which is planned to exceed 100,000 metres of drilling and will be one of the largest in Mexico.

Procedure, Quality Assurance / Quality Control and Data Verification

The diamond drill core (HQ size) is geologically logged, photographed and marked for sampling. When the sample lengths are determined, the full core is sawn with a diamond blade core saw with one half of the core being bagged and tagged for assay. The remaining half portion is returned to the core trays for storage and/or for metallurgical test work.

The sealed and tagged sample bags are transported to the SGS Laboratory in Durango, Mexico. SGS crushes the samples and prepares 200-300 gram pulp samples with ninety percent passing Tyler 150 mesh (106?m). The pulps are assayed for gold using a 50-gram charge by fire assay (Code GE_FA515) and over limits greater than 10 grams per tonne are re-assayed using a gravimetric finish (Code GO_FAU333). Silver and multi-element analysis is completed using total digestion (Code 1F2 Total Digestion ICP) and Fire Assay Code GE_AAS42E). Over limits greater than 100 grams per tonne silver are re-assayed using a gravimetric finish (Code GO_FAG333).

Quality assurance and quality control ("QA/QC") procedures monitor the chain-of-custody of the samples and includes the systematic insertion and monitoring of appropriate reference materials (certified standards, blanks and duplicates) into the sample strings. The results of the assaying of the QA/QC material included in each batch are tracked to ensure the integrity of the assay data. All results stated in this announcement have passed GoGold's QA/QC protocols.

Mr. David Duncan, P. Geo. is the qualified person as defined by National Instrument 43-101 and is responsible for the technical information of this release.

About GoGold Resources

GoGold Resources (TSX: GGD) is a Canadian-based silver and gold producer focused on operating, developing, exploring and acquiring high quality projects in Mexico. The Company operates the Parral Tailings mine in the state of Chihuahua and has the Los Ricos South and Los Ricos North exploration projects in the state of Jalisco. Headquartered in Halifax, NS, GoGold is building a portfolio of low cost, high margin projects. For more information visit [gogoldresources.com](http://www.gogoldresources.com).

CAUTIONARY STATEMENT:

The securities described herein have not been, and will not be, registered under the United States Securities Act of 1933, as amended (the "U.S. Securities Act"), or any state securities laws, and may not be offered or sold within the United States or to, or for the benefit of, U.S. persons (as defined in Regulation S under the U.S. Securities Act) except in compliance with the registration requirements of the U.S. Securities Act and applicable state securities laws or pursuant to exemptions therefrom. This release does not constitute an

offer to sell or a solicitation of an offer to buy of any of GoGold's securities in the United States.

This news release may contain "forward-looking information" as defined in applicable Canadian securities legislation. All statements other than statements of historical fact, included in this release, including, without limitation, statements regarding the Los Ricos South and North projects, and future plans and objectives of GoGold, including the intention to undertake further exploration at Los Ricos North, and the prospect of further discoveries there, constitute forward looking information that involve various risks and uncertainties. Forward-looking information is based on a number of factors and assumptions which have been used to develop such information but which may prove to be incorrect, including, but not limited to, assumptions in connection with the continuance of GoGold and its subsidiaries as a going concern, general economic and market conditions, mineral prices, the accuracy of mineral resource estimates, and the performance of the Parral project. There can be no assurance that such information will prove to be accurate and actual results and future events could differ materially from those anticipated in such forward-looking information.

Important factors that could cause actual results to differ materially from GoGold's expectations include exploration and development risks associated with GoGold's projects, the failure to establish estimated mineral resources or mineral reserves, volatility of commodity prices, variations of recovery rates, and global economic conditions. For additional information with respect to risk factors applicable to GoGold, reference should be made to GoGold's continuous disclosure materials filed from time to time with securities regulators, including, but not limited to, GoGold's Annual Information Form. The forward-looking information contained in this release is made as of the date of this release.

SOURCE [GoGold Resources Inc.](#)

Contact

Steve Low, Corporate Development, GoGold Resources, T: 416 855 0435, E: steve@gogoldresources.com

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/388877--GoGold-Resources-Drills-4367-g-t-AgEq-over-1.0m-within-45.9m-of-259-g-t-AgEq-at-Casados-in-Los-Ricos-North>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).