

American Creek's JV Partner Tudor Gold Intersects 130.5 ms of 2.389 g/t Gold EQ Within 474.0 m of 1.039 g/t Gold EQ in Drill Hole GS-21-110

04.08.2021 | [Newsfile](#)

And 168.0 Meters of 1.391 g/t Gold EQ Within 801.0 Meters of 0.704 g/t Gold EQ in Drill Hole GS-21-10

Cardston, August 4, 2021 - [American Creek Resources Ltd.](#) (TSXV: AMK) ("the Corporation") is pleased to present the first results for the 2021 resource expansion and definition drilling program for the Goldstorm Deposit at their flagship property, Treaty Creek. The project is located in the heart of the Golden Triangle of northwestern British Columbia and is on-trend from Seabridge's KSM Project located five kilometers southwest of the Goldstorm Deposit. Results from seven diamond drill holes have recently been received from MSA Labs and are reported herein. Exploration at Treaty Creek is ongoing at Goldstorm, Perfect Storm and the Eureka zones with the recent arrival of the fifth and sixth drill rigs. Drilling has commenced at the Perfect Storm Zone with the fifth drill rig and the sixth drill rig has just arrived at the Eureka Zone awaiting the arrival of its drill crew. Click to view: Video outlining the 2021 Exploration Program at Treaty Creek

Tudor Gold's Vice President of Exploration and Project Development, Ken Konkin, P.Geo., states: "The 2021 drilling program at Treaty Creek has progressed very well with peripheral drilling at Goldstorm. We are consistently encountering strong sulphide mineralization along the limits of the three identified mineral resource domains, namely the 300 Horizon, CS-600 and DS-5 Zones. The Goldstorm Deposit remains open to expansion in all directions and at depth. In addition to potentially adding new gold equivalent (AuEq) ounces to the mineral resource, we will attempt to convert as much of the 7.9 million AuEq ounces of Inferred Resources to the Measured and Indicated Resource categories that currently total 19.41 million ounces of AuEq. Concurrent with the definition and exploration drilling on the Goldstorm Deposit, one drill will continue with 300-meter (m) step-out holes at Perfect Storm and one drill will test the central area of the Eureka Zone. Exploration crews will also be working on new areas within the project area in order to define new drill targets."

Treaty Creek, Goldstorm Drilling Highlights include:

- Very consistent, near-surface 300 Horizon intercepts such as GS-21-103 that intersected 801.0 meters of 0.704 g/t AuEq including a strong upper pulse of enrichment averaging 2.025 g/t AuEq over 75.0 meters or 168.0 meters of 1.391 AuEq.
- An impressive 474.0 m intercept of DS-5 in hole GS-21-110 that averages 1.039 g/t AuEQ including 216.0 meters of 1.712 g/t AuEq or 130.5 meters of 2.389 g/t AuEq.
- All drill holes hit significant gold mineralization (GS-21-107 was lost before encountering the DS-5 Zone and that hole will be re-drilled).
- Goldstorm Deposit remains open in all directions and at depth as drilling continues.

The complete list of composited drill hole results as well as the drill hole data including hole location, elevation, depth, dip and azimuth are provided in Table 1 and Table 2, respectively. Please click on the following link to view: Plan Map and Cross Sections for holes GS-21-103 to GS-21-110

Table I: Results Goldstorm Zone Press Release August 3rd 2021

Section	Hole	Zone	From (m)	To (m)	Interval (m)	Au (g/t)	Ag (g/t)	Cu ppm	AuEQ (g/t)
108+00 NE	GS-21-103	300H	27.00	828.00	801.00	0.653	3.02	139	0.704
			Incl. 93.00	261.00	168.00	1.263	7.69	321	1.391
			or Incl. 139.50	214.50	75.00	1.815	12.89	503	2.025
109+50 NE	GS-21-104	CS600	174.00	296.00	122.00	0.385	1.54	327	0.441
			Incl. 174.00	213.00	39.00	0.573	2.23	517	0.660

		or Incl. 174.00	204.00	30.00	0.633	2.70	465	0.719	
108+50 NE GS-21-105	DS5	211.00	341.50	130.50	0.433	0.56	216	0.465	
		Incl.	215.50	238.00	22.50	0.873	0.50	259	0.910
112+00 NE GS-21-107*	CS600	116.60	297.00	180.40	0.399	6.55	1956	0.707	
		Incl.	187.50	228.00	40.50	0.666	12.37	2227	1.074
113+50 NE GS-21-108	CS600	133.85	312.00	178.15	1.115	4.08	1501	1.340	
		Incl.	186.00	253.50	67.50	1.375	4.38	1417	1.594
		& Incl.	270.00	301.50	31.50	2.412	4.81	1062	2.594
		DS5	759.00	904.50	145.50	0.867	10.22	115	1.000
		Incl.	796.50	820.50	24.00	1.726	26.20	289	2.066
108+00 NE GS-21-109	300H	118.50	334.50	216.00	0.691	0.97	147	0.720	
		Incl.	160.50	241.50	81.00	0.965	1.43	213	1.006
		or Incl.	160.50	174.00	13.50	2.648	4.04	941	2.806
115+00 NE GS-21-110	DS5	598.50	1072.50	474.00	0.983	3.99	75	1.039	
		Incl.	853.50	1069.50	216.00	1.620	6.88	101	1.712
		or Incl.	898.50	1029.00	130.50	2.285	7.83	106	2.389

* Lost drill hole prior to intersecting DS-5, will re-drill this hole.

- All assay values are uncut and intervals reflect drilled intercept lengths.
- HQ and NQ2 diameter core samples were sawn in half and typically sampled at standard 1.5m intervals.
- The following metal prices were used to calculate the Au Eq metal content: Gold \$1625/oz, Ag: \$19/oz, Cu: \$2.8/lb. Calculations used the formula Au Eq g/t = (Au g/t) + (Ag g/t x 0.01169) + (Cu% x 1.1815). All metals are reported in USD and calculations do not consider metal recoveries.
- True widths have not been determined as the mineralized body remains open in all directions. Further drilling is required to determine the mineralized body orientation and true widths.

Table 2: Drill data for holes in Press Release August 3rd, 2021

Section	Hole ID	UTM E NAD 83	UTM N NAD 83	Elevation (m)	Azi (ᵒ)	Dip (ᵒ)	Depth (m)
108+00 NE GS-21-103	428355.1	6272668.2	1301.2	295	-64	969	
109+50 NE GS-21-104	428823.9	6272571.8	1275.4	295	-90	454	
108+50 NE GS-21-105	428769.4	6272531.1	1278.4	295	-88	397	
112+00 NE GS-21-107*	428885.4	6272822.2	1250.1	295	-88	359.3	
113+50 NE GS-21-108	428953.1	6272953.3	1238.2	295	-85	939	
108+00 NE GS-21-109	428354.2	6272668.7	1301.3	295	-45	927	
115+00 NE GS-21-110	429020.3	6273102.0	1230.2	295	-88	1089.25	

* Lost drill hole prior to intersecting DS-5, will re-drill this hole.

Walter Storm, Tudor President and CEO, stated: "I am very pleased with the exceptional progress our exploration team has made with these initial results from the resource definition and exploration drilling program. Continued drilling will broaden our understanding of the 300, CS-600 and DS-5 domains and hopefully will further increase the size and quality of the Goldstorm Deposit beyond our expectations. Despite having an exceptionally high snowpack this year, minor delays were encountered as crews patiently and safely removed unexpected amounts of snow accumulation. The safety of our crews and of our contractors is our highest priority. In addition to the exploration program, our base-line studies are also proceeding as planned with the installation of a climate monitoring station and on-going environmental studies. We look forward to providing new drilling updates throughout this year's work program."

"[Tudor Gold Corp.](#) and our associated service companies have taken extreme measures to maintain the highest professional standards while working within COVID-19 health and safety protocols. Only essential personnel are permitted to enter the camp and staging areas. Of those workers who are at the project site and staging site, we have strict daily monitoring of the workers temperatures and general health conditions. We have a certified paramedic at the staging area to examine all in-coming and out-going Tudor personnel and all service providers."

Darren Blaney, CEO of American Creek commented: "What a fantastic way to start the 2021 drill program.

More Goldstorm expansion with more very impressive drill intersections."

"We would like to commend the efforts of Walter Storm, Ken Konkin and the team at Tudor Gold, as well as More Core Drilling. We have utmost confidence in the exploration team and very much look forward to ongoing Goldstorm expansion as well as the very real potential of new discoveries."

Qualified Person

The Qualified Person for Tudor's news release for the purposes of National Instrument 43-101 is Tudor's Vice President of Project Development, Ken Konkin, P.Geo. He has read and approved the scientific and technical information that forms the basis for their disclosure contained in their news release.

The Qualified Person for this news release is James A. McCrea, P. Geo., for the purposes of National Instrument 43-101. While American Creek has not independently confirmed Tudor's information, Mr. McCrea has read and approved the scientific and technical information that forms the basis for the disclosure contained in this news release.

QA/QC

Drill core samples were prepared at MSA Labs' Preparation Laboratory in Terrace, BC and assayed at MSA Labs' Geochemical Laboratory in Langley, BC. Analytical accuracy and precision are monitored by the submission of blanks, certified standards and duplicate samples inserted at regular intervals into the sample stream by Tudor Gold personnel. MSA Laboratories quality system complies with the requirements for the International Standards ISO 17025 and ISO 9001. MSA Labs is independent of the Company.

Treaty Creek JV Partnership

The Treaty Creek Project is a Joint Venture with Tudor Gold owning 3/5th and acting as operator. American Creek and Teuton Resources each have a 1/5th interest in the project creating a 3:1 ownership relationship between Tudor Gold and American Creek. American Creek and Teuton are both fully carried until such time as a Production Notice is issued, at which time they are required to contribute their respective 20% share of development costs. Until such time, Tudor is required to fund all exploration and development costs while both American Creek and Teuton have "free rides".

About American Creek

American Creek is a Canadian junior mineral exploration company with gold and silver properties in British Columbia, Canada.

The Corporation has an interest in the Treaty Creek property, a joint venture project with Tudor Gold/Walter Storm located in BC's prolific "Golden Triangle".

The Corporation also holds the Austruck-Bonanza gold property located near Kamloops.

For further information please contact Kelvin Burton at: Phone: 403 752-4040 or Email: info@americancreek.com. Information relating to the Corporation is available on its website at www.americancreek.com

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Cautionary Statements regarding Forward-Looking Information

This news release contains "forward-looking information" within the meaning of applicable Canadian

securities legislation. "Forward-looking information" includes, but is not limited to, statements with respect to the activities, events or developments that the Corporation expects or anticipates will or may occur in the future, including the completion and anticipated results of planned exploration activities. Generally, but not always, forward-looking information and statements can be identified by the use of words such as "plans", "expects", "is expected", "budget", "scheduled", "estimates", "forecasts", "intends", "anticipates", or "believes" or the negative connotation thereof or variations of such words and phrases or state that certain actions, events or results "may", "could", "would", "might" or "will be taken", "occur" or "be achieved" or the negative connotation thereof.

Such forward-looking information and statements are based on numerous assumptions, including among others, that the Corporation's planned exploration activities will be completed in a timely manner. Although the assumptions made by the Corporation in providing forward-looking information or making forward-looking statements are considered reasonable by management at the time, there can be no assurance that such assumptions will prove to be accurate.

There can be no assurance that such statements will prove to be accurate and actual results and future events could differ materially from those anticipated in such statements. Important factors that could cause actual results to differ materially from the Corporation's plans or expectations include risks relating to the actual results of current exploration activities, fluctuating gold prices, possibility of equipment breakdowns and delays, exploration cost overruns, availability of capital and financing, general economic, market or business conditions, regulatory changes, timeliness of government or regulatory approvals and other risks detailed herein and from time to time in the filings made by the Corporation with securities regulators.

Although the Corporation has attempted to identify important factors that could cause actual results to differ materially from those contained in the forward-looking information or implied by forward-looking information, there may be other factors that cause results not to be as anticipated, estimated or intended. There can be no assurance that forward-looking information and statements will prove to be accurate, as actual results and future events could differ materially from those anticipated, estimated or intended. Accordingly, readers should not place undue reliance on forward-looking statements or information.

Dieser Artikel stammt von Rohstoff-Welt.de

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/390627--American-Creekund039s-JV-Partner-Tudor-Gold-Intersects-130.5-ms-of-2.389-g-t-Gold-EQ-Within-474.0-m-of-1.0>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).